

COLLEGE OF MEDICINE CURRICULUM VITAE

[Franklin Dexter, MD, PhD, FASA](#)

Date of preparation: January 17, 2026

Ia. Educational history

Sc.B. Applied Mathematics-Biology with Honors, Brown University, 1985

M.S. Biomedical Engineering, Case Western Reserve University, 1988

Ph.D. Biomedical Engineering, Case Western Reserve University, 1989
Specialization in biomathematics

M.D. Case Western Reserve University, 1990

Licensure: Permanent Iowa Medical License #29564, issued 10/5/93, expires 8/1/26

Resident Physician, Department of Anesthesia, University of Iowa, 1990-1993

Certification: American Board of Anesthesiology, issued 4/28/95

Ib. Professional and academic positions held

Assistant Professor, Department of Anesthesia, University of Iowa, 1994 – 1997

Associate Professor with tenure, Department of Anesthesia, University of Iowa, 1997 – 2005

Professor with tenure, Department of [Anesthesia](#), University of Iowa, 2005 – present

Director, Division of Management Consulting, 2001 – present

Ic. Honors and awards

Academic Achievement Award in Biology and Medicine, Brown University, 1985

Rohn Truell Memorial Premium in Applied Mathematics, Brown University, 1985

Sigma Xi (Scientific Research Honor Society), 1985

Medical Scientist Training Program, Case Western Reserve University, 1985

Alpha Omega Alpha (Medical Honor Society), 1990

Association of University Anesthesiologists, 1997

Statistical consultant to FDA's Anesthesiology and Respiratory Therapy Devices Panel, 1997

Department of Nursing Quality Management Recognition Award, University of Iowa, 1998

Associate Editor of the journal *Anesthesiology*, 1999 – 2005

Advisory Board of *OR Manager*, 2000 – 2013

Paper Recognition [#57, #81, #92], American Association of Clinical Directors, 2001 – 2004

Public Interest in Anesthesia Award, American Association of Nurse Anesthetists, 2004

“... to a person or group who has made a significant contribution regarding anesthesia safety,
quality of care or social and health issues in the field of anesthesia.”

Editorial board member, *Health Care Management Science*, 2006 – 2022

Mary Hanna Memorial Journalism Award, American Society of PeriAnesthesia Nursing, 2006

Anesthesia Patient Safety Foundation Scientific Evaluation Committee, 2007 – 2014

Section Editor for Economics, Education, and Policy, *Anesthesia & Analgesia*, 2006 – 2015

Statistical Editor, *Anesthesia & Analgesia*, 2010 – 2015

Statistical Editor, *Canadian Journal of Anesthesia*, 2014 – present

Associate Editor, *Journal of Clinical Anesthesia*, 2017 – present

Fellow of the American Society of Anesthesiologists, 2018 – present

Carver College of Medicine Impact Scholars Award, 2020

University of Iowa Quality and Safety faculty project award, 2023

IIa. Teaching – student lectures

Operations Research for Surgical Services 50-hour course was given 72 times until revisions to US AHRQ in 2025. There were several educational research studies performed to improve the course: #148, #149, #192, #223, #246, #280, #294, and #301, below.

III a. Peer-reviewed papers in operating room management, managerial epidemiology, and health services research; h-index 83; i10-index 425 with ≥10 citations (Google Scholar)

1. [Dexter F](#), Tinker JH. Analysis of strategies to decrease post anesthesia care unit costs. *Anesthesiology* 82:94-101, 1995
2. [Dexter F](#), Tinker JH. Comparisons between desflurane and isoflurane or propofol on time to following commands and time to discharge. A metaanalysis. *Anesthesiology* 83:77-82, 1995
3. [Dexter F](#), Tinker JH. The cost efficacy of hypothetically eliminating adverse anesthetic outcomes from high, but neither low nor moderate, risk surgical operations. *Anesthesia & Analgesia* 81:939-944, 1995
4. [Dexter F](#), Coffin S, Tinker JH. Decreases in anesthesia-controlled time cannot permit one additional surgical operation to be scheduled during the workday. *Anesthesia & Analgesia* 81:1263-1268, 1995
5. [Dexter F](#). Application of prediction levels to OR scheduling. *AORN Journal* 63:607-615, 1996
6. [Dexter F](#). Application of cost-utility and quality-adjusted life years analyses to monitored anesthesia care for sedation only. *Journal of Clinical Anesthesia* 8:286-288, 1996
7. [Dexter F](#), Pearson K, Griffiths DL, Jebson P. Surgical ICU underutilization does not significantly discourage discharge. *Health Services Management Research* 9:238-242, 1996
8. [Dexter F](#), Rittenmeyer H. Measuring productivity of the phase I postanesthesia care unit. *Journal of PeriAnesthesia Nursing* 12:7-11, 1997
9. [Dexter F](#), Rittenmeyer H. A statistical method for predicting postanesthesia care unit staffing needs. *AORN Journal* 65:947-957, 1997
10. [Dexter F](#), Coffin S, Woodward J. Performance of anesthesia machines' devices that are not part of the Food and Drug Administration's daily checkout. *Journal of Clinical Monitoring* 13:171-179, 1997
11. Pecka SL, [Dexter F](#). Anesthesia providers' interventions during cataract extraction under monitored anesthesia care. *AANA Journal* 65:357-360, 1997
12. [Dexter F](#), Rittenmeyer H. Quantification of phase I postanesthesia nursing activities in the phase II postanesthesia care unit. *Nursing Outlook* 45:86-88, 1997
13. [Dexter F](#), Aker J, Wright WA. Development of a measure of patient satisfaction with monitored anesthesia care: the Iowa Satisfaction with Anesthesia Scale. *Anesthesiology* 87:865-873, 1997
14. [Dexter F](#), Lubarsky DA, Gilbert BC, Thompson C. A method to compare costs of drugs and supplies among anesthesia providers: a simple statistical method to reduce variations in cost due to variations in casemix. *Anesthesiology* 88:1350-1356, 1998

15. Macario A, Horne M, Goodman S, [Dexter F](#), Heinen R, Brown B. The effect of a perioperative clinical pathway for knee replacement surgery on hospital costs. *Anesthesia & Analgesia* 86:978-984, 1998
16. Ludington ES, [Dexter F](#). Statistical analysis of total labor pain using the visual analog scale and application to studies of analgesic effectiveness during childbirth. *Anesthesia & Analgesia* 87:723-727, 1998
17. [Dexter F](#). Regional anesthesia does not significantly change surgical time versus general anesthesia - a meta-analysis of randomized studies. *Regional Anesthesia & Pain Management* 23:439-443, 1998
18. [Dexter F](#), Macario A, Cerone SM. Hospital profitability for a surgeon's common procedures predicts the surgeon's overall profitability for the hospital. *Journal of Clinical Anesthesia* 10:457-463, 1998
19. Zhou J, [Dexter F](#). Method to assist in the scheduling of add-on surgical cases - upper prediction bounds for surgical case durations based on the log normal distribution. *Anesthesiology* 89:1228-1232, 1998
20. [Dexter F](#), Macario A, Dexter EU. Computer simulation of changes in nursing productivity from early tracheal extubation of coronary artery bypass graft patients. *Journal of Clinical Anesthesia* 10:593-598, 1998
21. [Dexter F](#), Penning DH, Lubarsky DA, DeLong E, Sanderson I, Gilbert BC, Bell E, Reves JG. Use of an automated anesthesia information system to determine reference limits for vital signs during cesarean section. *Journal of Clinical Monitoring and Computing* 14:491-498, 1998
22. [Dexter F](#), Macario A. Decrease in case duration required to complete an additional case during regularly scheduled hours in an operating room suite - a computer simulation study. *Anesthesia & Analgesia* 88:72-76, 1999
23. [Dexter F](#), Traub RD, Qian F. Comparison of statistical methods to predict the time to complete a series of surgical cases. *Journal of Clinical Monitoring and Computing* 15:45-51, 1999
24. [Dexter F](#), Macario A, Manberg PJ, Lubarsky DA. Computer simulation to determine how rapid anesthetic recovery protocols to decrease the time for emergence or increase the phase I post anesthesia care unit bypass rate affect staffing of an ambulatory surgery center. *Anesthesia & Analgesia* 88:1053-1063, 1999
25. [Dexter F](#), Macario A, Traub RD. Optimal sequencing of urgent surgical cases – scheduling cases using operating room information systems. *Journal of Clinical Monitoring and Computing* 15:153-162, 1999
26. [Dexter F](#), Macario A, Traub RD, Hopwood M, Lubarsky DA. An operating room scheduling strategy to maximize the use of operating room block time: Computer simulation of patient scheduling and survey of patients' preferences for surgical waiting time. *Anesthesia & Analgesia* 89:7-20, 1999
27. [Dexter F](#), Macario A, Lubarsky DA, Burns DD. Statistical method to evaluate management strategies to decrease variability in operating room utilization. Application of linear statistical modeling and Monte-Carlo simulation to operating room management. *Anesthesiology* 91:262-274, 1999
28. [Dexter F](#). Design of appointment systems for preanesthesia evaluation clinics to minimize patient waiting times: a review of computer simulation and patient survey studies. *Anesthesia & Analgesia* 89:925-931, 1999
29. [Dexter F](#), Macario A, O'Neill L. A strategy for deciding operating room assignments for second-shift anesthetists. *Anesthesia & Analgesia* 89:920-924, 1999

30. Macario A, Glenn D, [Dexter F](#). What can the postanesthesia care unit manager do to decrease costs in the PACU? *Journal of Perianesthesia Nursing* 14:284-293, 1999
31. [Dexter F](#), Macario A, Traub RD. Which algorithm for scheduling add-on elective cases maximizes operating room utilization? Use of bin packing algorithms and fuzzy constraints in operating room management. *Anesthesiology* 91:1491-1500, 1999
32. [Dexter F](#), Macario A, Qian F, Traub RD. Forecasting surgical groups' total hours of elective cases for allocation of block time. Application of time series analysis to operating room management. *Anesthesiology* 91:1501-1508, 1999
33. Macario A, [Dexter F](#). Estimating the duration of a case when the surgeon has not recently performed the procedure at the surgical suite. *Anesthesia & Analgesia* 89:1241-1245, 1999
34. Zhou J, [Dexter F](#), Macario A, Lubarsky DA. Relying solely on historical surgical times to estimate accurately future surgical times is unlikely to reduce the average length of time cases finish late. *Journal of Clinical Anesthesia* 11:601-605, 1999
35. [Dexter F](#), Traub RD. Sequencing cases in operating rooms: predicting whether one surgical case will last longer than another. *Anesthesia & Analgesia* 90:975-979, 2000
36. [Dexter F](#), Macario A, O'Neill L. Scheduling surgical cases into overflow block time - computer simulation of the effects of scheduling strategies on operating room labor costs. *Anesthesia & Analgesia* 90:980-986, 2000
37. Macario A, [Dexter F](#). Effect of compensation and patient scheduling on operating room labor costs. *AORN Journal* 71:860-869, 2000
38. [Dexter F](#), Macario A. What is the relative frequency of uncommon ambulatory surgery procedures in the United States with an anesthesia provider? *Anesthesia & Analgesia* 90:1343-1347, 2000
39. [Dexter F](#), Traub RD. Statistical method for predicting when patients should be ready on the day of surgery. *Anesthesiology* 93:1107-1114, 2000
40. Epstein RH, [Dexter F](#). Economic analysis of linking operating room scheduling and hospital material management information systems for just in time inventory control. *Anesthesia & Analgesia* 91:337-343, 2000
41. [Dexter F](#), Macario A, Traub RD. Statistical method using operating room information system data to determine anesthetist weekend call requirements. *AANA Journal* 68:21-26, 2000
42. [Dexter F](#), Macario A, Traub RD. Enterprise-wide patient scheduling information systems to coordinate surgical clinic and operating room scheduling can impair operating room efficiency. *Anesthesia & Analgesia* 91:617-626, 2000
43. [Dexter F](#). A strategy to decide whether to move the last case of the day in an operating room to another empty operating room to decrease overtime labor costs. *Anesthesia & Analgesia* 91:925-928, 2000
44. [Dexter F](#), Traub RD. Determining staffing requirements for a second shift of anesthetists by graphical analysis of data from operating room information systems. *AANA Journal* 68:31-36, 2000
45. [Dexter F](#), Traub RD. The lack of systematic month-to-month variation over one-year periods in ambulatory surgery caseload - application to anesthesia staffing. *Anesthesia & Analgesia* 91:1426-1430, 2000
46. [Dexter F](#), Gan TJ, Naguib M, Lubarsky DA. Cost identification analysis for succinylcholine. *Anesthesia & Analgesia* 92:693-699, 2001
47. [Dexter F](#), Macario A. What is the optimal number of beds and occupancy to minimize nursing staffing costs in an obstetrical unit? *Canadian Journal of Anesthesia* 48:295-301, 2001

48. [Dexter F](#), Traub RD, Lebowitz P. Scheduling a delay between different surgeons' cases in the same operating room on the same day using upper prediction bounds for case durations. *Anesthesia & Analgesia* 92:943-946, 2001
49. [Dexter F](#), Epstein RH, Penning DH. Statistical analysis of postanesthesia care unit staffing at a surgical suite with frequent delays in admission from the operating room - a case study. *Anesthesia & Analgesia* 92:947-949, 2001
50. [Dexter F](#), Thompson E. Relative value guide basic units in operating room scheduling to ensure compliance with anesthesia group policies for surgical procedures performed at each anesthetizing location. *AANA Journal* 69:120-123, 2001
51. [Dexter F](#), Traub RD, Penning DH. Statistical analysis by Monte-Carlo simulation of the impact of administrative and medical delays in discharge from the post-anesthesia care unit on total patient care hours. *Anesthesia & Analgesia* 92:1222-1225, 2001
52. [Dexter F](#), Macario A, Lubarsky DA. The impact on revenue of increasing patient volume at surgical suites with relatively high operating room utilization. *Anesthesia & Analgesia* 92:1215-1221, 2001
53. [Dexter F](#), Epstein RH, Marsh HM. A statistical analysis of weekday operating room anesthesia group staffing costs at nine independently managed surgical suites. *Anesthesia & Analgesia* 92:1493-1498, 2001
54. Macario A, [Dexter F](#), Traub RD. Hospital profitability per hour of operating room time can vary among surgeons. *Anesthesia & Analgesia* 93:669-675, 2001
55. [Dexter F](#), O'Neill L. Weekend operating room on-call staffing requirements. *AORN Journal* 74:666-671, 2001
56. [Dexter F](#), Epstein RH. Reducing family members' anxiety while waiting on the day of surgery: systematic review of studies and implications of HIPAA health information privacy rules. *Journal of Clinical Anesthesia* 13:478-481, 2001
57. [Dexter F](#), Blake JT, Penning DH, Lubarsky DA. Calculating a potential increase in hospital margin for elective surgery by changing operating room time allocations or increasing nursing staffing to permit completion of more cases: a case study. *Anesthesia & Analgesia* 94:138-142, 2002
58. [Dexter F](#), Blake JT, Penning DH, Sloan B, Chung P, Lubarsky DA. Use of linear programming to estimate impact of changes in a hospital's operating room time allocation on perioperative variable costs. *Anesthesiology* 96:718-724, 2002
59. Blake JT, [Dexter F](#), Donald J. Operating room managers' use of integer programming for assigning allocated block time to surgical groups: a case study. *Anesthesia & Analgesia* 94:143-148, 2002
60. Epstein RH, [Dexter F](#). Statistical power analysis to estimate how many months of data are required to identify operating room staffing solutions to reduce labor costs and increase productivity. *Anesthesia & Analgesia* 94:640-643, 2002
61. [Dexter F](#), Traub RD. How to schedule elective surgical cases into specific operating rooms to maximize the efficiency of use of operating room time. *Anesthesia & Analgesia* 94:933-942, 2002
62. [Dexter F](#), Macario A. Changing allocations of operating room time from a system based on historical utilization to one where the aim is to schedule as many surgical cases as possible. *Anesthesia & Analgesia* 94:1272-1279, 2002
63. [Dexter F](#), Traub RD, Fleisher LA, Rock P. What sample sizes are required for pooling surgical case durations among facilities to decrease the incidence of procedures with little historical data? *Anesthesiology* 96:1230-1236, 2002

64. [Dexter F](#), Macario A, Penning DH, Chung P. Development of an appropriate list of surgical procedures of a specified maximum anesthetic complexity to be performed at a new ambulatory surgery facility. *Anesthesia & Analgesia* 95:78-82, 2002
65. Epstein RH, [Dexter F](#), Traub RD. Statistical power analysis to estimate how many months of data are required to identify PACU staffing to minimize delays in admission from ORs. *Journal of PeriAnesthesia Nursing* 17:84-88, 2002
66. [Dexter F](#), Lubarsky DA, Blake JT. Sampling error can significantly affect measured hospital financial performance of surgeons and resulting operating room time allocations. *Anesthesia & Analgesia* 95:184-188, 2002
67. Epstein RH, [Dexter F](#). Uncertainty in knowing the operating rooms in which cases were performed has little effect on operating room allocations or efficiency. *Anesthesia & Analgesia* 95:1726-1730, 2002
68. [Dexter F](#), Epstein RH, Marsh HM. Costs and risks of weekend anesthesia staffing at 6 independently managed surgical suites. *AANA Journal* 70:377-381, 2002
69. [Dexter F](#), Traub RD, Macario A. How to release allocated operating room time to increase efficiency: predicting which surgical service will have the most underutilized operating room time. *Anesthesia & Analgesia* 96:507-512, 2003
70. [Dexter F](#), Epstein RH. Optimizing second shift OR staffing. *AORN Journal* 77:825-830, 2003
71. Abouleish AE, [Dexter F](#), Epstein RH, Lubarsky DA, Whitten CW, Prough DS. Labor costs incurred by anesthesiology groups because of operating rooms not being allocated and cases not being scheduled to maximize operating room efficiency. *Anesthesia & Analgesia* 96:1109-1113, 2003
72. [Dexter F](#), Traub RD, Macario A, Lubarsky DA. Operating room utilization alone is not an accurate metric for the allocation of operating room block time to individual surgeons with low caseloads. *Anesthesiology* 98:1243-1249, 2003
73. [Dexter F](#), Smith TC, Tatman DJ, Macario A. Physicians' perceptions of minimum time that should be saved to move a surgical case from one operating room to another: internet-based survey of the Association of Anesthesia Clinical Directors' (AACD) members. *Journal of Clinical Anesthesia* 15:206-210, 2003
74. [Dexter F](#), Ledolter J. Managing risk and expected financial return from selective expansion of operating room capacity. Mean-variance analysis of a hospital's portfolio of surgeons. *Anesthesia & Analgesia* 97:190-195, 2003
75. [Dexter F](#), Wachtel RE, Yue JC. Use of discharge abstract databases to differentiate among pediatric hospitals based on operative procedures: Surgery in infants and young children in the State of Iowa. *Anesthesiology* 99:480-487, 2003
76. [Dexter F](#), Abouleish AE, Epstein RH, Whitten CW, Lubarsky DA. Use of operating room information system data to predict the impact of reducing turnover times on staffing costs. *Anesthesia & Analgesia* 97:1119-1126, 2003
77. Abouleish AE, [Dexter F](#), Whitten CW, Zavaleta JR, Prough DS. Quantifying net staffing costs due to longer-than-average surgical case durations. *Anesthesiology* 100:403-412, 2004
78. [Dexter F](#), Macario A. When to release allocated operating room time to increase operating room efficiency. *Anesthesia & Analgesia* 98:758-762, 2004
79. O'Neill L, [Dexter F](#). Market capture of inpatient perioperative services using DEA. *Health Care Management Science* 7:263-273, 2004
80. Wachtel RE, [Dexter F](#). Differentiating among hospitals performing physiologically complex operative procedures in the elderly. *Anesthesiology* 100:1552-1561, 2004

81. [Dexter F](#), O'Neill L. Data envelopment analysis to determine by how much hospitals can increase elective inpatient surgical workload for each specialty. *Anesthesia & Analgesia* 99:1492-1500, 2004
82. [Dexter F](#), Lubarsky DA. Using length of stay data from a hospital to evaluate whether limiting elective surgery at the hospital is an inappropriate decision. *Journal of Clinical Anesthesia* 16:421-425, 2004
83. [Dexter F](#), Epstein RD, Traub RD, Xiao Y. Making management decisions on the day of surgery based on operating room efficiency and patient waiting times. *Anesthesiology* 101:1444-1453, 2004
84. [Dexter F](#), Epstein RH. Review of operational decision making before the day of surgery based on operating room efficiency. *Journal Européen des Systèmes Automatisés* 38:603-630, 2004
85. Macario A, [Dexter F](#), Lubarsky DA. Meta-analysis of trials comparing postoperative recovery after anesthesia with sevoflurane or desflurane. *American Journal of Health-System Pharmacy* 62:63-68, 2005
86. Freytag S, [Dexter F](#), Epstein RH, Kugler C, Schnettler R. Allocating and scheduling operating room time based on maximizing operating room efficiency at a German university hospital. *Der Chirurg* 76:71-79, 2005
87. Kanter RK, [Dexter F](#). Criteria for identification of comprehensive pediatric hospitals and referral regions. *Journal of Pediatrics* 146:26-29, 2005
88. [Dexter F](#), Epstein RH, Marcon E, de Matta R. Strategies to reduce delays in admission into a postanesthesia care unit from operating rooms. *Journal of PeriAnesthesia Nursing* 20:92-102, 2005
89. [Dexter F](#), Ledolter J, Wachtel RE. Tactical decision making for selective expansion of operating room resources incorporating financial criteria and uncertainty in subspecialties' future workloads. *Anesthesia & Analgesia* 100:1425-1432, 2005
90. [Dexter F](#), Wachtel RE, Sohn MW, Ledolter J, Dexter EU, Macario A. Quantifying effect of a hospital's caseload for a surgical specialty on that of another hospital using market segments including procedure, payer, and locations of patients' residences. *Health Care Management Science* 8:121-131, 2005
91. [Dexter F](#), Epstein RH, Marcon E, Ledolter J. Estimating the incidence of prolonged turnover times and delays by time of day. *Anesthesiology* 102:1242-1248, 2005
92. Wachtel RE, [Dexter F](#), Lubarsky DA. Financial implications of a hospital's specialization in rare physiologically complex surgical procedures. *Anesthesiology* 103:161-167, 2005
93. [Dexter F](#), Marcon E, Epstein RH, Ledolter J. Validation of statistical methods to compare cancellation rates on the day of surgery. *Anesthesia & Analgesia* 101:465-473, 2005 and erratum 114:693, 2012
94. Xiao Y, Hu P, Hao H, Ho D, [Dexter F](#), Mackenzie CF, Seagull FJ, Dutton R. An algorithm for processing vital sign monitoring data to remotely identify operating room occupancy in real-time. *Anesthesia & Analgesia* 101:823-829, 2005
95. O'Neill L, [Dexter F](#). Methods for understanding super-efficient data envelopment analysis results with an application to hospital inpatient surgery. *Health Care Management Science* 8:291-298, 2005
96. [Dexter F](#), Macario A, Epstein RH, Ledolter J. Validity and usefulness of a method to monitor surgical services' average bias in scheduled case durations. *Canadian Journal of Anesthesia* 52:935-939, 2005
97. [Dexter F](#), Ledolter J. Bayesian prediction bounds and comparisons of operating room times even for procedures with few or no historical data. *Anesthesiology* 103:1259-1267, 2005

98. Marcon E, [Dexter F](#). Impact of surgical sequencing on post anesthesia care unit staffing. *Health Care Management Science* 9:87-98, 2006
99. [Dexter F](#), Yue JC, Dow AJ. Predicting anesthesia times for diagnostic and interventional radiological procedures. *Anesthesia and Analgesia* 102:1491-1500, 2006
100. O'Sullivan CT, [Dexter F](#). Assigning surgical cases with regional anesthetic blocks to anesthesiologists and operating rooms based on operating room efficiency. *AANA Journal* 74:213-218, 2006
101. [Dexter F](#), Weih LS, Gustafson RK, Stegura LF, Oldenkamp MJ, Wachtel RE. Observational study of operating room times for knee and hip replacement surgery at nine US community hospitals. *Health Care Management Science* 9:325-339, 2006
102. [Dexter F](#), Epstein RH. Holiday and weekend operating room on-call staffing requirements. *Anesthesia & Analgesia* 103:1494-1498, 2006
103. McIntosh C, [Dexter F](#), Epstein RH. The impact of service-specific staffing, case scheduling, turnovers, and first-case starts on anesthesia group and operating room productivity: tutorial using data from an Australian hospital. *Anesthesia & Analgesia* 103:1499-1516, 2006
104. [Dexter F](#), Wachtel RE, Epstein RH. Impact of average patient acuity on staffing of the phase I PACU. *Journal of PeriAnesthesia Nursing* 21:303-310, 2006
105. [Dexter F](#), Davis M, Halbeis CE, Marjamaa R, Marty J, McIntosh C, Nakata Y, Thenuwara KN, Sawa T, Vigoda M. Mean operating room times differ by 50% among hospitals in different countries for laparoscopic cholecystectomy and lung lobectomy. *Journal of Anesthesia* 20:319-322, 2006
106. O'Neill L, [Dexter F](#). Tactical increases in operating room block time based on financial data and market growth estimates from data envelopment analysis. *Anesthesia & Analgesia* 104:355-368, 2007
107. O'Sullivan CT, [Dexter F](#), Lubarsky DA, Vigoda MM. Evidence-based management assessment of return on investment from anesthesia information management systems. *AANA Journal* 75:43-48, 2007
108. Wachtel RE, Dexter EU, [Dexter F](#). Application of a similarity index to state discharge abstract data to identify opportunities for growth of surgical and anesthesia practices. *Anesthesia & Analgesia* 104:1157-1170, 2007
109. [Dexter F](#), Macario A, Ledolter J. Identification of systematic under-estimation (bias) of case durations during case scheduling would not markedly reduce over-utilized operating room time. *Journal of Clinical Anesthesia* 19:198-203, 2007
110. Marcon E, [Dexter F](#). An observational study of surgeons' sequencing of cases and its impact on postanesthesia care unit and holding area staffing requirements at hospitals. *Anesthesia & Analgesia* 105:119-126, 2007
111. Wachtel RE, [Dexter F](#). A simple method for deciding what time patients should be ready on the day of surgery without procedure-specific data. *Anesthesia & Analgesia* 105:127-140, 2007
112. [Dexter F](#), Willemsen-Dunlap A, Lee JD. Operating room managerial decision-making on the day of surgery with and without computer recommendations and status displays. *Anesthesia & Analgesia* 105:419-429, 2007
113. [Dexter F](#), Lee JD, Dow AJ, Lubarsky DA. A psychological basis for anesthesiologists' operating room managerial decision-making on the day of surgery. *Anesthesia & Analgesia* 105:430-434, 2007

114. [Dexter F](#), Xiao Y, Dow AJ, Strader MM, Ho D, Wachtel RE. Coordination of appointments for anesthesia care outside of operating rooms using an enterprise-wide scheduling system. *Anesthesia & Analgesia* 105:1701-1710, 2007
115. Wachtel RE, [Dexter F](#). Tactical increases in operating room block time for capacity planning should not be based on utilization. *Anesthesia & Analgesia* 106:215-226, 2008
116. [Dexter F](#), Epstein RH. Calculating institutional support that benefits both the anesthesia group and hospital. *Anesthesia & Analgesia* 106:544-553, 2008
117. Xiao Y, [Dexter F](#), Hu P, Dutton RP. The use of distributed displays of operating room video when real-time occupancy status was available. *Anesthesia & Analgesia* 106:554-560, 2008
118. Masursky D, [Dexter F](#), McCartney CJL, Isaacson SA, Nussmeier N. Predicting orthopedic surgeons' preferences for peripheral nerve blocks for their patients. *Anesthesia & Analgesia* 106:561-567, 2008
119. Masursky D, [Dexter F](#), O'Leary CE, Applegeet C, Nussmeier NA. Long-term forecasting of anesthesia workload in operating rooms from changes in a hospital's local population can be inaccurate. *Anesthesia & Analgesia* 106:1223-1231, 2008
120. [Dexter F](#), Dexter EU, Masursky D, Nussmeier NA. Systematic review of general thoracic surgery articles to identify predictors of operating room case durations. *Anesthesia & Analgesia* 106:1232-1241, 2008
121. Epstein RH, [Dexter F](#), Piotrowski E. Automated correction of room location errors in anesthesia information management systems. *Anesthesia & Analgesia* 107:965-971, 2008
122. [Dexter F](#), O'Neill L, Lei X, Ledolter J. Sensitivity of super-efficient data envelopment analysis results to individual decision-making units: an example of surgical workload by specialty. *Health Care Management Science* 11: 307-318, 2008
123. Masursky D, [Dexter F](#), Nussmeier NA. Operating room nursing directors' influence on anesthesia group operating room productivity. *Anesthesia & Analgesia* 107:1989-1996, 2008
124. [Dexter F](#), Birchansky L, Bernstein JM, Wachtel RE. Case scheduling preferences of one surgeon's cataract surgery patients. *Anesthesia & Analgesia* 108:579-582, 2009
125. [Dexter F](#), Epstein RH, Lee JD, Ledolter J. Automatic updating of times remaining in surgical cases using Bayesian analysis of historical case duration data and instant messaging updates from anesthesia providers. *Anesthesia & Analgesia* 108:929-940, 2009
126. Epstein RH, [Dexter F](#), Ehrenfeld JM, Sandberg WS. Implications of event entry latency on anesthesia information management system decision support systems. *Anesthesia & Analgesia* 108:941-947, 2009
127. Dexter EU, [Dexter F](#), Masursky D, Garver MP, Nussmeier NA. Both bias and lack of knowledge influence organizational focus on first case of the day starts. *Anesthesia & Analgesia* 108:1257-1261, 2009
128. [Dexter F](#), Epstein RH. Typical savings from each minute reduction in tardy first case of the day starts. *Anesthesia & Analgesia* 108:1262-1267, 2009
129. Wachtel RE, [Dexter F](#), Dow AJ. Growth rates in pediatric diagnostic imaging and sedation. *Anesthesia & Analgesia* 108:1616-1621, 2009
130. Masursky D, [Dexter F](#), Garver MP, Nussmeier NA. Incentive payments to academic anesthesiologists for late afternoon work did not influence turnover times. *Anesthesia & Analgesia* 108:1622-1626, 2009
131. Wachtel RE, [Dexter F](#). Influence of the operating room schedule on tardiness from scheduled start times. *Anesthesia & Analgesia* 108:1889-1901, 2009

132. Wachtel RE, [Dexter F](#). Reducing tardiness from scheduled start times by making adjustments to the operating room schedule. *Anesthesia & Analgesia* 108:1902-1909, 2009
133. Pandit JJ, [Dexter F](#). Lack of sensitivity of staffing for 8-hour sessions to standard deviation in daily actual hours of operating room time used for surgeons with long queues. *Anesthesia & Analgesia* 108:1910-1915, 2009
134. [Dexter F](#), Marcon E, Aker J, Epstein RH. Numbers of simultaneous turnovers calculated from anesthesia or operating room information management system data. *Anesthesia & Analgesia* 109:900-905, 2009
135. [Dexter F](#), Epstein RH, Elgart RL, Ledolter J. Forecasting and perception of average and latest hours worked by on-call anesthesiologists. *Anesthesia & Analgesia* 109:1246-1252, 2009
136. O'Neill L, [Dexter F](#), Wachtel RE. Should anesthesia groups advocate funding of clinics and scheduling systems to increase operating room workload? *Anesthesiology* 111:1016-1024, 2009
137. [Dexter F](#), Bayman EO, Epstein RH. Statistical modeling of average and variability of time to extubation for meta-analysis comparing desflurane to sevoflurane. *Anesthesia & Analgesia* 110:570-580, 2010
138. Smallman B, [Dexter F](#). Optimizing the arrival, waiting, and NPO times of children on the day of pediatric endoscopy procedures. *Anesthesia & Analgesia* 110:879-887, 2010
139. Birnbach DJ, Bucklin BA, [Dexter F](#). Impact of anesthesiologists on the incidence of vaginal birth after cesarean section in the United States: Role of anesthesia availability, productivity, guidelines, and patient safety. *Seminars in Perinatology* 34:318-324, 2010
140. Wachtel RE, [Dexter F](#), Barry B, Applegeet C. Use of state discharge abstract data to identify hospitals performing similar types of operative procedures. *Anesthesia & Analgesia* 110:1146-1154, 2010
141. [Dexter F](#), Dexter EU, Ledolter J. Influence of procedure classification on process variability and parameter uncertainty of surgical case durations. *Anesthesia & Analgesia* 110:1155-1163, 2010
142. Dexter EU, [Dexter F](#), Masursky D, Kasprowicz KA. Prospective trial of thoracic and spine surgeons' updating of their estimated case durations at the start of cases. *Anesthesia & Analgesia* 110:1164-1168, 2010
143. Agoliat A, [Dexter F](#), Lok J, Masursky D, Sarwar MF, Stuart SB, Bayman EO, Epstein RH. Meta-analysis of average and variability of time to extubation comparing isoflurane with desflurane or isoflurane with sevoflurane. *Anesthesia & Analgesia* 110:1433-1439, 2010
144. Wachtel RE, [Dexter F](#). Review of behavioral operations experimental studies of newsvendor problems for operating room management. *Anesthesia & Analgesia* 110:1698-1710, 2010
145. Ledolter J, [Dexter F](#), Wachtel RE. Control chart monitoring of the numbers of cases waiting when anesthesiologists do not bring in members of call team. *Anesthesia & Analgesia* 111:196-203, 2010
146. [Dexter F](#), Wachtel RE, Epstein RH, Ledolter J, Todd MM. Analysis of operating room allocations to optimize scheduling of specialty rotations for anesthesia trainees. *Anesthesia & Analgesia* 111:520-524, 2010
147. Tung A, [Dexter F](#), Jakubczyk S, Glick DB. The limited value of sequencing cases based on their probability of cancellation. *Anesthesia & Analgesia* 111:749-756, 2010
148. [Dexter F](#), Masursky D, Wachtel RE, Nussmeier NA. Application of an online reference for reviewing basic statistical principles of operating room management. *American Statistical Association: Journal of Statistics Education* 18(3), 2010

149. Wachtel RE, [Dexter F](#). Curriculum providing cognitive knowledge and problem-solving skills for anesthesia systems-based practice. *Accreditation Council for Graduate Medical Education (ACGME): Journal of Graduate Medical Education* 2:624-632, 2010
150. Katz RI, [Dexter F](#), Rosenfeld K, Wolfe L, Redmond V, Agarwal D, Salik I, Goldsteen K, Goodman M, Glass PSA. Survey study of anesthesiologists' and surgeons' ordering of unnecessary preoperative laboratory tests. *Anesthesia & Analgesia* 112:207-212, 2011
151. Masursky D, [Dexter F](#), Isaacson SA, Nussmeier NA. Surgeons' and anesthesiologists' perceptions of turnover times. *Anesthesia & Analgesia* 112:440-444, 2011
152. [Dexter F](#), Wachtel RE, Epstein RH. Event-based knowledge elicitation of operating room management decision-making using scenarios adapted from information systems data. *Medical Informatics and Decision Making* 11:2, 2011
153. Ledolter J, [Dexter F](#). Analysis of interventions influencing or reducing patient waiting while stratifying by surgical procedure. *Anesthesia & Analgesia* 112:950-957, 2011 (*Statistical Grand Rounds article*)
154. Scurlock C, [Dexter F](#), Reich DL, Galati M. Needs assessment for business strategies of anesthesiology groups' practices. *Anesthesia & Analgesia* 113:170-174, 2011
155. Corda DM, [Dexter F](#), Pasternak JJ, Trentman TL, Nottmeier EW, Brull SJ. Patients' perspective on full disclosure and informed consent regarding postoperative visual loss associated with spinal surgery in the prone position. *Mayo Clinic Proceedings* 86:865-868, 2011
156. Bayman EO, [Dexter F](#), Laur JJ, Wachtel RE. National incidence of use of monitored anesthesia care. *Anesthesia & Analgesia* 113:185-189, 2011
157. [Dexter F](#), Maguire D, Epstein RH. Observational study of anaesthetists' fresh gas flow rates during anaesthesia with desflurane, isoflurane, or sevoflurane. *Anaesthesia and Intensive Care* 39:460-464, 2011
158. Epstein RH, [Dexter F](#). Mean arterial pressures bracketing prolonged monitoring interruptions have negligible systematic differences from matched controls without such gaps. *Anesthesia & Analgesia* 113:267-271, 2011
159. [Dexter F](#), Candiotti KA. Multicenter assessment of the Iowa Satisfaction with Anesthesia Scale, an instrument that measures patient satisfaction with monitored anesthesia care. *Anesthesia & Analgesia* 113:364-368, 2011
160. Wachtel RE, [Dexter F](#), Epstein RH, Ledolter J. Meta-analysis of desflurane and propofol average times and variability in times to extubation and following commands. *Canadian Journal of Anesthesia* 58:714-724, 2011
161. Ledolter J, [Dexter F](#), Epstein RH. Analysis of variance of communication latencies in anesthesia: Comparing means of multiple log-normal distributions. *Anesthesia & Analgesia* 113:888-896, 2011 (*Statistical Grand Rounds article*)
162. [Dexter F](#), Dexter EU, Ledolter J. Importance of appropriately modeling procedure and duration in logistic regression studies of perioperative morbidity and mortality. *Anesthesia & Analgesia* 113:1197-1201, 2011 (*Statistical Grand Rounds article*)
163. He B, [Dexter F](#), Macario A, Zenios S. The timing of staffing decisions in hospital operating rooms: incorporating workload heterogeneity into the newsvendor problem. *Manufacturing & Service Operations Management* 14:99-114, 2012
164. [Dexter F](#), Witkowski TA, Epstein RH. Forecasting preanesthesia clinic appointment duration from the electronic medical record medication list. *Anesthesia & Analgesia* 114:670-673, 2012
165. Epstein RH, [Dexter F](#). Influence of supervision ratios by anesthesiologists on first-case starts and critical portions of anesthetics. *Anesthesiology* 116:683-691, 2012

166. Masursky D, [Dexter F](#), Kwakye MO, Smallman B. Measure to quantify the influence of time from end of surgery to tracheal extubation on operating room workflow. *Anesthesia & Analgesia* 115:402-406, 2012
167. [Dexter F](#), Ledolter J, Davis E, Witkowski TA, Herman JH, Epstein RH. Systematic criteria for type and screen based on procedure's probability of erythrocyte transfusion. *Anesthesiology* 116:768-778, 2012
168. [Dexter F](#), Masursky D, Ledolter J, Wachtel RE, Smallman B. Monitoring changes in individual surgeon's workloads using anesthesia data. *Canadian Journal of Anesthesia* 59:571-577, 2012
169. Wachtel RE, [Dexter F](#). Training rotations at hospitals as a recruitment tool for Certified Registered Nurse Anesthetists. *AANA Journal* 80:S45-S48, 2012
170. Sulecki L, [Dexter F](#), Zura A, Saager L, Epstein RH. Lack of value of scheduling processes to move cases from a heavily used main campus to other facilities within a healthcare system. *Anesthesia & Analgesia* 115:395-401, 2012
171. Epstein RH, [Dexter F](#). Mediated interruptions of anaesthesia providers using predictions of workload from anaesthesia information management system data. *Anaesthesia and Intensive Care* 40:803-812, 2012
172. Epstein RH, [Dexter F](#). Implications of resolved hypoxemia on the utility of desaturation alerts sent from an anesthesia decision support system to supervising anesthesiologists. *Anesthesia & Analgesia* 115:929-933, 2012
173. [Dexter F](#), Shi P, Epstein RH. Descriptive study of case scheduling and cancellations within 1 week of the day of surgery. *Anesthesia & Analgesia* 115:1188-1195, 2012
174. [Dexter F](#), Epstein RH, Wachtel RE, Rosenberg H. Estimate of the relative risk of succinylcholine for triggering malignant hyperthermia. *Anesthesia & Analgesia* 116:118-122, 2013
175. Smallman B, [Dexter F](#), Masursky D, Li F, Gorji R, George D, Epstein RH. Role of communication systems in coordinating supervising anesthesiologists' activities outside of operating rooms. *Anesthesia & Analgesia* 116:898-903, 2013
176. Epstein RH, [Dexter F](#), Rothman B. Communication latencies of wireless devices suitable for time-critical messaging to anesthesia providers. *Anesthesia & Analgesia* 116:911-918, 2013
177. [Dexter F](#), Ahn HS, Epstein RH. Choosing which practitioner sees the next patient in the preanesthesia evaluation clinic based on the relative speeds of the practitioner. *Anesthesia & Analgesia* 116:919-923, 2013
178. [Dexter F](#), Epstein RH, Bayman EO, Ledolter J. Estimating surgical case durations and making comparisons among facilities: identifying facilities with lower anesthesia professional fees. *Anesthesia & Analgesia* 116:1103-1115, 2013 (*Statistical Grand Rounds article*)
179. Wang J, [Dexter F](#), Yang K. A behavioral study of daily mean turnover times and first case of the day start tardiness. *Anesthesia & Analgesia* 116:1333-1341, 2013
180. Hindman BJ, [Dexter F](#), Kreiter CD, Wachtel RE. Determinants, associations, and psychometric properties of resident assessments of faculty operating room supervision in a US anesthesia residency program. *Anesthesia & Analgesia* 116:1342-1351, 2013
181. [Dexter F](#), Logvinov II, Brull SJ. Anesthesiology residents' and nurse anesthetists' perceptions of effective clinical faculty supervision by anesthesiologists. *Anesthesia & Analgesia* 116:1352-1355, 2013
182. Hindman BJ, [Dexter F](#), Todd MM. Research, education, and nonclinical service productivity of new junior anesthesia faculty during a two-year faculty development program. *Anesthesia & Analgesia* 117:194-204, 2013

183. [Dexter F](#), Ledolter J, Tiwari V, Epstein RH. Value of a scheduled duration quantified in terms of equivalent numbers of historical cases. *Anesthesia & Analgesia* 117:204-209, 2013
184. Rothman BS, [Dexter F](#), Epstein RH. Communication latencies of apple push notification messages relevant for delivery of time-critical information to anesthesia care providers. *Anesthesia & Analgesia* 117:398-404, 2013
185. Tiwari V, [Dexter F](#), Rothman BS, Ehrenfeld JM, Epstein RH. Explanation for the near constant mean time remaining in surgical cases exceeding their estimated duration, necessary for appropriate display on electronic white boards. *Anesthesia & Analgesia* 117:487-493, 2013
186. Ehrenfeld JM, [Dexter F](#), Rothman BS, Johnson AM, Epstein RH. Case cancellation rates measured by services differ if based on the number of cases or the number of minutes cancelled. *Anesthesia & Analgesia* 117:711-716, 2013
187. Epstein RH, [Dexter F](#). Rescheduling of previously cancelled surgical cases does not increase variability in operating room workload when cases are scheduled based on maximizing efficiency of use of operating room time. *Anesthesia & Analgesia* 117:995-1002, 2013
188. Prah A, [Dexter F](#), Braun MT, Van Swol L. Review of experimental studies in social psychology of small groups when an optimal choice exists and application to operating room management decision-making. *Anesthesia & Analgesia* 117:1221-1229, 2013
189. Ehrenfeld JM, [Dexter F](#), Rothman BS, Minton BS, Johnson D, Sandberg WS, Epstein RH. Lack of utility of a decision support system to mitigate delays in admission from the operating room to the post anesthesia care unit. *Anesthesia & Analgesia* 117:1444-1452, 2013
190. Epstein RH, [Dexter F](#), Brull SJ. Cohort study of cases with prolonged tracheal extubation times to study relationship with durations of workdays. *Canadian Journal of Anesthesia* 60:1070-1076, 2013
191. [Dexter F](#), Epstein RH. Increased mean time from end of surgery to operating room exit in a historical cohort of cases with prolonged time to extubation. *Anesthesia & Analgesia* 117:1453-1459, 2013
192. Wachtel RE, [Dexter F](#). Difficulties and challenges associated with literature searches in operating room management, complete with recommendations. *Anesthesia & Analgesia* 117:1460-1479, 2013
193. Schwenk ES, [Dexter F](#), Epstein RH. Comparing the cumulative pain patients experience waiting for joint arthroplasty versus postoperatively. *Journal of Anesthesia & Clinical Research* 4:11, 2013
194. [Dexter F](#), Wachtel RE. Strategies for net cost reductions with the expanded role and expertise of anesthesiologists in the Perioperative Surgical Home. *Anesthesia & Analgesia* 118:1062-1071, 2014
195. [Dexter F](#), Maxbauer T, Stout C, Archbold L, Epstein RH. Relative influence on total cancelled operating room time from patients who are inpatients or outpatients preoperatively. *Anesthesia & Analgesia* 118:1072-1080, 2014
196. [Dexter F](#), Ledolter J, Smith TC, Griffiths D, Hindman BJ. Influence of provider type (nurse anesthetist or resident physician), staff assignments, and other covariates on daily evaluations of anesthesiologists' quality of supervision. *Anesthesia & Analgesia* 119:670-678, 2014
197. [Dexter F](#), Ledolter J, Hindman BJ. Bernoulli cumulative sum (CUSUM) control charts for monitoring of anesthesiologists' performance in supervising anesthesia residents and nurse anesthetists. *Anesthesia & Analgesia* 119:679-685, 2014 (*Statistical Grand Rounds article*)
198. Epstein RH, [Dexter F](#), Lopez MG, Ehrenfeld J. Anesthesiologist staffing considerations consequent to the temporal distribution of hypoxemic episodes in the post anesthesia care unit. *Anesthesia & Analgesia* 119:1322-1333, 2014

199. Hindman BJ, [Dexter F](#), Smith TC. Anesthesia residents' global (departmental) evaluation of faculty anesthesiologists' supervision can be less than their average evaluations of individual anesthesiologists. *Anesthesia & Analgesia* 120:204-208, 2015
200. De Oliveira Jr. GS, [Dexter F](#), Bialek JM, McCarthy RJ. Reliability and validity of assessing subspecialty level of faculty anesthesiologists' supervision of anesthesiology residents. *Anesthesia & Analgesia* 120:209-213, 2015
201. [Dexter F](#), Masursky D, Hindman BJ. Reliability and validity of the anesthesiologist supervision instrument when Certified Registered Nurse Anesthetists provide scores. *Anesthesia & Analgesia* 120:214-219, 2015
202. Bayman EO, [Dexter F](#), Todd MM. Assessing and comparing anesthesiologists' performance on mandated metrics using a Bayesian approach. *Anesthesiology* 123: 101-115, 2015
203. Epstein RH, [Dexter F](#). Management implications for the Perioperative Surgical Home related to inpatient case cancellations and add-on case scheduling on the day of surgery. *Anesthesia & Analgesia* 121:206-218, 2015
204. Hsia IKH, [Dexter F](#), Logvinov I, Tankosic N, Ramakrishna H, Brull SJ. Survey of the national drug shortage effect on anesthesia and patient safety: a patient perspective. *Anesthesia & Analgesia* 121:502-506, 2015
205. [Dexter F](#), Hindman BJ. Quality of supervision as an independent contributor to an anesthesiologist's individual clinical value. *Anesthesia & Analgesia* 121:507-513, 2015
206. [Dexter F](#), Rosenberg H, Epstein RH, Semo JJ, Litman RS. Implications of national anesthesia workload on the staffing of a call center: the malignant hyperthermia consultant hotline. *Anesthesia & Analgesia Case Reports* 5:43-46, 2015
207. Sun EC, [Dexter F](#), Macario A, Miller TR, Baker LC. No significant association between anesthesia group consolidation and private insurer payments in the USA. *Anesthesiology* 123:507-514, 2015
208. Prah A, [Dexter F](#), Van Swol L, Braun MT, Epstein RH. E-mail as the appropriate method of communication for the decision-maker when soliciting advice for an intellectual decision task. *Anesthesia & Analgesia* 121:669-677, 2015
209. Epstein RH, [Dexter F](#), Patel N. Influencing anesthesia provider behavior using anesthesia information management system data for near real-time alerts and post hoc reports. *Anesthesia & Analgesia* 121:678-692, 2015
210. Flood P, [Dexter F](#), Ledolter J, Dutton RP. Large heterogeneity in mean durations of labor analgesia among hospitals reporting to the American Society of Anesthesiologist's Anesthesia Quality Institute. *Anesthesia & Analgesia* 121:1283-1289, 2015
211. [Dexter F](#), Epstein RH. Associated roles of perioperative medical directors and anesthesia – hospital agreements for operating room management. *Anesthesia & Analgesia* 121:1469-1478, 2015
212. Mueller RN, [Dexter F](#), Truong VA, Wachtel RE. Case sequencing of diagnostic imaging studies performed under general anesthesia or monitored anesthesia care during nights and weekends. *Anesthesia & Analgesia Case Reports* 5:162-166, 2015
213. [Dexter F](#), Dutton RP, Kordylewski H, Epstein RH. Anesthesia workload nationally during regular workdays and weekends. *Anesthesia & Analgesia* 121:1600-1603, 2015
214. [Dexter F](#), Wachtel RE, Todd MM, Hindman BJ. The “fourth mission:” the time commitment of anesthesiology faculty for management is comparable to their time commitments to education, research, and indirect patient care. *Anesthesia & Analgesia Case Reports* 5:206-211, 2015

215. [Dexter F](#), Ledolter J, Hindman BJ. Quantifying the diversity and similarity of surgical procedures among hospitals and anesthesia providers. *Anesthesia & Analgesia* 122:251-263, 2016 (*Statistical Grand Rounds article*)
216. [Dexter F](#), De Oliveira Jr. GS, McCarthy RJ. First job search of residents in the United States: a survey of anesthesiology trainees' interest in academic positions in cities distant from previous residences. *Anesthesia & Analgesia Case Reports* 6:34-38, 2016
217. Bayman EO, [Dexter F](#), Todd MM. Prolonged operative time to extubation is not a useful metric for comparing the performance of individual anesthesia providers. *Anesthesiology* 124:322-338, 2016
218. Shi P, [Dexter F](#), Epstein RH. Comparing policies for case scheduling within one day of surgery by Markov chain models. *Anesthesia & Analgesia* 122:526-538, 2016
219. [Dexter F](#), Wachtel RE, Epstein RH. Decreasing the hours that anesthesiologist and nurse anesthetists work late by making decisions to reduce the hours of over-utilized operating room time. *Anesthesia & Analgesia* 122:831-842, 2016
220. Stepaniak PS, [Dexter F](#). Constraints on the scheduling of urgent (add-on) surgical cases: surgeon, equipment, and anesthesiologist availability. *Perioperative Care and Operating Room Management* 3:6-11, 2016
221. Epstein RH, [Dexter F](#), Maguire DP, Agarwalla NK, Gratch DM. Economic and environmental considerations during low fresh gas flow volatile agent administration after change to a nonreactive carbon dioxide absorbent. *Anesthesia & Analgesia* 122:996-1006, 2016
222. [Dexter F](#), Masursky D, Szeluga D, Hindman BJ. Work habits are valid component of evaluations of anesthesia residents based on faculty anesthesiologists' daily written comments about residents. *Anesthesia & Analgesia* 122:1625-1633, 2016
223. [Dexter F](#), Van Swol L. Influence of data and formulas on trust in information from journal articles in an operating room management course. *Anesthesia & Analgesia Case Reports* 6:329-334, 2016
224. Epstein RH, [Dexter F](#), Gratch DM, Perino M, Magrann F. Controlled substance reconciliation accuracy improvement using near real-time drug transaction capture from automated dispensing cabinets. *Anesthesia & Analgesia* 122:1841-1855, 2016
225. Sun E, [Dexter F](#), Miller T. The effect of "opt out" regulation on access to surgical care for urgent cases in the United States: evidence from the National Inpatient Sample. *Anesthesia & Analgesia* 122:1983-1991, 2016
226. Thomas J, [Dexter F](#), Wachtel RE, Todd MM. Growth in an anesthesiologist- and nurse anesthetist-supervised sedation nurse program using propofol and dexmedetomidine. *Anesthesia & Analgesia Case Reports* 6:402-410, 2016
227. [Dexter F](#), Szeluga D, Masursky D, Hindman BJ. Written comments made by anesthesia residents when providing below average scores for the supervision provided by the faculty anesthesiologist. *Anesthesia & Analgesia* 122:2000-2006, 2016
228. O'Neill L, [Dexter F](#), Zhang N. The risks to patient privacy from publishing data from clinical anesthesia studies. *Anesthesia & Analgesia* 122:2016-2026, 2016
229. [Dexter F](#), Epstein RH, Campos J, Dutton RP. US national anesthesia workload on Saturday and Sunday mornings. *Anesthesia & Analgesia* 123:1297-1301, 2016
230. [Dexter F](#), Epstein RH, Dutton RP, Kordylewski H, Ledolter J, Rosenberg H, Hindman BJ. Diversity and similarity of anesthesia procedures in the United States during and among regular work hours, evenings, and weekends. *Anesthesia & Analgesia* 123:1567-1573, 2016

231. Sun EC, [Dexter F](#), Miller TR, Baker LC. "Opt out" and access to anesthesia care for elective and urgent surgeries among United States Medicare beneficiaries. *Anesthesiology* 126:461-471, 2017
232. [Dexter F](#), Ledolter J, Epstein RH, Hindman BJ. Operating room anesthesia subspecialization is not associated with significantly greater quality of supervision of anesthesia residents and nurse anesthetists. *Anesthesia & Analgesia* 124:1253-1260, 2017
233. Logvinov II, [Dexter F](#), Hindman BJ, Brull SD. Anesthesiologists' perceptions of minimum acceptable work habits of nurse anesthetists. *Journal of Clinical Anesthesia* 38:107-110, 2017
234. [Dexter F](#), Epstein RH, Dexter EU, Lubarsky DA, Sun EC. Hospitals with briefer than average lengths of stays for common surgical procedures do not have greater odds of either readmission or use of short-term care facilities. *Anaesthesia and Intensive Care* 45:210-219, 2017
235. Bayman EO, [Dexter F](#), Ledolter J. Mixed effects logistic regression modeling of daily evaluations of nurse anesthetists' work habits adjusting for leniency of the rating anesthesiologists. *Perioperative Care and Operating Room Management* 6:14-19, 2017
236. [Dexter F](#), Epstein RH. For assessment of changes in intraoperative red blood cell transfusion practices over time, the pooled incidence of transfusion correlates highly with total units transfused. *Journal of Clinical Anesthesia* 39:53-56, 2017
237. [Dexter F](#), Szeluga D, Hindman BJ. Content analysis of resident evaluations of faculty anesthesiologists: supervision encompasses some attributes of the professionalism core competency. *Canadian Journal of Anesthesia* 64:506-512, 2017
238. Epstein RH, [Dexter F](#), Schwenk ES. Hypotension during induction of anaesthesia is neither a reliable nor useful quality measure for comparison of anaesthetists' performance. *British Journal of Anaesthesia* 119:106-114, 2017
239. Epstein RH, [Dexter F](#). Development and validation of a structured query language implementation of the Elixhauser comorbidity index. *Journal of the American Medical Informatics Association* 24:845-850, 2017
240. O'Neill L, [Dexter F](#), Park SH, Epstein RH. Uncommon combinations of ICD10-PCS or ICD-9-CM operative procedure codes account for most inpatient surgery at half of Texas hospitals. *Journal of Clinical Anesthesia* 41:65-70, 2017
241. [Dexter F](#), Ledolter J, Hindman BJ. Measurement of faculty anesthesiologists' quality of clinical supervision has greater reliability when controlling for the leniency of the rating anesthesia resident: a retrospective cohort study. *Canadian Journal of Anesthesia* 64:643-655, 2017
242. Epstein RH, [Dexter F](#), Gratch DM, Lubarsky DA. Intraoperative handoffs among anesthesia providers increase the incidence of documentation errors for controlled drugs. *The Joint Commission Journal on Quality and Patient Safety* 43:396-402, 2017
243. O'Neill L, [Dexter F](#), Park SH, Epstein RH. Discharges with surgical procedures performed less often than once per month per hospital account for two-thirds of hospital costs of inpatient surgery. *Journal of Clinical Anesthesia* 41:99-103, 2017
244. [Dexter F](#), Epstein RH, Sun EC, Lubarsky DA, Dexter EU. Readmissions to different hospitals after common surgical procedures and consequences for implementation of perioperative surgical home programs. *Anesthesia & Analgesia* 125:943-951, 2017
245. Epstein RH, [Dexter F](#), Schwenk ES, Witkowski TA. Bypass of an anesthesiologist-directed preoperative evaluation clinic results in greater first-case tardiness and turnover times. *Journal of Clinical Anesthesia* 41:112-119, 2017
246. [Dexter F](#), Epstein RH, Fahy BG, Van Swol LM. With directed study before a 4-day operating room management course, trust in the content did not change progressively during the classroom time. *Journal of Clinical Anesthesia* 42:57-62, 2017

247. [Dexter F](#), Bayman EO, Dexter EU. Monte Carlo simulations comparing Fisher exact test and unequal variances t test for analysis of differences between groups in brief hospital lengths of stays. *Anesthesia & Analgesia* 125:2141-2145, 2017
248. [Dexter F](#), Ledolter J, Hindman BJ. Validity of using a work habits scale for the daily evaluation of nurse anesthetists' clinical performance while controlling for the leniencies of the rating anesthesiologists. *Journal of Clinical Anesthesia* 42:63-68, 2017
249. [Dexter F](#), Jarvie C, Epstein RH. At most hospitals in the State of Iowa, most surgeons' daily lists of elective cases include only 1 or 2 cases: individual surgeons' percentage operating room utilization is a consistently unreliable metric. *Journal of Clinical Anesthesia* 42:88-92, 2017
250. O'Leary JD, [Dexter F](#), Faraoni D, Crawford MW. Incidence of non-physiologically complex surgical procedures performed in children: an Ontario population-based study of health administrative data. *Canadian Journal of Anesthesia* 65:23-33, 2018
251. [Dexter F](#), Jarvie C, Epstein RH. Lack of generalizability of observational studies' findings for turnover time reduction and growth in surgery based on the State of Iowa, where from one year to the next, most growth was attributable to surgeons performing only a few cases per week. *Journal of Clinical Anesthesia* 44:107-113, 2018
252. Epstein RH, [Dexter F](#), Hofer I, Rodriguez LI, Schwenk ES, Maga J, Hindman BJ. Perioperative temperature measurement considerations relevant to reporting requirements for national quality programs using data from anesthesia information management systems. *Anesthesia & Analgesia* 126:478-486, 2018
253. [Dexter F](#), Epstein RH, Lubarsky DA. Hospitals with greater diversities of physiologically complex procedures do not achieve greater surgical growth in a market with stable numbers of such procedures. *Journal of Clinical Anesthesia* 46:67-73, 2018
254. [Dexter F](#), Jarvie C, Epstein RH. Years versus days between successive surgeries, after an initial outpatient procedure, for the median patient versus the median surgeon in the State of Iowa. *Anesthesia & Analgesia* 126:787-793, 2018
255. Rahimi SA, [Dexter F](#), Gu X. Prioritizations of individual surgeons' patients waiting for elective procedures: A systematic review and future directions. *Perioperative Care and Operating Room Management* 10:14-17, 2018
256. [Dexter F](#), Epstein RH. Reductions in average lengths of stays for surgical procedures between the 2008 and 2014 United States National Inpatient Samples were not associated with greater incidences of use of postacute care facilities. *Anesthesia & Analgesia* 126:983-987, 2018
257. Logvinov II, [Dexter F](#), Dexter EU, Brull SJ. Patient survey of referral from one surgeon to another to reduce maximum waiting time for elective surgery and hours of over-utilized operating room time. *Anesthesia & Analgesia* 126:1249-1256, 2018
258. Elhag D, [Dexter F](#), Elhakim M, Epstein RH. Many US hospital-affiliated freestanding ambulatory surgery centers are located on hospital campuses, relevant to interpretation of studies involving ambulatory surgery. *Journal of Clinical Anesthesia* 49:88-91, 2018
259. [Dexter F](#), Epstein RH, Ledolter J, Dasovich SM, Herman JH, Maga JM, Schwenk ES. Validation of a new method to automatically select cases with intraoperative red blood cell transfusion for audit. *Anesthesia & Analgesia* 126:1654-1661, 2018
260. Epstein RH, [Dexter F](#). Database quality and access issues relevant to research using anesthesia information management system data. *Anesthesia & Analgesia* 127:105-114, 2018
261. [Dexter F](#), Epstein RH, Ledolter J, Wanderer JP. Interchangeability of counts of cases and hours of cases for quantifying a hospital's change in workload among four-week periods of 1 year. *Journal of Clinical Anesthesia* 49:118-125, 2018

262. [Dexter F](#), Jarvie C, Epstein RH. Heterogeneity among hospitals statewide in percentage shares of the annual growth of surgical caseloads of inpatient and outpatient major therapeutic procedures. *Journal of Clinical Anesthesia* 49:126-130, 2018
263. [Dexter F](#), Epstein RH, Thenuwara K, Lubarsky DA. Large variability in the diversity of physiologically complex surgical procedures exists nationwide among all hospitals including among large teaching hospitals. *Anesthesia & Analgesia* 127:190-197, 2018
264. [Dexter F](#), Epstein RH, Jarvie C, Thenuwara KN. At all hospitals in the State of Iowa over a decade, the number of cases performed during weekends or holidays increased approximately proportionally to the total caseload. *Journal of Clinical Anesthesia* 50:27-32, 2018
265. Pattillo JCS, [Dexter F](#). Facing the dilemma of cancellations: incidence and characteristics of surgical cancellations in a Chilean academic hospital. *Revista Chilena de Cirugía* 70:322-328, 2018
266. [Dexter F](#), Jarvie C, Epstein RH. Lack of a substantive effect of insurance and the national US payment system on the relative distribution of surgical cases among hospitals in the State of Iowa: a retrospective, observational, cohort study. *Journal of Clinical Anesthesia* 51:98-107, 2018
267. Khorasanian D, [Dexter F](#), Moslehi G. Analyses of the phase I postanesthesia care unit baseline capacity and effect of disruptions to its beds or nurse availability on operating room workflow. *International Journal of Planning and Scheduling* 2:350-372, 2018
268. Thenuwara KN, Yoshimura T, Nakata Y, [Dexter F](#). Time to recovery after general anesthesia at hospitals with and without a phase I post-anesthesia care unit: a historical cohort study. *Canadian Journal of Anesthesia* 65:1296-1302, 2018
269. [Dexter F](#), Epstein RH. Influence of annual meetings of the American Society of Anesthesiologists and of large national surgical societies on caseloads of major therapeutic procedures. *Journal of Medical Systems* 42:259, 2018
270. [Dexter F](#), Bayman EO, Pattillo JCS, Schwenk ES, Epstein RH. Influence of parameter uncertainty on the tardiness of the start of a surgical case following a preceding surgical case performed by a different surgeon. *Perioperative Care and Operating Room Management* 13:12-17, 2018
271. [Dexter F](#), Epstein RH, Schwenk ES. Tardiness of starts of surgical cases is not substantively greater when the preceding surgeon in an operating room is of a different versus the same specialty. *Journal of Clinical Anesthesia* 53:20-26, 2019
272. Epstein RH, [Dexter F](#), O'Neill L. Development and validation of an algorithm to classify as equivalent the procedures in ICD-10-PCS that differ only by laterality. *Anesthesia & Analgesia* 128:1138-1144, 2019
273. [Dexter F](#), Epstein RH. Device implantation rates during inpatient surgery differ among payers at critical access versus other hospitals. *Perioperative Care and Operating Room Management* 14:5-10, 2019
274. Epstein RH, [Dexter F](#), Maratea EA. Unscheduled absences in a cohort of nurse anesthetists during a 3-year period: Statistical implications for the identification of outlier personnel. *Journal of Clinical Anesthesia* 52:1-5, 2019
275. Epstein RH, [Dexter F](#), Schwenk ES. Provider access to legacy electronic anesthesia records following replacement with an enterprise-wide electronic medical record. *Journal of Medical Systems* 43:105, 2019
276. [Dexter F](#), Osman BM, Epstein RH. Improving intraoperative handoffs for ambulatory anesthesia: Challenges and solutions for the anesthesiologist. *Local and Regional Anesthesia* 12:37-46, 2019

277. O'Brien MK, [Dexter F](#), Kreiter CD, Slater-Scott C, Hindman BJ. Nurse anesthetists' evaluations of anesthesiologists' operating room performance are sensitive to anesthesiologists' years of postgraduate practice. *Journal of Clinical Anesthesia* 54:102-110, 2019
278. Pearson ACS, [Dexter F](#). Observational study of the distribution and diversity of interventional pain procedures among hospitals in the State of Iowa. *Pain Physician* 22:e157-e170, 2019
279. O'Neill L, [Dexter F](#), Epstein RH. Limited intragenerational mobility of surgical caseload of Iowa hospitals. *Journal of Medical Systems* 43:187, 2019
280. Vasilopoulos T, [Dexter F](#), Van Swol LM, Fahy BG. Trust improves during one-day resident operating room management course preceded by directed study of required statistical content. *Journal of Clinical Anesthesia* 55:43-49, 2019
281. [Dexter F](#), Ledolter J, Wong CA, O'Brien MK, Hindman BJ. Nurse anesthetists' preferences for anesthesiologists' participation in patient care at a large teaching hospital. *Journal of Clinical Anesthesia* 57:131-138, 2019
282. Elhakim M, [Dexter F](#), Pearson ACS. US critical access hospitals' listings of pain medicine physicians and other clinicians performing interventional pain procedures. *Journal of Clinical Anesthesia* 58:52-54, 2019
283. [Dexter F](#), Epstein RH, Rodriguez LI. Throughout the United States, pediatric patients undergoing ambulatory surgery enter the operating room and are discharged earlier in the day than are adults. *Perioperative Care and Operating Room Management* 16:100076, 2019
284. Pearson ACS, [Dexter F](#), Epstein RH. Heterogeneity among hospitals in the percentages of all lumbosacral epidural steroid injections where the patient had received 4 or more in the previous year. *Anesthesia & Analgesia* 129:493-499, 2019
285. O'Connell C, [Dexter F](#), Mauler DJ, Sun EC. Trends in direct hospital payments to anesthesia groups: A retrospective cohort study of nonacademic hospitals in California. *Anesthesiology* 131:534-542, 2019
286. Epstein RH, [Dexter F](#), Diez C, Potnuru P. Determination of geolocations for anesthesia specialty coverage and standby call allowing return to the hospital within a specified amount of time. *Anesthesia & Analgesia* 129:1265-1272, 2019
287. [Dexter F](#), Park SH, Epstein RH, Sun E, O'Neill L. Hospitals with greater diversities of physiologically complex procedures do not achieve greater production of such inpatient surgical procedures. *Perioperative Care and Operating Room Management* 17:100079, 2019
288. [Dexter F](#), Epstein RH, Penning DH. Late first-case of the day starts do not cause greater minutes of over-utilized time at an endoscopy suite with 8-hour workdays and late running rooms. A historical cohort study. *Journal of Clinical Anesthesia* 59:18-25, 2020
289. Epstein RH, [Dexter F](#), Wanderer JP. Surgical volume estimates using national or state databases can reasonably disregard missing cases from patients undergoing multiple surgeries on the same day other than for cardiac, vascular, and trauma cases. *Perioperative Care and Operating Room Management* 18:100084, 2020
290. [Dexter F](#), Bayman EO, Wong CA, Hindman BJ. Reliability of ranking anesthesiologists and nurse anesthetists using leniency-adjusted clinical supervision and work habits scores. *Journal of Clinical Anesthesia* 61:109639, 2020
291. Epstein RH, [Dexter F](#), Diez C. The distributions of weekday discharge times at acute care hospitals in the state of Florida were static from 2010 to 2018. *Journal of Medical Systems* 44:47, 2020

292. Epstein RH, [Dexter F](#), Cajigas I, Mahavadi AK, Shah AH, Abitbol N, Komotar RJ. Prolonged tracheal extubation time after glioma surgery was associated with lack of familiarity between the anesthesia provider and the operating neurosurgeon. A retrospective, observational study. *Journal of Clinical Anesthesia* 60:118-124, 2020
293. [Dexter F](#), Ledolter J, Epstein RH, Loftus RW. Futility of cluster designs at individual hospitals to study surgical site infections and interventions involving the installation of capital equipment in operating rooms. *Journal of Medical Systems* 44:82, 2020
294. Ahn PH, [Dexter F](#), Fahy BG, Van Swol LM. Demonstrability of analytics solutions and shared knowledge of statistics and operating room management improves expected performance of small teams in correctly solving problems and making good decisions. *Perioperative Care and Operating Room Management* 19:100090, 2020
295. Epstein RH, [Dexter F](#), Pearson ACS. Pain medicine board certification status among physicians performing interventional pain procedures in the State of Florida between 2010 and 2016. *Pain Physician* 23:E7-E18, 2020
296. Kraus MB, [Dexter F](#), Patel PV, Dodd SE, Thomson HM, Girardo ME, Hertzberg LB, Pearson ACS. Motherhood and anesthesiology: a survey of the American Society of Anesthesiologists. *Anesthesia & Analgesia* 130:1296-1302, 2020
297. [Dexter F](#), Ledolter J, Epstein RH, Loftus RW. Importance of operating room case scheduling on analyses of observed reductions in surgical site infections from the purchase and installation of capital equipment in operating rooms. *American Journal of Infection Control* 48:566-572, 2020
298. Thenuwara KN, [Dexter F](#), Ituk US, Weetman D. Case series of adaptive changes in clinical practice and trainee education for cesarean section due to drug shortages of 0.75% hyperbaric bupivacaine in 2018. *A&A Practice* 14:e01214, 2020
299. [Dexter F](#), Epstein RH, Gostine AL, Penning DH, Loftus RW. Benefit of systematic selection of pairs of cases matched by surgical specialty for surveillance of bacterial transmission in operating rooms. *American Journal of Infection Control* 48:682-687, 2020
300. Epstein RH, [Dexter F](#). A predictive model for patient census and ventilator requirements at individual hospitals during the Coronavirus Disease 2019 (COVID-19) pandemic: A preliminary technical report. *Cureus* 12:e8501, 2020
301. Elhakim M, [Dexter F](#), Fahy BG. Changes in current employment positions after taking an operating room management course content by physicians and non-physicians and potential use of the content. *Perioperative Care and Operating Room Management* 20:100097, 2020
302. [Dexter F](#), Epstein RH, Podgorski EM III, Pearson ACS. Appropriate operating room time allocations and half-day block time for low caseload proceduralists, including anesthesiologist pain medicine physicians in the State of Florida. *Journal of Clinical Anesthesia* 64:109817, 2020
303. Epstein RH, [Dexter F](#), Heitz JW, McNulty SE. Implications of anesthesiology resident availability on first-case staffing. *Perioperative Care and Operating Room Management* 21:200098, 2020
304. [Dexter F](#), Parra MC, Brown JR, Loftus RW. Perioperative COVID-19 defense: an evidence-based approach for optimization of infection control and operating room management. *Anesthesia & Analgesia* 131:37-42, 2020
305. [Dexter F](#), Elhakim M, Loftus RW, Seering MS, Epstein RH. Strategies for daily operating room management of ambulatory surgery centers following resolution of the acute phase of the COVID-19 pandemic. *Journal of Clinical Anesthesia* 64:109854, 2020

306. Epstein RH, [Dexter F](#), Smaka TJ. Obtaining and modeling variability in travel times from off-site satellite clinics to hospitals and surgery centers for surgeons and proceduralists seeing office patients in the morning and performing a to-follow list of cases in the afternoon. *Anesthesia & Analgesia* 131:228-238, 2020
307. [Dexter F](#), Ledolter J, Wall RT, Datta S, Loftus RW. Sample sizes for surveillance of *S. aureus* transmission to monitor effectiveness and provide feedback on intraoperative infection control including for COVID-19. *Perioperative Care and Operating Room Management* 20:100115, 2020
308. Chadha RM, [Dexter F](#), Brull SJ. Lack of recall after sedation for cataract surgery and its effect on the validity of measuring patient satisfaction. *Korean Journal of Anesthesiology* 73:319-325, 2020
309. Epstein RH, [Dexter F](#), Smaka TJ, Candiotti KA. Policy implications for the COVID-19 pandemic in light of most patients ($\geq 72\%$) spending at most one night at the hospital after elective, major therapeutic procedures. *Cureus* 12:e9746, 2020
310. [Dexter F](#), Epstein RH, Shi P. Forecasting the probability that each surgical case will either be ambulatory or the patient will remain in the hospital overnight versus having a length of stay of two or more days. *Cureus* 12:e10847, 2020
311. Wang Z, [Dexter F](#), Zenios SA. Caseload is increased by resequencing cases before and on the day of surgery at ambulatory surgery centers where initial patient recovery is in operating rooms and cleanup times are longer than typical. *Journal of Clinical Anesthesia* 67:110024, 2020
312. [Dexter F](#), Hadlandsmyth K, Pearson ACS, Hindman BJ. Reliability and validity of performance evaluations of pain medicine clinical faculty by residents and fellows using a supervision scale. *Anesthesia & Analgesia* 131:909-916, 2020
313. Datta S, [Dexter F](#), Ledolter J, Wall RT, Loftus RW. Sample times for surveillance of *S. aureus* transmission to monitor effectiveness and provide feedback on intraoperative infection control. *Perioperative Care and Operating Room Management* 21:100137, 2020
314. Eichberg DG, Epstein RH, [Dexter F](#), Di L, Vadhan JD, Luther E, Komotar RJ. Building a brain tumor practice: objective analysis of referral patterns and implications for the growth of a subspecialty surgical program. *Cureus* 12:e10416, 2020
315. [Dexter F](#), Epstein RH, Rodriguez LI. Decline of pediatric ambulatory surgery cases performed at Florida general hospitals between 2010 and 2018: an historical cohort study. *Anesthesia & Analgesia* 131:1557-1565, 2020
316. Abarca TL, [Dexter F](#), Epstein RH, Pearson ACS. Hospitals' website lists of their interventional pain procedures inadequately reflect the diversity of their actual pain medicine practices. *Pain Physician* 23:E723-E730, 2020
317. [Dexter F](#), Epstein RH, Marian AA. Comparisons of unscheduled absences among categories of anesthesia practitioners, including anesthesiologists, nurse anesthetists, and anesthesia residents. *Perioperative Care and Operating Room Management* 21:100139, 2020
318. [Dexter F](#), Ledolter J, Wong CA, Hindman BJ. Association between leniency of anesthesiologists when evaluating certified registered nurse anesthetists and when evaluating didactic lectures. *Health Care Management Science* 23:640-648, 2020
319. Titler S, [Dexter F](#), Epstein RH. Percentages of cases in operating rooms of sufficient duration to accommodate a 30-minute breast milk pumping session by anesthesia residents or nurse anesthetists. *Cureus* 13:e12519, 2021
320. [Dexter F](#), Epstein RH, Marian AA. Sustained management of the variability in work hours among anesthesiologists providing patient care in operating rooms and not on call to work late if necessary. *Journal of Clinical Anesthesia* 69:110151, 2021

321. Love ER, [Dexter F](#), Reminick JI, Sanford JA, Karan S. Interview data highlights importance of “same-state” on anesthesiology residency match. *Anesthesia & Analgesia* 132:223-230, 2021
322. [Dexter F](#), Epstein RH, Shi P. Proportions of surgical patients discharged home the same or the next day are sufficient data to assess cases’ contributions to hospital occupancy. *Cureus* 13:e13826, 2021
323. [Dexter F](#), Epstein RH. Implications of the log-normal distribution for updating estimates of the time remaining until ready for phase I post-anesthesia care unit discharge. *Perioperative Care and Operating Room Management* 23:100165, 2021
324. Wagner JA, [Dexter F](#), Greeley DG, Schreiber K. Operating room air delivery design to protect patient and surgical site results in particles released at surgical table having greater concentration along walls of the room than at the instrument tray. *American Journal of Infection Control* 49:593-596, 2021
325. [Dexter F](#), Epstein RH, Loftus RW. Quantifying and interpreting inequality of surgical site infections among operating rooms. *Canadian Journal of Anesthesia* 68:812-824, 2021
326. [Dexter F](#), Abouleish A, Marian A, Epstein RH. The anesthetizing sites supervised to anesthesiologist ratio is an invalid surrogate for group productivity in academic anesthesia departments when used without consideration of the corresponding managerial decisions. *Journal of Clinical Anesthesia* 71:110194, 2021
327. Titler SS, [Dexter F](#), Epstein RH. Impact of anesthesia resident staff assignment decisions on nurse anesthetist and anesthesia resident staff scheduling and productivity: Tutorial using data from a pediatric hospital. *Perioperative Care and Operating Room Management* 24:100182, 2021
328. Epstein RH, [Dexter F](#), Mojica JJ, Schwenk ES. Briefest time to perform a series of preoperative nerve blocks in multiple patients: a simulation study. *Cureus* 13:e16251, 2021
329. Titler SS, [Dexter F](#), Epstein RH. Suggested work guidelines, based on operating room data, for departments with a breast milk pumping supervising anesthesiologist. *Breastfeeding Medicine* 16:573-578, 2021
330. Epstein RH, [Dexter F](#), Fahy BG, Diez C. Most surgeons’ daily elective lists in Florida comprise only 1 or 2 elective cases, making percent utilization unreliable for planning individual surgeons’ block time. *Journal of Clinical Anesthesia* 75:110432, 2021
331. Love ER, [Dexter F](#), Reminick JI, Karan SB. Reducing over-interviewing in the anesthesiology residency match. *Cureus* 13:e17538, 2021
332. [Dexter F](#), Epstein RH, Schwenk ES, Marian AA. Average number of anesthetics still in progress in the early evening increased at least proportionally to the numbers of anesthetizing locations in the morning: a retrospective, long-term longitudinal study at two large hospitals. *Perioperative Care and Operating Room Management* 25:100213, 2021
333. Sugiyama D, [Dexter F](#), Thenuwara K, Ueda K. Comparison of percentage prolonged times to tracheal extubation between a Japanese teaching hospital and one in the United States, without and with a phase I post-anesthesia care unit. *Anesthesia & Analgesia* 133:1206-1214, 2021
334. [Dexter F](#), Epstein RH, Elhakim M, O’Sullivan C. US survey of the incidences of and reasons for nurse anesthetists leaving or having considered leaving their jobs. *AANA Journal* 89:484-490, 2021
335. Titler SS, [Dexter F](#). Low prevalence of designated lactation spaces at hospitals and ambulatory surgery centers in Iowa: An educational tool for graduates’ job selection. *A&A Practice* 15:e01544, 2021

336. De Haan JLR, [Dexter F](#), Fleming BM, Pearson ACS, Reuter SD. Elements of pregnancy and parenthood policies of importance to medical students and included in a sample of medical schools' websites and student handbooks. *Women's Health Reports* 2:533-541, 2021
337. Birchansky B, [Dexter F](#), Epstein RH, Loftus RW. Statistical design of overnight trials for the evaluation of the number of operating rooms that can be disinfected by an ultraviolet light disinfection robotic system. *Cureus* 13:e18861, 2021
338. Epstein RH, [Dexter F](#), Podgorski E III, Pearson A. Annual number of spinal cord neuromodulation procedures performed in the State of Florida during 2018: Implications for establishing neuromodulation centers of excellence. *Neuromodulation* 24:1341-1346, 2021
339. Epstein RH, [Dexter F](#), Diez C, Fahy BG. Similarities between pediatric and general hospitals based on fundamental attributes of surgery including cases per surgeon per workday. *Cureus* 14:e21736, 2022
340. [Dexter F](#), Birchansky B, Epstein RH, Loftus RW. Average and longest expected treatment times for ultraviolet light disinfection of rooms. *American Journal of Infection Control* 50:61-66, 2022
341. [Dexter F](#), Epstein RH, Marian AA. Decision-making for end-of-day relief of anesthesiologists based on equity can decrease group productivity: historical cohort study from a hospital with both anesthesia residents and nurse anesthetists. *Perioperative Care and Operating Room Management* 26:100244, 2022
342. Hadler RA, [Dexter F](#), Hindman BJ. Effect of insufficient interaction on the evaluation of anesthesiologists' quality of clinical supervision by anesthesiology residents and fellows. *Cureus* 14:e23500, 2022
343. Epstein RH, [Dexter F](#), Diez C, Fahy BG. Elective surgery growth at Florida hospitals accrues mostly from surgeons averaging 2 or fewer cases per week: a retrospective cohort study. *Journal of Clinical Anesthesia* 78:110649, 2022
344. [Dexter F](#), Epstein RH, Öhrvik J, Hindman BJ. Binomial entropy of anesthesiologists' ratings of nurse anesthetists' clinical performance explains information loss when adjusting evaluations for rater leniency. *Perioperative Care and Operating Room Management* 27:100247, 2022
345. [Dexter F](#), Epstein RH, Ledolter J, Pearson AC, Maga J, Fahy BG. Benchmarking surgeons' gender and year of medical school graduation associated with monthly operative workdays for multispecialty groups. *Cureus* 14:e25054, 2022
346. Khorasanian D, [Dexter F](#), Demeulemeester E, Moslehi G. Minimizing the number of cancellations at the time of a severe lack of postanesthesia care unit beds or nurses. *International Journal of Production Research* 60:3383-3396, 2022
347. Titler SS, [Dexter F](#). Feasibility of anesthesiologists giving nurse anesthetists 30-minute lunch breaks and 15-minute morning breaks at a university's facilities. *Cureus* 14:e25280, 2022
348. [Dexter F](#), Epstein RH, Diez C, Fahy BG. More surgery in December among US patients with commercial insurance is offset by unrelated but lesser surgery among patients with Medicare insurance. *International Journal of Health Planning and Management* 37:2445-2460, 2022
349. Thenuwara K, [Dexter F](#), Radke S, Epstein RH. Cesarean delivery availability in Iowa was not constrained by anesthesia workforce limitations: retrospective cohort study of inpatient surgery case counts. *Perioperative Care and Operating Room Management* 28:100277, 2022
350. Coban E, Kayış E, [Dexter F](#). The effect of few historical data on the performance of sample average approximation method for operating room scheduling. *International Transactions in Operational Research* 30:126-150, 2023

351. Epstein RH, [Dexter F](#), Maga JM, Marian AA. Evaluation of the start of surgical closure as a milestone for forecasting the time remaining to exit the operating room: A retrospective, observational cohort study. *Perioperative Care and Operating Room Management* 29:100280, 2022
352. [Dexter F](#), Epstein RH, Thenuwara KN. Long-term capacity planning for obstetric surgical suites using quantile linear regression. *Anaesthesia and Intensive Care* 51:178-184, 2023
353. Datta S, [Dexter F](#), Suvarnakar A, Abi-Najm D, Wall RT, Loftus RW. Estimating costs of anesthesia supplies for intraoperative infection control. *American Journal of Infection Control* 51:619-623, 2023
354. Wang Z, [Dexter F](#). More accurate, unbiased predictions of operating room times increase labor productivity with the same staff scheduling provided allocated hours are increased. *Perioperative Care and Operating Room Management* 29:100286, 2022
355. [Dexter F](#), Epstein RH, Marian AA. Association between the community prevalence of COVID-19 and daily unscheduled absences of anesthesiologists, nurse anesthetists, and residents in an academic anesthesia department. *Cureus* 14:e30730, 2022
356. Thenuwara KN, [Dexter F](#), Ledolter J, Radke SM, Epstein RH. Patients in Iowa counties lacking hospitals with labor and delivery services disproportionately receive care at level III maternal care hospitals when undergoing cesarean delivery: a retrospective longitudinal study. *Cureus* 14:e30683, 2022
357. [Dexter F](#), Ledolter J, Titler SS, Epstein RH. Variability of the times remaining in surgical cases and the importance of knowing when closure has started. *Perioperative Care and Operating Room Management* 30:100299, 2023
358. Hadler RA, [Dexter F](#), Gu B. Frequency of follow-up assessment for post-intensive care syndrome among alert and non-delirious critically ill patients. *Cureus* 14:e32027, 2022
359. [Dexter F](#), Brown JR, Wall RT, Loftus RW. The efficacy of multifaceted versus single anesthesia work area infection control measures and the importance of surgical site infection follow-up duration. *Journal of Clinical Anesthesia* 85:111043, 2023
360. Epstein RH, [Dexter F](#), Loftus RW. Most hospital patients at risk for bacterial infection undergo an anesthetic: implications for infection control practices related to the anesthesia workspace. *Canadian Journal of Anesthesia* 70:1330-1339, 2023
361. Hadler RA, [Dexter F](#), Mergler BD. Lack of useful predictors of dignity-related distress among the critically ill as assessed with the Patient Dignity Inventory. *Anesthesia & Analgesia* 137:676-681, 2023
362. Hadler RA, [Dexter F](#), Epstein RH. Logistic regression and machine learning models for predicting whether intensive care patients who are alert and without delirium remain as such for at least two more days. *Cureus* 15:e34913, 2023
363. Epstein RH, [Dexter F](#), Fahy BG. Patients undergoing elective inpatient major therapeutic procedures in Florida had no significant change in hospital mortality or mortality-related comorbidities between 2007 and 2019. *Anesthesia & Analgesia* 137:306-312, 2023
364. [Dexter F](#), Epstein RH, Fahy BG. Association of surgeons' gender with elective surgical lists in the State of Florida is explained by differences in mean operative caseloads. *PLoS One* 18:e0283033, 2023
365. [Dexter F](#), Ledolter J. Exceedance probabilities of log-normal distributions for one group, two groups, and meta-analysis of multiple two-group studies, with application to analyses of prolonged times to tracheal extubation. *Journal of Medical Systems* 47:49, 2023
366. [Dexter F](#), Hindman BJ, Epstein RH. Overall anesthesia department quality of clinical supervision of trainees over a year evaluated using mixed effects models. *Journal of Clinical Anesthesia* 87:111114, 2023

367. [Dexter F](#), Epstein RH, Loftus RW. Quantifying and interpreting inequality in surgical site infections per quarter among anesthetizing locations and specialties. *Cureus* 15:e36878, 2023
368. [Dexter F](#), Marian AA, Epstein RH. Influence on the incidence of prolonged times to tracheal extubation from the anesthesia practitioner having completed few prior cases with the surgeon. *Perioperative Care and Operating Room Management* 31:100318, 2023
369. Hurt GM, [Dexter F](#). Narrative review of mathematical and psychological studies of staff scheduling for holidays as applicable to anesthesiologists and nurse anesthetists. *Journal of Clinical Anesthesia* 88:111142, 2023
370. Hadler RA, [Dexter F](#). Forecasting caseload of critically ill patients who are alert and without delirium for at least two consecutive days for the assessment of their psychological distress. *Cureus* 15:e39859, 2023
371. [Dexter F](#), Epstein RH. Associations between fresh gas flow and duration of anesthetic on the maximum potential benefit of anesthetic gas capture in operating rooms and in post-anesthesia care units to capture waste anesthetic gas. *Anesthesia & Analgesia* 137:1104-1109, 2023
372. [Dexter F](#), Hindman BJ. Narrative review of prolonged times to tracheal extubation after general anesthesia with intubation and extubation in the operating room. *Anesthesia & Analgesia* 138:775-781, 2024
373. [Dexter F](#), Hindman BJ. Systematic review with meta-analysis of relative risk of prolonged times to tracheal extubation with desflurane versus sevoflurane or isoflurane. *Journal of Clinical Anesthesia* 90:111210, 2023
374. [Dexter F](#), Loftus RW. Retrospective cohort study of anaesthesia machines shows low bacterial contamination can be achieved with surface disinfection. *British Journal of Anaesthesia* 131:e109-e111, 2024
375. [Dexter F](#), Scheib S, Xie W, Epstein RH. Bibliometric analysis of contributions of anesthesiology journals and anesthesiologists to operating room management science. *Anesthesia & Analgesia* 138:1120-1128, 2024
376. [Dexter F](#), Epstein RH, Marian AA. General anesthesia techniques reducing the time to satisfy phase I post-anesthesia care unit discharge criteria: narrative review of randomized clinical trials and cohort studies studying unit bypass, supplemented with computer simulation. *Perioperative Care and Operating Room Management* 33:100358, 2023
377. [Dexter F](#), Loftus RW. Estimation of the contribution to intraoperative pathogen transmission from bacterial contamination of patient nose, patient groin and axilla, anesthesia practitioners' hands, anesthesia machine, and intravenous lumen. *Journal of Clinical Anesthesia* 92:111303, 2024
378. [Dexter F](#), Epstein RH, Hindman BJ. Association between an anesthesia department development program for junior faculty and long-term production of publications: A longitudinal cohort study. *Journal of Clinical Anesthesia* 92:111308, 2024
379. [Dexter F](#), Walker KM, Brindeiro CT, Loftus CP, Banguid CCL, Loftus RW. A threshold of 100 or more colony-forming units on the anesthesia machine predicts bacterial pathogen detection: a retrospective, laboratory-based analysis. *Canadian Journal of Anesthesia* 71:600-610, 2024
380. [Dexter F](#), Hindman BJ, Thenuwara K. Lack of benefit of adjusting adaptively daily invitations for the evaluation of the quality of anesthesiologists' supervision and nurse anesthetists' work habits. *Cureus* 15:e49661, 2023
381. Zhuang C, [Dexter F](#), Hadler RA. Poor concordance between intensive care unit patients' and family members' Patient Dignity Inventory scores despite communication of dignity-related distress. *Anesthesia & Analgesia* 139:1232-1239, 2024

382. Titler SS, [Dexter F](#). Survey of lactating anesthesiologists using wearable breast milk pumps while working in operating rooms and other clinical settings. *A&A Practice* 18:e01755, 2024
383. Sondekoppam RV, [Dexter F](#), Vithani S, Wong CA. Survey of anesthesia department chairs about the environmental sustainability initiatives of their programs. *Journal of Clinical Anesthesia* 94:111378, 2024
384. [Dexter F](#), Epstein RH. Lack of validity of absolute percentage errors in estimated operating room case durations as a measure of operating room performance: a focused narrative review. *Anesthesia & Analgesia* 139:555-561, 2024
385. [Dexter F](#), Pinho RH, Pang DSJ. Modeling daily veterinary anesthetist patient care hours and probabilities of exceeding critical thresholds. *American Journal of Veterinary Research* 85:ajvr.23.09.0196, 2024
386. [Dexter F](#), Hindman BJ, Bayman EO, Mueller RN. Patient and operational factors do not substantively affect the annual departmental quality of anesthesiologists' clinical supervision and nurse anesthetists' work habits. *Cureus* 16:e55346, 2024
387. Guerra-Londono CE, [Dexter F](#), Mitchell JD, Forrest PB, Penning DH. Effect of a non-reactive absorbent with or without environmentally oriented electronic feedback on anesthesia provider's fresh gas flow rates: a greening initiative. *Journal of Clinical Anesthesia* 95:111441, 2024
388. [Dexter F](#), Epstein RH. Fundamentals of operating room allocation and case scheduling to minimize the inefficiency of use of the time. *Perioperative Care and Operating Room Management* 35:100379, 2024
389. [Dexter F](#), Epstein RH, Marian AA, Guerra-Londono CE. Preventing prolonged times to awakening while mitigating the risk of patient awareness: Gas Man computer simulations of sevoflurane consumption from brief, high fresh gas flow before the end of surgery. *Cureus* 16:e55626, 2024
390. [Dexter F](#), Epstein RH, Dillman D, Hindman BJ, Mueller RN. Predictive validity of anesthesiologists' quality of clinical supervision and nurse anesthetists' work habits assessed by their associations with operating room times. *Anesthesia & Analgesia* 140:723-731, 2025
391. Chen PF, [Dexter F](#). Generalized confidence intervals for ratios of standard deviations based on log-normal distribution when times follow Weibull distributions. *Journal of Medical Systems* 48:58, 2024
392. [Dexter F](#), Epstein RH, Titler SS. Larger anesthesia practitioner per operating room ratios are needed to prevent unnecessary non-operative time than to mitigate patient risk: a narrative review. *Journal of Clinical Anesthesia* 96:111498, 2024
393. Ituk US, [Dexter F](#), Hadlandsmyth KE. Lateness of acetaminophen and non-steroidal anti-inflammatory drug administrations in a retrospective cohort of medication administration records among patients after cesarean delivery. *Cureus* 16:e61433, 2024
394. Epstein RH, [Dexter F](#), Dexter E, Fahy BG. Incremental societal costs of perioperative complications following adult elective inpatient major therapeutic surgery in the state of Florida: a seven-year retrospective epidemiological analysis. *Cureus* 2024;16:e62559
395. Taborsky A, [Dexter F](#), Novak A, Espy JL, Sondekoppam RV. Systematic review and meta-analysis of the impact of spinal versus general anesthesia on the variability of surgical times. *Canadian Journal of Anesthesia* 72:91-105, 2025
396. Clevenger KR, [Dexter F](#), Epstein RH, Sondekoppam R, Marian AA. Anesthesia practitioners' goals for sevoflurane minimum alveolar concentration at the end of surgery and the incidence of prolonged extubations: a prospective and observational study. *Cureus* 16:e63371, 2024

397. [Dexter F](#), Epstein RH, Ip V, Marian AA. Inhalational agent dosing behaviors of anesthesia practitioners cause variability in end-tidal concentrations at the end of surgery and prolonged times to tracheal extubation. *Cureus* 16:e65527, 2024
398. Wohl E, [Dexter F](#), Mueller R, Vannucci A. Few anesthesia-related adverse events in a retrospective cohort study of patients with unanticipated intensive care unit admission after ambulatory procedures. *A&A Practice* 18:e01841, 2024
399. Epstein RH, [Dexter F](#), Fahy BG. Since the COVID-19 pandemic, approximately 90% of elective anesthetics have been ambulatory: A retrospective analysis of statewide data in Florida from 2010 through 2022. *Journal of Clinical Anesthesia* 98:111596, 2024
400. Ituk US, [Dexter F](#), Patel P, Bremer Gama MN, Sibenaller Z. Positive predictive value of administrative diagnosis codes, for all patient encounters in the electronic health record, to detect postoperative infections: retrospective cohort study after cesarean delivery. *JCA Advances* 1:100058, 2024
401. [Dexter F](#), Loftus RW. Chlorhexidine wipes with educational feedback are effective at reducing axilla and groin bacterial contamination at the start of surgery. *Anesthesia & Analgesia* 140:1233-1235, 2025
402. Chen PF, [Dexter F](#). Estimating sample means and standard deviations from the log-normal distribution using medians and quartiles: evaluating reporting requirements for primary and secondary endpoints of meta-analyses in anesthesiology. *Canadian Journal of Anesthesia* 72:633-643, 2025
403. [Dexter F](#), Hindman BJ, Epstein RH, Vannucci A, Mueller RN. Procedure-adjusted incidences of postoperative hospital admissions are not associated with differences in the quality of anesthesiologists' clinical supervision or nurse anesthetists' work habits. *Perioperative Care and Operating Room Management* 37:100441, 2024
404. [Dexter F](#), Epstein RH, Marian AA. The value of auditing the frequency of inhalational anesthetics with a combination of very low bispectral index and high fraction of the age-adjusted minimum alveolar concentration. *Cureus* 16:e75036, 2024
405. [Dexter F](#), Marian AA, Epstein RH. Economic impact of prolonged tracheal extubation times on operating room time overall and for subgroups of surgeons: a historical cohort study. *BMC Anesthesiology* 25:4, 2025
406. Chen PF, [Dexter F](#). Taylor series approximation for accurate generalized confidence intervals of ratios of log-normal standard deviations for meta-analysis using means and standard deviations in time scale. *Pharmaceutical Statistics* 24:e2467, 2025
407. [Dexter F](#), Berger JI, Epstein RH, Mueller RN. The probability distribution of times to awakening from sevoflurane anesthesia, among a homogeneous group of cases with the same age-adjusted minimum alveolar concentration fraction. *Anesthesia & Analgesia* 142:393-402, 2026
408. [Dexter F](#), Pomeroy MG, Marian AA, Ituk US, Epstein RH. Incorrectly charted operating rooms, with resulting overlapping times, corrected using metadata from monitors transmitting pulse oximetry measurements. *A&A Practice* 19: e01917, 2025
409. Cover P, [Dexter F](#), El-Hattab YMS. Modeling phase I post-anesthesia care unit patient transport times among multiple destinations. *Anesthesia & Analgesia* 141:1422-1431, 2025
410. Frank Y, [Dexter F](#), Guerra-Londono CE. Percentage contribution of anesthetic induction on total case fresh gas flow under inhalational anesthesia: a retrospective cohort study. *Journal of Clinical Anesthesia* 102:111767, 2025
411. Epstein RH, [Dexter F](#), Fahy BG. Most weekday discharge times at acute care hospitals in the state of Florida occurred after 3 PM in 2022, unchanged from before the COVID-19 pandemic. *Journal of Medical Systems* 49:31, 2025

412. Patel S, [Dexter F](#). A scoping review of feedback features during clinical education for anaesthesia trainees. *Indian Journal of Anaesthesia* 69:450-457, 2025
413. Titler SS, [Dexter F](#). Applying mathematical and psychological studies of staff scheduling for holidays to a group of anesthesiologists. *A&A Practice* 19:e01958, 2025
414. Vazquez GE, [Dexter F](#), Vasanthwala RS, Sadek NA, Sondekoppam RV. Failure of preoperative data to accurately predict which patients undergoing major hepatic surgery will develop postoperative coagulation disturbances: single hospital retrospective cohort study. *Canadian Journal of Anesthesia* 72:1416-1422, 2025
415. Cover P, [Dexter F](#). Economic value of using electronic transporter applications for post-anesthesia care unit staffing decisions rather than manual logging of transport durations. *Perioperative Care and Operating Room Management* 39:100486, 2025
416. Epstein RH, [Dexter F](#), Fahy BG. Inpatient postoperative mortality: comparing patients hospitalized preoperatively to those having elective surgery. *Anesthesiology* 143:62-70, 2025
417. [Dexter F](#), Epstein RH, Sondekoppam RV, Marian AA. Estimating 90th percentile times to complete multiple pre-operative regional anesthesia procedures to mitigate first-case start operating room delays caused by the nerve blocks. *Journal of Medical Systems* 49:48, 2025
418. [Dexter F](#), Epstein RH, Dutton RP, Hadler RA. Statistical power analyses for quantifying the similarity of categories of surgical procedures among pairs of hospitals and ambulatory facilities. *Cureus* 17:e81761, 2025
419. [Dexter F](#), Vasilopoulos T, Fahy BG. Adjusting for resident rater leniency or severity improves the reliability of routine resident evaluations of faculty anesthesiologists. *Cureus* 17:e86366, 2025
420. [Dexter F](#), Hindman BJ, Thenuwara KN. Evaluation using Cochran's Q tests of the information content of individual items' scores in the nurse anesthetist work habits instrument for use in providing feedback. *Perioperative Care and Operating Room Management* 40:100519, 2025
421. [Dexter F](#), Hindman BJ, Thenuwara KN. Evaluation of the information content of individual items' scores in the anesthesiologist supervision instrument using Cochran's Q tests and McNemar's tests to provide specific feedback to ratees in addition to reliable evaluation of clinical performance. *Journal of Clinical Anesthesia* 106:111946, 2025
422. Epstein RH, [Dexter F](#), Gayer S, Dutton RP. Limited national potential for reducing anesthesia clinician staffing for cataract surgery: a historical cohort study using a large United States anesthesia registry. *Cureus* 17:e89895, 2025
423. [Dexter F](#), Epstein RH, Dutton RP. United States' anesthesia workdays in 2022-2023 – Implications for national workforce assessments. *Journal of Clinical Anesthesia* 107:111988, 2025
424. [Dexter F](#), Sondekoppam R, Bayman EO. Incidence proportions from random-effects meta-analyses of rare events with large cluster heterogeneity, including sensitivity to the normal distribution assumption. *Cureus* 17:e93214, 2025
425. Chen PF, [Dexter F](#). Controlling familywise error rates and false discovery rates when studying predictors of log-normal durations in anaesthesia: a simulation study using generalised linear modelling. *British Journal of Anaesthesia* In press, 2026
426. [Dexter F](#), Cover P, Loftus RW. Characterizing periods for rapid testing of bacterial pathogens at ends of surgical cases for interventions in the post-anesthesia care unit or hospital wards using discharge times of patients with and without postoperative healthcare-associated infections. *Perioperative Care and Operating Room Management* 41:100576, 2025
427. [Dexter F](#), Zan X, Loftus RW. Estimates and confidence intervals for mean postoperative healthcare-associated infections per week among operating rooms and other anesthetizing locations. *Canadian Journal of Anesthesia* In press, 2026

428. [Dexter F](#), Rolfzen ML, Hoffman J, Rodriguez ES, Bartels K. Opioid intake and quality of life after hospital discharge from major surgery – a health economic evaluation. *Anesthesia & Analgesia* In press, 2026
429. Chen PF, [Dexter F](#). Comparing multiple people each to the grand mean of log-normally distributed endpoints. *Journal of Clinical Anesthesia* 109:112083, 2026

III b. Peer-reviewed papers in physiological modeling and study methodology

430. [Dexter F](#). Modification of the standard most-probable-number procedure for fecal coliform bacteria in seawater and shellfish. *Applied and Environmental Microbiology* 42:184-185, 1981
431. [Dexter F](#). A statistical measure of internal consistency. *Communications in Statistics-Simulation and Computation* 15:879-886, 1986
432. [Dexter F](#), Banks HT, Webb T III. Modeling Holocene changes in the location and abundance of beech populations in eastern North America. *Review of Palaeobotany and Palynology* 50:273-292, 1987
433. [Dexter F](#), Saidel GM, Levy MN, Rudy Y. Mathematical model of dependence of heart rate on tissue concentration of acetylcholine. *American Journal of Physiology* 256:H520-H526, 1989
434. [Dexter F](#). Mathematical model of the changes in heart rate elicited by vagal stimulation. Cleveland: Case Western Reserve University, 1989 [Ph.D. dissertation]
435. [Dexter F](#), Rudy Y, Levy MN. Muscarinic autoreceptors do not modulate kinetics of acetylcholine release in hearts. *American Journal of Physiology* 256:H1073-H1078, 1989
436. [Dexter F](#), Levy MN, Rudy Y. Mathematical model of the changes in heart rate elicited by vagal stimulation. *Circulation Research* 65:1330-1339, 1989
437. [Dexter F](#), Saidel GM, Rudy Y. Simulation of the diffusion of acetylcholine in the neuroeffector junctions of the heart. *Journal of Theoretical Biology* 141:505-514, 1989
438. [Dexter F](#), Rudy Y, Levy MN, Bruce EN. Mathematical model of cellular basis for the respiratory sinus arrhythmia. *Journal of Theoretical Biology* 150:157-173, 1991
439. [Dexter F](#), Yang T, Levy MN. Analysis of vagally induced sinus arrhythmias. *Journal of Theoretical Biology* 159:507-512, 1992
440. [Dexter F](#), Ben-Haim S. Theoretical analysis predicts that respiratory sinus arrhythmia does not accurately measure efferent vagal activity during anesthesia. *Journal of Theoretical Biology* 169:133-141, 1994
441. [Dexter F](#), Rudy Y, Saidel GM. Mathematical model of acetylcholine kinetics in neuroeffector junctions. *American Journal of Physiology* 266:H298-H309, 1994
442. [Dexter F](#). Analysis of statistical tests to compare doses of analgesics among groups. *Anesthesiology* 81:610-615, 1994
443. [Dexter F](#), Hindman BJ. Computer simulation of brain cooling during cardiopulmonary bypass. *Annals of Thoracic Surgery* 57:1171-1179, 1994
444. [Dexter F](#), Hindman BJ, Cutkomp J, Smith T. Blood warms as it flows retrograde from a femoral cannulation site to the carotid artery during cardiopulmonary bypass. *Perfusion* 9:393-397, 1994
445. [Dexter F](#). Mathematical analysis of haemodilution's direct effect on rate of brain cooling during cardiopulmonary bypass. *Medical and Biological Engineering and Computing* 33:24-26, 1995
446. [Dexter F](#), Hindman BJ. Theoretical analysis of cerebral venous blood hemoglobin oxygen saturation as an index of cerebral oxygenation during hypothermic cardiopulmonary bypass: a counter-proposal to the “luxury perfusion” hypothesis. *Anesthesiology* 83:405-412, 1995

447. [Dexter F](#). Statistical analysis of drug interactions in anesthesia. *Journal of Theoretical Biology* 172:305-314, 1995
448. [Dexter F](#), Chestnut D. Analysis of statistical tests to compare visual analog scale measurements among groups. *Anesthesiology* 82:896-902, 1995
449. [Dexter F](#), Reasoner DK. Theoretical assessment of normobaric oxygen therapy to treat pneumocephalus. *Anesthesiology* 84:442-447, 1996
450. [Dexter F](#), Hindman BJ, Marshall JS. Estimate of the maximum absorption rate of microscopic arterial air emboli after entry into the arterial circulation during cardiac surgery. *Perfusion* 11:445-450, 1996
451. [Dexter F](#), Hindman BJ. Recommendations for hyperbaric oxygen therapy of cerebral air embolism based on a mathematical model of bubble absorption. *Anesthesia & Analgesia* 84:1203-1207, 1997
452. [Dexter F](#), Kern FH, Hindman BJ, Greeley WJ. The brain uses mostly dissolved oxygen during profoundly hypothermic cardiopulmonary bypass. *Annals of Thoracic Surgery* 63:1725-1729, 1997
453. [Dexter F](#), Hindman BJ. Effect of haemoglobin concentration on brain oxygenation in focal stroke— a mathematical modeling study. *British Journal of Anaesthesia* 79:346-351, 1997
454. [Dexter F](#), Hindman BJ. Computer simulation of microscopic cerebral air emboli absorption during cardiac surgery. *Undersea & Hyperbaric Medicine* 25:43-50, 1998
455. Carlisle JB, [Dexter F](#), Pandit JJ, Shafer SL, Yentis S. Calculating the probability of random sampling for continuous variables in submitted or published randomised controlled trials. *Anaesthesia* 70:848-858, 2015
456. [Dexter F](#), Shafer SL. Narrative review of statistical reporting checklists, mandatory statistical editing, and rectifying common problems in the reporting of scientific articles. *Anesthesia & Analgesia* 124:943-947, 2017
457. Daniels JR, [Dexter F](#), Espy JL, Brull SJ. Quantitative assessment of statistical reviews of patient safety articles. *Journal of Patient Safety* 15:184-190, 2019
458. Garrido E, [Dexter F](#), Logvinov II, Brull SJ. Frequencies of patient-reported sore throat, hoarseness, dysphagia, and high airway cuff pressures when manometers are used. *JCA Advances* 1:100061, 2024

III c. Peer-reviewed papers with my role being the performance of statistical analyses

459. Hindman BJ, Funatsu N, Harrington J, Cutkomp J, [Dexter F](#), Todd MM, Tinker JH. Cerebral blood flow response to PaCO₂ during hypothermic cardiopulmonary bypass in rabbits. *Anesthesiology* 75:662-668, 1991
460. Hindman BJ, [Dexter F](#), Cutkomp J, Smith T, Todd MM, Tinker JH. Brain blood flow and metabolism do not decrease at stable brain temperature during cardiopulmonary bypass in rabbits. *Anesthesiology* 77:342-350, 1992
461. Spiegel DA, [Dexter F](#), Warner DS, Baker MT, Todd MM. Central nervous system toxicity of local anesthetic mixtures in the rat. *Anesthesia and Analgesia* 75:922-8, 1992
462. Hindman BJ, [Dexter F](#), Cutkomp J, Smith T, Tinker JH. Hypothermic acid-base management does not affect cerebral metabolic rate for oxygen at 27 degrees C. A study during cardiopulmonary bypass in rabbits. *Anesthesiology* 79:580-587, 1993
463. McFarlane C, Warner DS, [Dexter F](#), Ludwig PA. Minimum alveolar concentration for halothane in the rat is resistant to effects of forebrain ischemia and reperfusion. *Anesthesiology* 81:1206-1211, 1994

464. Hindman BJ, [Dexter F](#), Ryu KH, Smith T, Cutkomp J. Pulsatile versus non-pulsatile cardiopulmonary bypass: no difference in brain blood flow or metabolism at 27°C. *Anesthesiology* 80:1137-1147, 1994
465. McFarlane C, Warner DS, [Dexter F](#), Todd MM. Glutamatergic antagonism: effects on lidocaine-induced seizures in the rat. *Anesthesia and Analgesia* 79:701-705, 1994
466. Hindman BJ, [Dexter F](#), Smith T, Cutkomp J. Pulsatile versus nonpulsatile flow. No difference in cerebral blood flow or metabolism during normothermic bypass in rabbits. *Anesthesiology* 82:241-250, 1995
467. Penning DH, Chestnut DH, [Dexter F](#), Hrdy J, Poduska D, Atkins B. Glutamate release from the ovine fetal brain during maternal hemorrhage. A study utilizing chronic in utero cerebral microdialysis. *Anesthesiology* 82:521-530, 1995
468. Hindman BJ, [Dexter F](#), Cutkomp J, Smith T. pH-stat management reduces cerebral metabolic rate for oxygen during profound hypothermia (17 degrees C). A study during cardiopulmonary bypass in rabbits. *Anesthesiology* 82:983-995, 1995
469. McFarlane C, Warner DS, Nader A, [Dexter F](#). Glycine receptor antagonism: effects of ACEA-1021 on the MAC for halothane in the rat. *Anesthesiology* 82:983-995, 1995
470. Warner DS, Todd MM, [Dexter F](#), Ludwig P, McAllister AM. Temporal thresholds for hyperglycemia-augmented ischemic brain damage in rats. *Stroke* 26:655-660, 1995
471. Reynolds JD, Penning DH, [Dexter F](#), Atkins B, Hrdy J, Poduska D, Chestnut DH, Brien JF. Dose-dependent effects of acute in vivo ethanol exposure on extracellular glutamate concentration in the cerebral cortex of the near-term fetal sheep. *Alcoholism Clinical and Experimental Research* 19:1447-1453, 1995
472. Hindman BJ, [Dexter F](#), Cutkomp J, Smith T. Diaspirin crosslinked hemoglobin does not increase brain oxygen consumption during hypothermic cardiopulmonary bypass in rabbits. *Anesthesiology* 83:1302-1311, 1995
473. Ryu KH, Hindman BJ, Reasoner DK, [Dexter F](#). Heparin reduces neurologic impairment after cerebral arterial air embolism in the rabbit. *Stroke* 27:303-310, 1996
474. Warner DS, Takaoka S, Ludwig PA, Pearlstein RD, Brinkhous AD, [Dexter F](#). Electroencephalographic burst suppression is not required to elicit maximal neuroprotection from pentobarbital in a rat model of focal cerebral ischemia. *Anesthesiology* 84:1475-1484, 1996
475. Enomoto S, Hindman BJ, [Dexter F](#), Smith T, Cutkomp J. Rapid rewarming causes an increase in the cerebral metabolic rate for oxygen that is temporarily unmatched by cerebral blood flow: A study during cardiopulmonary bypass in rabbits. *Anesthesiology* 84:1392-1400, 1996
476. Clausen JD, Ryken TC, Traynelis VC, Sawin PD, [Dexter F](#), Goel VK. Biomechanical evaluation of caspar and cervical spine locking plate systems in a cadaveric model. *Journal of Neurosurgery* 84:1039-1045, 1996
477. Reynolds JD, Penning DH, [Dexter F](#), Atkins B, Hrdy J, Poduska D, Brien JF. Ethanol increases uterine blood flow and fetal arterial blood oxygen tension in the near-term pregnant ewe. *Alcohol* 13:251-256, 1996
478. Reynolds JD, Chestnut DH, [Dexter F](#), McGrath J, Penning DH. Magnesium sulfate adversely affects fetal lamb survival and fetal cerebral blood flow response during maternal hemorrhage. *Anesthesia & Analgesia* 83:493-499, 1996
479. McFarlane C, Warner DS, [Dexter F](#). Interactions between NMDA and AMPA receptor antagonists during halothane anesthesia in the rat. *Neuropharmacology* 64:659-663, 1996

480. Reasoner DK, [Dexter F](#), Hindman BJ, Subeita A, Todd MM. Somatosensory evoked potentials correlate with neurologic examination in rabbits undergoing cerebral air embolism. *Stroke* 27:1859-1864, 1996
481. Kim YJ, McFarlane C, Warner DS, Baker MT, Choi WW, [Dexter F](#). The effects of plasma and brain magnesium concentrations on lidocaine induced seizures in the rat. *Anesthesia & Analgesia* 83:1223-1228, 1996
482. [Dexter F](#). Research synthesis of controlled studies evaluating effect of hypocapnia and airway protection on cerebral outcome. *Journal of Neurosurgical Anesthesiology* 9:217-222, 1997
483. McArdle P, Penning DH, [Dexter F](#), Reynolds JD. Flumazenil does not affect the increase in rat hippocampal extracellular glutamate concentration produced during thioacetamide-induced hepatic encephalopathy. *Metabolic Brain Disease* 11:329-342, 1996
484. Reasoner DK, Hindman BJ, [Dexter F](#), Subieta A, Cutkomp J, Smith T. Doxycycline reduces neurological impairment after cerebral arterial air embolism in the rabbit. *Anesthesiology* 87:569-576, 1997
485. Reynolds JD, Penning DH, Kimura KA, [Dexter F](#), Henderson JL, Atkins B, Poduska D, Brien JF. Ethanol-induced changes in prostaglandin E concentration in the intact cerebral cortex of preterm and nearterm fetal sheep. *Alcoholism Clinical and Experimental Research* 21:997-1994, 1997
486. Morimoto Y, Morimoto Y, Bart RD, Pearlstein RD, [Dexter F](#), Warner DS. High dose fentanyl does not adversely affect outcome from forebrain ischemia in the rat. *Journal of Neurosurgical Anesthesiology* 9:316-323, 1997
487. Lovick DS, Ryken TC, Traynelis VC, [Dexter F](#). Assessment of primary and salvage lateral mass screw insertion torque in a cadaveric model. *Journal of Spine Disorders* 10:431-435, 1997
488. Pittman JE, Sheng H, Pearlstein R, Brinkhous A, [Dexter F](#), Warner DS. Comparison of the effects of propofol and pentobarbital on neurologic outcome and cerebral infarct size after temporary focal ischemia in the rat. *Anesthesiology* 87:1139-1144, 1997
489. Hindman BJ, [Dexter F](#), Enomoto S, Subieta A, Smith T, Cutkomp J. Recovery of evoked potential amplitude after cerebral arterial air embolism in the rabbit: a comparison of the effect of cardiopulmonary bypass with normal circulation. *Anesthesiology* 88:696-707, 1998
490. Bart RD, Takaoka S, Pearlstein RD, [Dexter F](#), Warner DS. Interactions between hypothermia and the latency to ischemic depolarization: implications for neuroprotection. *Anesthesiology* 88:1266-1273, 1998
491. Hindman BJ, Enomoto S, [Dexter F](#), Bates JN, Aldape G, Cutkomp J, Smith T. Cerebrovascular relaxation responses to endothelium-dependent and independent vasodilators after normothermic and hypothermic cardiopulmonary bypass in the rabbit. *Anesthesiology* 88:1614-1623, 1998
492. Sarraf-Yazdi S, Sheng H, Miura Y, McFarlane C, [Dexter F](#), Pearlstein R, Warner DS. Relative neuroprotective effects of dizocilpine and isoflurane during focal cerebral ischemia in the rat. *Anesthesia & Analgesia* 87:72-78, 1998
493. Miura Y, Grocott HP, Bart RD, Pearlstein RD, [Dexter F](#), Warner DS. Differential effects of outcome from near-complete but not incomplete global ischemia in the rat. *Anesthesiology* 89:391-400, 1998
494. Henderson JL, Reynolds JD, [Dexter F](#), Atkins B, Hrdy J, Poduska D, Penning DH. Chronic hypoxemia causes extracellular glutamate concentration to increase in the cerebral cortex of the near-term fetal sheep. *Developmental Brain Research* 105:287-293, 1998

495. Mackensen GB, Nellgård B, Miura Y, Chu CT, [Dexter F](#), Pearlstein RD, Warner DS. Sympathetic ganglionic blockade masks beneficial effect of isoflurane on histologic outcome from near-complete forebrain ischemia in the rat. *Anesthesiology* 90:873-881, 1999
496. Miura Y, Mackensen GB, Nellgård B, Pearlstein RD, Bart RD, [Dexter F](#), Warner DS. Effects of isoflurane, ketamine, and fentanyl/N₂O on concentrations of brain and plasma catecholamines during near-complete cerebral ischemia in the rat. *Anesthesia & Analgesia* 88:787-792, 1999
497. Penning DH, [Dexter F](#), Henderson JL, Chestnut DH, Reynolds JD. Bolus maternal cocaine administration does not produce a large increase in fetal sheep cerebral cortical glutamate concentration. *Neurotoxicology and Teratology* 21:177-180, 1999
498. Hindman BJ, [Dexter F](#), Subieta A, Smith T, Cutkomp J. Brain injury after cerebral arterial air embolism in the rabbit as determined by triphenyltetrazolium staining. *Anesthesiology* 90:1462-1473, 1999
499. Mackensen GB, Nellgård B, Sarraf-Yazdi S, [Dexter F](#), Steffen RP, Grocott HP, Warner DS. Post-ischemic RSR13 amplifies the effect of dizocilpine on outcome from transient focal cerebral ischemia in the rat. *Brain Research* 853:15-21, 2000
500. Reynolds JD, Grubbs EG, [Dexter F](#), Punnahtanananda S, Dense TA, Penning DH. Acute cord occlusion increases blood ionized magnesium concentration in preterm fetal sheep during maternal magnesium sulfate exposure. *Canadian Journal of Physiology and Pharmacology* 78:301-306, 2000
501. Hindman BJ, Moore SA, Cutkomp J, Smith T, Ross-Barta SE, [Dexter F](#), Brian JE Jr. Brain expression of inducible cyclooxygenase 2 messenger RNA in rats undergoing cardiopulmonary bypass. *Anesthesiology* 95:1380-1388, 2001
502. Macario A, [Dexter F](#). What are the most important risk factors for a patient developing intraoperative hypothermia? A survey of anesthesiologists. *Anesthesia & Analgesia* 94:215-220, 2002
503. Bell EA, Jones BP, Olufolabi AJ, [Dexter F](#), Phillips-Bute B, Greengrass R, Penning DH, Reynolds JD. Iliohypogastric-ilioinguinal peripheral nerve block for post-Cesarean delivery analgesia decreases morphine use but not opioid-related side effects. *Canadian Journal of Anaesthesia* 49:694-700, 2002
504. Macario A, [Dexter F](#). Is noncontact normothermic wound therapy cost effective for the treatment of stages 3 and 4 pressure ulcers? *Wounds* 14:93-106, 2002
505. Macario A, Chow JL, [Dexter F](#). A Markov computer simulation model of the economics of neuromuscular blockade in patients with acute respiratory distress syndrome. *Medical Informatics and Decision Making* 6:15, 2006
506. LeGrand SA, Hindman BJ, [Dexter F](#), Moss LG, Todd MM. Reliability of a telephone-based Glasgow Outcome Scale assessment using a structured interview in a heterogeneous population of patients and examiners. *Journal of Neurotrauma* 24:1437-1446, 2007
507. LeGrand SA, Hindman BJ, [Dexter F](#), Weeks JB, Todd MM. Craniocervical motion during direct laryngoscopy and orotracheal intubation with the Macintosh and Miller blades: an in vivo cinefluoroscopic study. *Anesthesiology* 107:884-891, 2007
508. Macario A, [Dexter F](#), Sypal J, Cosgriff N, Heniford BT. Operative time and other outcomes of the electrothermal bipolar vessel sealing system (LigaSure™) versus other methods for surgical hemostasis: a meta-analysis. *Surgical Innovation* 15:284-291, 2008
509. Marian AA, [Dexter F](#), Tucker P, Todd MM. Comparison of alphabetical versus categorical display format for medication order entry in a simulated touch screen anesthesia information management system: An experiment in clinician-computer interaction in anesthesia. *Medical Informatics and Decision Making* 12:46, 2012

510. Eisen SH, Hindman BJ, Bayman EO, [Dexter F](#), Hasan DM. Elective endovascular treatment of unruptured intracranial aneurysms – Management case series of patient outcomes after institutional change to admit patients principally to post-anesthesia care unit rather than intensive care unit. *Anesthesia & Analgesia* 121:188-197, 2015
511. Williams MR, McKeown A, [Dexter F](#), Miner JR, Sessler DI, Vargo J, Turk DC, Dworkin RH. Efficacy outcome measures for procedural sedation clinical trials in adults: An ACTION systematic review. *Anesthesia & Analgesia* 122:152-170, 2016
512. Chen Y, Cai A, Fritz BA, [Dexter F](#), Pryor KO, Jacobsohn E, Glick DB, Willingham MD, Escallier KE, Winter AC, Avidan MS. Amnesia of the operating room in the B-Unaware and BAG-RECALL clinical trials. *Anesthesia & Analgesia* 122:1158-1168, 2016
513. Ledolter J, [Dexter F](#). On the reciprocity of connections in weighted and unweighted networks. *Communications in Statistics – Theory and Methods* 46:5728-5737, 2017
514. Williams MR, Ward DS, Carlson D, Cravero J, [Dexter F](#), Lightdale JR, Mason KP, Miner J, Vargo JJ, Berkenbosch JW, Clark RM, Constant C, Dionne R, Dworkin RH, Gozal D, Grayzel D, Irwin MG, Lerman J, O'Connor RE, Pandharipande P, Rappaport BA, Riker RR, Tobin JR, Turk DC, Twersky RS, Sessler DI. Evaluating patient-centered outcomes in clinical trials of procedural sedation, part 1 efficacy: Sedation Consortium on Endpoints and Procedures for Treatment, Education and Research recommendations. *Anesthesia & Analgesia* 124:821-830, 2017
515. Gadomski BC, Shetye SS, Hindman BJ, [Dexter F](#), Santoni BG, Todd MM, Traynelis VC, From RP, Fontes RB, Puttlitz CM. Intubation biomechanics: validation of a finite element model of cervical spine motion during endotracheal intubation in intact and injured conditions. *Journal of Neurosurgery: Spine* 28:10-22, 2018
516. Loftus RW, [Dexter F](#), Robinson ADM. Methicillin-resistant *Staphylococcus aureus* has greater risk of transmission in the operating room than methicillin-sensitive *S. aureus*. *American Journal of Infection Control* 46:520-525, 2018
517. Poterack KA, Epstein RH, [Dexter F](#). The anesthesiologist-informatician: a survey of physicians board certified in both anesthesiology and clinical informatics. *Anesthesia & Analgesia* 127:115-117, 2018
518. Loftus RW, [Dexter F](#), Robinson ADM. High-risk *Staphylococcus aureus* transmission in the operating room: a call for widespread improvements in perioperative hand hygiene and patient decolonization practices. *American Journal of Infection Control* 46:1134-1141, 2018
519. Ward DS, Williams MR, Berkenbosch JW, Bhatt M, Carlson D, Chappell P, Clark RM, Constant I, Conway A, Cravero J, Dahan A, [Dexter F](#), Dionne R, Dworkin RH, Gan TJ, Gozal D, Green S, Irwin MG, Karan S, Kochman M, Lerman J, Lightdale JR, Litman RS, Mason KP, Miner J, O'Connor RE, Pandharipande P, Riker RR, Roback MG, Sessler DI, Sexton A, Tobin JR, Turk DC, Twersky RS, Weiss M, Wunsch H, Zhao-Wong A. Evaluating patient-centered outcomes in clinical trials of procedural sedation, part 2 safety: Sedation Consortium on Endpoints and Procedures for Treatment, Education and Research recommendations. *Anesthesia & Analgesia* 127:1146-1154, 2018
520. Loftus RW, [Dexter F](#), Robinson ADM, Horswill AR. Desiccation tolerance is associated with *Staphylococcus aureus* hyper transmissibility, resistance, and infection development in the operating room. *Journal of Hospital Infection* 100:299-308, 2018
521. Hindman BJ, [Dexter F](#). Anesthetic management of emergency endovascular thrombectomy for acute ischemic stroke. part 2: integrating and applying observational reports and randomized clinical trials. *Anesthesia & Analgesia* 128:706-717, 2019
522. Barad M, Sturgeon JA, Fish S, [Dexter F](#), Mackey S, Flood P. Response to OnabotulinumtoxinA in a chronic migraine cohort with multiple comorbidities and widespread pain. *Regional Anesthesia & Pain Medicine* 44:660-668, 2019

523. Robinson ADM, [Dexter F](#), Renkor V, Reddy S, Loftus RW. Operating room PathTrac analysis of current intraoperative *Staphylococcus aureus* transmission dynamics. *American Journal of Infection Control* 47:1240-1247, 2019
524. Loftus RW, [Dexter F](#), Goodheart MJ, McDonald M, Keech J, Noiseux N, Pugely A, Sharp W, Sharafuddin M, Lawrence WT, Fisher M, McGonagill P, Shanklin J, Skeete D, Tracy C, Erickson B, Granchi T, Evans L, Schmidt E, Godding J, Brenneke R, Persons D, Herber A, Yeager M, Hadder B, Brown J. The effect of improving basic preventive measures in the perioperative arena on *Staphylococcus aureus* transmission and surgical site infections, a randomized clinical trial. *JAMA Network Open* 3:e201934, 2020
525. Falempin AS, Pereira B, Gonnu-Levallois S, de Chazeron I, [Dexter F](#), Bazin JE, Dualé C. Transcultural validation of a French version of the Iowa Satisfaction with Anesthesia Scale (ISAS-F). *Canadian Journal of Anesthesia* 67:541-549, 2020
526. Schmidt E, [Dexter F](#), Hermann J, Godding JD, Hadder B, Loftus RW. Assessment of anesthesia machine redesign on cleaning of the anesthesia machine using surface disinfection wipes. *American Journal of Infection Control* 48:675-681, 2020
527. Hindman BJ, [Dexter F](#), Gadomski BC, Bucx MJ. Sex-specific intubation biomechanics: Intubation forces are greater in male than in female patients, independent of body weight. *Cureus* 12:e8749, 2020
528. Yalamuru B, [Dexter F](#), Silver JK, Moeschler SM, Pearson ACS. Representation of women as editors in major pain journals. *Regional Anesthesia & Pain Medicine* 46:356-357, 2021
529. Kraus MB, Thomson HM, [Dexter F](#), Patel PV, Dodd SE, Girardo ME, Hertzberg LB, Pearson ACS. Pregnancy and motherhood for trainees in anesthesiology: a survey of the American Society of Anesthesiologists. *The Journal of Education in Perioperative Medicine* 23:E656, 2021
530. Ward DS, Absalom AR, Aitken LM, Balas MC, Brown DL, Burry L, Colantuoni E, Coursin C, Devlin JW, [Dexter F](#), Dworkin RH, Egan TD, Elliott D, Egerod I, Flood P, Fraser GL, Girard TD, Gozal D, Hopkins RO, Kress J, Maze M, Needham DM, Pandharipande P, Riker R, Sessler DI, Shafer SL, Shehabi Y, Spies C, Sun LS, Tung A, Urman RD. Design of clinical trials evaluating sedation in critically ill adults undergoing mechanical ventilation: recommendations from SCEPTER III. *Critical Care Medicine* 49:1684-1693, 2021
531. Loftus RW, [Dexter F](#), Evans LC, Robinson ADM, Odle A, Perlman S. An assessment of the impact of recommended anesthesia work area cleaning procedures on intraoperative SARS-CoV-2 contamination, a case-series analysis. *Journal of Clinical Anesthesia* 73:110350, 2021
532. Patel S, [Dexter F](#). A narrative review of neuraxial potassium chloride administration errors: clinical features, human factors and prevention measures. *Regional Anesthesia & Pain Medicine* 46:904-908, 2021
533. Gadomski BC, Hindman BJ, Page MI, [Dexter F](#), Puttlitz CM. Intubation biomechanics: Clinical implications of computational modeling of intervertebral motion and spinal cord strain during tracheal intubation in an intact cervical spine. *Anesthesiology* 135:1055-1065, 2021
534. Wall RT, Datta S, [Dexter F](#), Ghyasi N, Robinson ADM, Persons D, McCloud CA, Boling K, Krisanda EK, Gordon BM, Koff MD, Yeager MP, Brown JR, Wong CW, Loftus RW. Effectiveness and feasibility of an evidence-based intraoperative infection control program targeting improved basic measures; a post-implementation prospective case-cohort study. *Journal of Clinical Anesthesia* 77:110632, 2022
535. Gadomski BC, Hindman BJ, Poland MJ, Page MI, [Dexter F](#), Puttlitz CM. Intubation biomechanics: Computational modeling to identify methods to minimize cervical spine motion and spinal cord strain during laryngoscopy and tracheal intubation in an intact cervical spine. *Journal of Clinical Anesthesia* 81:110909, 2022

536. Masse N, [Dexter F](#), Wong C. Prophylactic methylergonovine and oxytocin compared with oxytocin alone in patients undergoing intrapartum cesarean birth: a randomized controlled trial. *Obstetrics & Gynecology* 140:181-186, 2022
537. Loftus RW, [Dexter F](#), Evans L, Robinson A, Odle A, Perlman S. Evidence-based intraoperative infection control measures plus feedback are associated with attenuation of SARS-CoV-2 detection in operating rooms. *British Journal of Anaesthesia* 129:e29-e32, 2022
538. Hindman BJ, [Dexter F](#), Gadomski BC, Puttlitz CM. Relationship between glottic view and intubation force during Macintosh and Airtraq laryngoscopy and intubation. *Anesthesia & Analgesia* 135:815-819, 2022
539. Loftus RW, [Dexter F](#), Brown JR. The importance of targeting intraoperative transmission of bacteria with antibiotic resistance and strain characteristics. *American Journal of Infection Control* 51:612-618, 2023
540. Hadder BA, [Dexter F](#), Robinson ADM, Loftus RW. Molecular characterization and epidemiology of transmission of intraoperative *Staphylococcus aureus* isolates stratified by vancomycin minimal inhibitory concentration. *Infection Prevention in Practice* 4:100249, 2022
541. Fernandez PG, [Dexter F](#), Brown J, Whitney G, Koff MD, Cao S, Loftus RW. Epidemiology of *Enterococcus*, *Staphylococcus aureus*, *Klebsiella*, *Acinetobacter*, *Pseudomonas*, and *Enterobacter* species transmission in the pediatric anesthesia work area environment with and without practitioner use of a personalized body worn alcohol dispenser. *Anesthesia & Analgesia* 138:152-160, 2024
542. Loftus RW, [Dexter F](#), Brown JR. Transmission of *Staphylococcus aureus* in the anaesthesia work area has greater risk of association with development of surgical site infection when resistant to the prophylactic antibiotic administered for surgery. *Journal of Hospital Infection* 134:121-128, 2023
543. Gao X, Alam S, Shi P, [Dexter F](#), Kong N. Interpretable machine learning models for hospital readmission prediction: a two-step extracted regression tree approach. *BMC Medical Informatics and Decision Making* 23:104, 2023
544. Love ER, Reminick JL, [Dexter F](#), Goldstein R, Robbins B, Karan SB. Over-application and interviewing in the 2021 United States primary care virtual recruitment season. *Cureus* 15:e39084, 2023
545. Charnin JE, Griffiths SA, Loftus CP, [Dexter F](#), Loftus RW. Bacterial contamination of syringe tips after anesthesia care with use of disinfectable needleless closed connector devices. *British Journal of Anaesthesia* 131:e112-e114, 2023
546. Loftus RW, Brindeiro CT, Loftus CP, Brown JR, Charnin JE, [Dexter F](#). Characterizing the molecular epidemiology of anesthesia work area transmission of *Staphylococcus aureus* ST5. *Journal of Hospital Infection* 143:186-194, 2024
547. Bayman EO, Oleson JJ, [Dexter F](#). Introduction to Bayesian analyses for clinical research. *Anesthesia & Analgesia* 138:530-541, 2024
548. Moritz NMP, Moritz JE, Parma GOC, [Dexter F](#), Traebert J. Cross-cultural adaptation and validation of the Iowa Satisfaction with Anesthesia Scale for use in Brazil: a cross-sectional study. *Brazilian Journal of Anesthesiology* 74:744471, 2024
549. Gibbons S, [Dexter F](#), Loftus RW, Brown J, Wanta BT, Charnin JE. The Relative efficacy of multiple syringe tip disinfection techniques against virulent *Staphylococcus* contamination. *Journal of Hospital Infection* 145:142-147, 2024
550. Hadler RA, Weeks S, He Y, Fraer M, [Dexter F](#). Dignity-related distress and recall among alert, non-delirious critically ill patients. *Palliative & Supportive Care* 22:1324-1328, 2024

551. Loftus RW, Hwang SM, [Dexter F](#), Parra MC, Charnin JE. Studying the association of *Enterococcal* and gram-negative pathogens with longitudinal spread of antibiotic resistance among anesthesia workspace reservoirs on future surgical dates. *Anesthesia & Analgesia* In press, 2025
552. Gibbons S, [Dexter F](#), Loftus RW, Brindeiro CT, Walker K, Parra MC, Szeluga DJ, Seering MS, Hadder BA, Loftus CP, Charnin JE. An analysis of ultraviolet-C light irradiation in reducing bacterial contamination of the anesthesia work area. *Anesthesiology* 141:793-796, 2024
553. Lindsey NR, Somppi-Montgomery L, [Dexter F](#), Wong CA. Comparison of cold and sharp modalities for testing sensory blockade in neuraxial labour analgesia: A prospective observational trial. *British Journal of Anaesthesia* In press 2025
554. Gibbons S, [Dexter F](#), Loftus RW, Wanta BT, Brindeiro CT, Hwang SM, Charnin JE. Surface cleaning with a microfiber cloth and water followed by ultraviolet-C light exposure achieves non-inferior disinfection of a pathogenic *Staphylococcus aureus* strain versus use of germicidal wipes. *Cureus* 16:e65963, 2024
555. Koff MD, [Dexter F](#), Hwang SM, Wanta BT, Charnin JE, Loftus RW. Frequently touched sites in the intensive care unit environment returning 100 colony-forming units per surface area sampled are associated with increased risk of major bacterial pathogen detection. *Cureus* 16:e68317, 2024
556. Brindeiro CT, [Dexter F](#), Parra MC, Walker KM, Hwang SM, Wanta BT, Szeluga DJ, Hadder BA, Seering MS, Charnin JE, Loftus RW. Importance of ultraviolet-C (UV-C) emitter configuration for *Clostridioides difficile*. *Cureus* 16:e71096, 2024
557. Loftus RW, Brindeiro CT, [Dexter F](#), Parra MC, Hwang SM, Wanta B, Szeluga DJ, Hadder BA, Seering MS, Charnin JE. Importance of ultraviolet-C (UV-C) emitter configuration for the attenuation of *Staphylococcus aureus* and *Candida auris* pathogens. *Cureus* 16:e71612, 2024
558. Cobler-Lichter MD, Jawad KA, Yeh DD, Dudaryk R, [Dexter F](#), Epstein RH. Has the pendulum swung too far? Discretionary single-unit red blood cell transfusion in trauma is associated with infection, thromboembolic events, and mortality. *Transfusion* 65:S146-S155, 2025
559. Loftus RW, [Dexter F](#), Brown JR. Impact of shipping transit time on central laboratory processing of total colony forming units (CFU) and *Staphylococcus aureus* detection. *Cureus* 17:e80590, 2025
560. Loftus RW, [Dexter F](#), Parra M, Hwang SM, Robinson AM, Charnin JE, Loftus CP, Wanta BT. The importance of the detection of *Staphylococcus aureus* strain characteristics associated with perioperative transmission of antibiotic resistance. *Cureus* 17:e81885, 2025
561. Pugely AJ, [Dexter F](#), Togioka BM, Simmons C, Parra MC, Charnin JE, Koff MD, Brown JR, Wanta BT, Fernandez P, Loftus RW. Use of personalized body-worn alcohol dispenser, without practitioner feedback, on bacterial transmission, hourly hand decontamination events and practitioner hand contamination: a multi-center randomized controlled study. *Anesthesia & Analgesia* In press, 2025
562. Garrido E, Bisenius A, Nguyen L, Nguyen T, Wohl E, El-Hattab Y, Hoffman HT, [Dexter F](#). Changes in endotracheal cuff pressure during positioning from supine to beach chair in shoulder surgery: a prospective case series. *Cureus* 17:e86660, 2025
563. Epstein RH, [Dexter F](#), Gayer SP. The influence of low-dose dexmedetomidine on recovery times following sedation for vitreoretinal surgery: a retrospective cohort study. *Anesthesia & Analgesia* In press, 2025
564. Rho A, Loftus AG, [Dexter F](#), Ambrose A, Koo C, Diedrich D, Selvamani BJ, Chen J, Parra MC, Wanta BT, Charnin JE, Loftus RW. The assessment of practical and safety aspects of recommended surface disinfection and Ultraviolet-C cleaning procedures for the anesthesia workspace. *Cureus* 17:e93348, 2025

565. Bhushan A, [Dexter F](#), Brindeiro C, Loftus RW, Ituk U. *Staphylococcus aureus* detection and transmission in the anesthesia work area during cesarean delivery. *JCA Advances* 3: 100195, 2026

III d. Editorials, invited papers, peer reviewed conference proceedings, and letters to the editor

566. Hindman BJ, [Dexter F](#). Estimating brain temperature during hypothermia. *Anesthesiology* 82:329-330, 1995
567. [Dexter F](#). Postanesthesia care unit costs. *Anesthesiology* 82:1534-1535, 1995
568. [Dexter F](#). Analysis of statistical tests to compare visual analog scale measurements among groups. *Analgesic Digest* 3:24-26, 1995
569. [Dexter F](#). Flexible coordination allows more cases. *Anesthesia & Analgesia* 83:194, 1996
570. [Dexter F](#). Cost-effective modeling. *Anesthesia & Analgesia* 83:203-204, 1996
571. [Dexter F](#), Hindman BJ. Cerebral oxygenation during deep hypothermic cardiopulmonary bypass: is hemoglobin relevant? *Anesthesiology* 85:941-942, 1996
572. [Dexter F](#), Macario A. Applications of information systems to operating room scheduling. *Anesthesiology* 85:1232-1234, 1996
573. [Dexter F](#). How to control costs of anesthesia without jeopardizing quality. *Clinical Anesthesia Updates* 7:1-9, 1997
574. [Dexter F](#). Heart rate variability, respiratory sinus arrhythmia, and mathematical modeling of acetylcholine pharmacokinetics/ pharmacodynamics in sinus node neuroeffector junctions. *Anesthesia & Analgesia* 84:1389, 1997
575. [Dexter F](#), Macario A. Does early extubation ("fast-tracking") of coronary artery bypass graft surgery patients truly decrease perioperative costs? Appropriate analysis of direct variable costs. *Anesthesiology* 87:181, 1997
576. [Dexter F](#). Application of practice guidelines to anesthesiology. *Anesthesiology* 87:1031-1032, 1997
577. Warner DS, [Dexter F](#). Is lack of statistical power always evidence of lack of effect? *Anesthesiology* 89:799, 1998
578. [Dexter F](#), Lubarsky DA. Managing with information – using surgical services information systems to increase operating room utilization. *ASA Newsletter* 62(10):6-8, 1998
579. [Dexter F](#), Lubarsky DA. Benchmarking anesthesia costs. *Anesthesiology* 90:330-332, 1999
580. [Dexter F](#). Statistical analysis of total labor pain using the visual analog scale and application to studies of analgesic effectiveness during childbirth. *Anesthesia & Analgesia* 88:1193-1194, 1999
581. [Dexter F](#). Prediction bounds for case scheduling “add-on” surgical cases. *Anesthesiology* 91:589-590, 1999
582. [Dexter F](#). Science of OR management: why try to reduce turnover time? *OR Manager* 16(1):25-26, 2000
583. [Dexter F](#). Science of OR management: Efficient scheduling of OR cases? *OR Manager* 16(3):27-28, 2000
584. [Dexter F](#). Book review of *Operating Room Management*. *Anesthesiology* 93; 312, 2000
585. [Dexter F](#). Efficient method to schedule surgery. *OR Manager* 16(5):20-21, 2000
586. [Dexter F](#). What is the most efficient method to schedule elective surgical cases for an integrated health care system? *OR Manager* 16(7):16-17, 2000

587. [Dexter F](#). OR scheduling algorithms. *Anesthesiology* 93; 303-304, 2000
588. [Dexter F](#). Science of OR management: 'ideal' utilization is the wrong quest. *OR Manager* 16(9):32-33, 2000
589. [Dexter F](#). Science of OR management: sequencing of elective surgical cases. *OR Manager* 16(12):19-20, 2000
590. [Dexter F](#). Science of OR management: managing cases in the afternoon. *OR Manager* 17(3):23-24, 2001
591. [Dexter F](#). How to design an effective surgical schedule. *Outpatient Surgery Magazine* 11(3):17-23, 2001
592. [Dexter F](#). Maximizing operating room staff productivity. *Currents* 2(3):9-10, 2001
593. [Dexter F](#). Cost implications of various operating room scheduling strategies. *American Society of Anesthesiologist's Clinical Update Program* 52(262):1-6, 2001
594. [Dexter F](#). Experience in using CalculatOR for allocating operating room time. *Society for Technology in Anesthesia Interface* 12(2), 2001
595. [Dexter F](#). Cost implications of various operating room scheduling strategies. In Schwartz AJ: *Refresher Courses in Anesthesiology* 30(1):87-95, 2002
596. [Dexter F](#). The five guiding principles of daily surgical scheduling. *Outpatient Surgery Magazine* 11(12):52-54, 2002
597. [Dexter F](#), Murphy M, Cline R, Anderson K, Ramsey R, Pankratz B. How can ORs best manage block time for scheduling surgical cases? *OR Manager* 19(2):21-24, 2003
598. [Dexter F](#), Epstein RH. Scheduling of cases in an ambulatory center. *Anesthesiology Clinics of North America* 21:387-402, 2003
599. [Dexter F](#), Murphy M, Cline R, Anderson K, Ramsey R, Pankratz B. What are the best ways to handle block time release? *OR Manager* 19(3):18-22, 2003
600. [Dexter F](#), Murphy M, Cline R, Anderson K, Ramsey R, Pankratz B. How is block time reviewed and revised? *OR Manager* 19(4):15-20, 2003
601. [Dexter F](#). Operating room utilization: information management systems. *Current Opinion in Anaesthesiology* 16:619-622, 2003
602. [Dexter F](#), Epstein RH, Abouleish AE, Whitten CW, Lubarsky DA. Impact of reducing turnover times on staffing costs. *Anesthesia & Analgesia* 98:872, 2004
603. [Dexter F](#), Brown DH. Financial disclosure. *Anesthesia & Analgesia* 98:1811, 2004
604. [Dexter F](#). Adjusting afternoon staffing. *OR Manager* 20(8):11, 2004
605. [Dexter F](#). The necessity of guidelines for Any Workday or Four Weeks Systems for allocating OR times. *Anesthesia & Analgesia* 99:1263, 2004
606. O'Neill L, [Dexter F](#). Evaluating the efficiency of hospitals' perioperative services using DEA. In Brandeau ML, Sainfort F, Pierskalla WP: *Operations Research and Health Care. A Handbook of Methods and Applications* 147-168, 2004
607. [Dexter F](#), Epstein RH, Ippolito GV. Practical application of research on operating room efficiency and utilization. In McLoughlin T, Lake C, Johnson J: *Advances in Anesthesiology* 22:29-49, 2004
608. [Dexter F](#). How do we sequence urgent cases? *OR Manager* 21(3):12-16, 2005
609. [Dexter F](#). Drawing up a winning schedule. How to maximize OR efficiency and reduce patient waiting on the day of surgery. *Outpatient Surgery Magazine* April:38-47, 2005
610. [Dexter F](#). Scheduling a delay between 2 surgeons. *OR Manager* 21(5):24, 2005

611. [Dexter F](#), Epstein RH. Operating room efficiency and scheduling. *Current Opinion in Anaesthesiology* 18:195-198, 2005
612. [Dexter F](#). Deciding whether your hospital can apply clinical trial results of strategies to increase productivity by reducing anesthesia and turnover times. *Anesthesiology* 103:225-228, 2005
613. [Dexter F](#). Monitoring cancellation rates on day of surgery. *OR Manager* 21(12):26, 2006
614. Xiao Y, Wasei M, Hu P, Wieringa P, [Dexter F](#). Dynamic management of perioperative processes: a paradigm through modeling and visualization. *IFAC Proceedings* 39(3):647-652, 2006
615. [Dexter F](#). A researcher responds to block FAQs. *OR Manager* 22(5):16-17, 2006
616. [Dexter F](#). Economics of surgical time: it isn't whether the surgeons work fast or slowly, it's the businesses they're in. *Anesthesiology* 104:1342, 2006
617. [Dexter F](#), Wachtel RE. How late do your cases start? Here's how to accurately measure delays in your schedule. *Outpatient Surgery Magazine* August:22-23, 2006
618. [Dexter F](#), Marcon E, Epstein RH. Monitoring waiting times (mean tardiness) on the day of elective surgery. *IFAC Proceedings* 39(3):683-688, 2006
619. [Dexter F](#), Macario A, Cowen DS. Staffing and case scheduling for anesthesia in geographically dispersed locations outside of operating rooms. *Current Opinion in Anaesthesiology* 19:453-458, 2006
620. [Dexter F](#), Wachtel RE. Should evaluation of surgeons based on total hospital costs have considered operating room times? *Journal of the American College of Surgeons* 203:400-402, 2006
621. [Dexter F](#), Wachtel RE. Economic, educational, and policy perspectives on the pre-incision operating room period. *Anesthesia & Analgesia* 103:919-921, 2006
622. [Dexter F](#). Prior research in measuring financial differences among surgical specialties and using such differences in decision making. *Annals of Surgery* 244:833, 2006
623. [Dexter F](#). When should you stop scheduling elective cases? Consider patient safety, OR access, and efficiency to determine your cutoff point. *Outpatient Surgery Magazine* October:34-35, 2006
624. [Dexter F](#). Impact on operating room efficiency of reducing turnover times and anesthesia-controlled times. *Annals of Surgery* 245:366-337, 2007
625. [Dexter F](#). Prior work using meta-analyses of operative times between regional and general anesthesia. *Anesthesia & Analgesia* 104:458-459, 2007
626. [Dexter F](#). Where's the carrot to reduce OR turnover time? Planning service-specific staffing and scheduling cases to create a financial incentive for turnover time reduction. *Contemporary Surgery* 63:132-134, 2007
627. [Dexter F](#). Reductions in non-operative times, not increases in OR efficiency. *Surgery* 141:544-545, 2007
628. [Dexter F](#). Bed management displays to optimize patient flow from operating rooms to the post anesthesia care unit. *Journal of PeriAnesthesia Nursing* 22:218-219, 2007
629. [Dexter F](#). Operating room efficiency in the National Health Service. *Anesthesia & Analgesia* 105:290-291, 2007
630. [Dexter F](#). Measuring the frequency of delays in admission into the PACU. *Journal of PeriAnesthesia Nursing* 22:293-294, 2007

631. [Dexter F](#). Detecting diversion of anesthetic drugs by providers. *Anesthesia & Analgesia* 105:897-898, 2007
632. [Dexter F](#), Wachtel RE. Green mountain boys would be disappointed, Response. *Anesthesia & Analgesia* 105:1169-1170, 2007
633. [Dexter F](#), Wachtel RE, Epstein RH, McIntosh C, O'Neill L. Allocative efficiency vs technical efficiency in operating room management. *Anaesthesia* 62:1289-1292, 2007
634. [Dexter F](#), Wachtel RE. Patient waiting time matters when filling a pod of operating rooms. *Archives of Surgery* 142:1114, 2007
635. [Dexter F](#). Why calculating PACU staffing is so hard and why/how operations research specialists can help. *Journal of PeriAnesthesia Nursing* 22:357-359, 2007
636. [Dexter F](#), Abouleish AE. The economics of health care and anesthesia practice. In Longnecker D, et al.: *Anesthesiology*, Chapter 97, 2155-2171, 2008
637. [Dexter F](#). Quotation from paper about anesthesia providers' activities during ophthalmology cases. *Anesthesiology* 108:762, 2008
638. [Dexter F](#). Staffing your PACU for peak periods. *Outpatient Surgery Magazine* 9:77-78, 2008
639. [Dexter F](#), Meskens N. Industrial Engineering and Production Management (IEPM) 2007 special issue: healthcare systems. *Journal of Operations and Logistics* 2(2), 2008
640. Rosen AC, [Dexter F](#). Lessons from evidence-based operating room management in balancing the needs for efficient, effective and ethical healthcare. *The American Journal of Bioethics* 9:43-44, 2009
641. [Dexter F](#), Marcon E, Xie X. Operational research applied to health services (ORAHS) 2007 special issue. *Health Care Management Science* 12:117-118, 2009
642. Wachtel RE, [Dexter F](#). Reducing surgical patient fasting times. *AORN Journal* 89:830-831, 2009
643. [Dexter F](#), Wachtel RE. Analysing day-of-surgery cancellation rates. *Anaesthesia and Intensive Care* 37:858-859, 2009
644. Armon BD, [Dexter F](#). Legal issues of business arrangements between ambulatory surgery suites and anesthesia groups. *Outpatient Surgery Magazine* 10(10):17-20, 2009
645. [Dexter F](#). Personal predictions of analytical tools that will become increasingly useful for studies of managerial applications in surgical services. In Lubicz M: *Operational Research in Action*, Chapter 23, 2009
646. [Dexter F](#). Is time on first case starts well spent? *OR Manager*, 26(1):22-24, 2010
647. Wachtel RE, [Dexter F](#). Numerous studies have considered opportunity costs of operating time. *Surgery* 147:172, 2010
648. [Dexter F](#), O'Neill L. Previous research in operating room scheduling and staffing. *Health Care Management Science* 13:280, 2010
649. Sun E, [Dexter F](#), Macario A. Can an acute pain service be cost-effective? *Anesthesia & Analgesia* 111:841-844, 2010
650. [Dexter F](#), Wachtel RE. Fasting guidelines need to consider that cases may start earlier than scheduled. *Acta Anaesthesiologica Scandinavica* 54:1153-1154, 2010
651. [Dexter F](#). Korean translation and use of the Iowa Satisfaction with Anesthesia Scale. *Journal of Clinical Anesthesia* 23:596, 2011
652. [Dexter F](#). Checklist for statistical topics in Anesthesia & Analgesia reviews. *Anesthesia & Analgesia* 113:216-219, 2011

653. Archbold L, [Dexter F](#). Balancing cost-cutting and safety in the OR. *OR Nurse* 5(1):5-7, 2011
654. [Dexter F](#), Masursky D. Psychological biases and their impact on operating room efficiency. *International Journal for Quality in Health Care* 23:219, 2011
655. Katz RI, [Dexter F](#), Rosenfeld K, Glass PSA. Variability in preoperative laboratory testing. *Anesthesia & Analgesia* 113:431-432, 2011
656. [Dexter F](#). Forecasting the economic benefit of reducing non-operative time. *Canadian Journal of Anesthesia* 58:1055-1057, 2011
657. [Dexter F](#), Marco AP. Rationale for anesthesia groups to run additional flexible operating rooms for multiple surgeons who have scheduled more than 8 hours of cases. *Anesthesia & Analgesia* 113:1295-1297, 2011
658. [Dexter F](#). Hours of cases to schedule to rarely have overrun. *European Journal of Anaesthesiology* 29:108, 2012
659. [Dexter F](#). Iowa satisfaction with anesthesia scale. *Korean Journal of Anesthesiology* 62:297, 2012
660. Shafer SL, [Dexter F](#). Publication bias, retrospective bias, and reproducibility of significant results in observational studies. *Anesthesia & Analgesia* 114:931-932, 2012
661. [Dexter F](#), Epstein RH. The economics of operating room anesthesia practice. In Longnecker D et al.: *Principles of Anesthesiology*, Chapter 96, 1631-1642, 2012
662. [Dexter F](#), Epstein RH. Sensitivity of tests of hypotheses about supervision ratios and first-case starts to definitions and durations of critical portions of cases. *Anesthesiology* 117:438-441, 2012
663. [Dexter F](#). A brief history of evidence-based operating room management: then and now. *Anesthesia & Analgesia* 115:10-11, 2012
664. [Dexter F](#). Duration of cardiopulmonary bypass and outcome. *Journal of Cardiothoracic and Vascular Anesthesia* 26:e19, 2012
665. [Dexter F](#), Epstein RH. Influence of staffing and scheduling on operating room productivity. In Kaye AD et al.: *Operating Room Leadership and Management*, 46-66, 2012
666. [Dexter F](#). Previous studies of statistical assessments of analgesic consumption. *European Journal of Anaesthesiology* 29:495, 2012
667. [Dexter F](#). Behavioral interpretation of absence of Hawthorne effect for turnover times. *Journal of the American College of Surgeons* 215:898-899, 2012
668. [Dexter F](#). Case scenario consistent with lack of knowledge and psychological bias. *Anesthesiology* 118:990, 2013
669. de Oliveira Filho GR, [Dexter F](#). Interpretation of the association between frequency of self-reported medical errors and faculty supervision of anesthesiology residents. *Anesthesia & Analgesia* 116:752-3, 2013
670. Stepaniak PS, [Dexter F](#). Monitoring anesthesiologists' and anesthesiology departments' managerial performance. *Anesthesia & Analgesia* 116:1198-1200, 2013
671. [Dexter F](#). Wilcoxon-Mann-Whitney test for data that are not normally distributed. *Anesthesia & Analgesia* 117:537-538, 2013
672. [Dexter F](#). Iowa Satisfaction with Anesthesia Scale for general anesthesia. *European Journal of Anaesthesiology* 31:62, 2014
673. Hindman BJ, [Dexter F](#). Anesthesia scholarship, research, and publication. *Anesthesia & Analgesia* 118:15-17, 2014

674. [Dexter F](#), Epstein RH. Applying systematic criteria for type and screen based on procedure's probability of erythrocyte transfusion. *Anesthesiology* 120:241, 2014
675. Crosby G, Culley DJ, [Dexter F](#). Cognitive outcome of surgery: is there no place like home? *Anesthesia & Analgesia* 118:898-900, 2014
676. [Dexter F](#), O'Neill L. Observed/expected ratio analysis for hospital surgical efficiency instead of data envelopment analysis. *Journal of Evaluation in Clinical Practice* 20:294, 2014
677. [Dexter F](#). Use of the Iowa Satisfaction with Anesthesia Scale. *AANA Journal* 82:175, 2014
678. Wachtel RE, [Dexter F](#). Scheduling for anesthesia at geographic locations remote from the operating room. *Current Opinion in Anesthesiology* 27:426-430, 2014
679. [Dexter F](#). Use of the Iowa Satisfaction with Anesthesia Scale in Portuguese. *Arquivos Brasileiros de Oftalmologia* 77:132, 2014
680. [Dexter F](#). High-quality operating room management research. *Journal of Clinical Anesthesia* 26:341-342, 2014
681. [Dexter F](#), Wachtel RE. Ophthalmologic surgery is unique in operating room management. *Anesthesia & Analgesia* 119:1243-1245, 2014
682. Shafer SL, [Dexter F](#), Brull SJ. Deadly heat: economics of continuous temperature monitoring during general anesthesia. *Anesthesia & Analgesia* 119:1235-1237, 2014
683. [Dexter F](#). Relative risk of prolonged operative times from inconsistent surgical teams. *World Journal of Surgery* 39:2100, 2015
684. [Dexter F](#). Statistical analysis methods for meta-analysis of times to emergence. *European Journal of Anaesthesiology* 32:506, 2015
685. [Dexter F](#). Statistical analysis of PACU fast tracking bypass. *Journal of PeriAnesthesia Nursing* 30:268, 2015
686. [Dexter F](#). Use of historical case duration data for estimating the duration of future cases. *The Journal of Minimally Invasive Gynecology* 22:917, 2015
687. [Dexter F](#). Iowa Satisfaction with Anesthesia Scale for regional anesthesia. *Journal of Clinical Anesthesia* 28:81-82, 2016
688. [Dexter F](#), Epstein RH. Observational study of prolonged times to tracheal extubation. *Canadian Journal of Anesthesia* 63:115-116, 2016
689. [Dexter F](#). Factors affecting pre-operative assessment times. *Anaesthesia* 71:733-734, 2016
690. [Dexter F](#). Caroline Palmer and history of operating room management. *Anesthesia & Analgesia* 122:2066, 2016
691. [Dexter F](#), Epstein RH. Operating rooms averaging at least 8 hours of cases and turnovers. *Anesthesia & Analgesia* 123:791, 2016
692. Laur J, [Dexter F](#). Regional anesthesia: Cost, operating room, and personnel management. In Hadzic A: *Textbook of Regional Anesthesia and Acute Pain Management*, 2nd Edition, Chapter 67, 1148-1156, 2016
693. [Dexter F](#). Statistical analysis of differences in turnover times among operating theatres. *BMJ Quality & Safety* 25:e3, 2016
694. [Dexter F](#), Hindman BJ. Do not use hierarchical logistic regression models with low incidence outcome data to compare anesthesiologists in your department. *Anesthesiology* 125:1083-1084, 2016
695. [Dexter F](#), Epstein RH. Improving operating room efficiency: the importance of decisions made months before the day of surgery. In: Eskandari MK, Pearce WH, Yao JST: *Current Vascular Surgery*, Chapter 8, 55-67, 2017

696. [Dexter F](#). Predicting odds of prolonged operative times. *American Journal of Surgery* 213:202, 2017
697. [Dexter F](#). Factors substantively influencing numbers of surgical cases performed at a research hospital. *Annals of Research Hospitals* 2:6, 2017
698. [Dexter F](#), Epstein RH. Definitions of emergency, urgent, and elective (scheduled) surgery. *Anesthesia & Analgesia* 124:1376, 2017
699. [Dexter F](#), Epstein RH. The economics of operating room anesthesia practice. In Longnecker D et al.: *Anesthesiology*, Chapter 96, 1570-1580, 2017
700. [Dexter F](#), Epstein RH. Effect of monetary incentives on first-case of the day starts. *Journal of Clinical Anesthesia* 37:108, 2017
701. [Dexter F](#), Hindman BJ. Letter by Dexter and Hindman regarding article, "Anesthesia technique and outcomes of mechanical thrombectomy in patients with acute ischemic stroke." *Stroke* 48:e117, 2017
702. [Dexter F](#). Importance of relying on examples for both anesthesiologists and other physicians to assign unbiased American Society of Anesthesiologists physical status classifications. *Journal of Clinical Anesthesia* 39:118-119, 2017
703. Naguib M, [Dexter F](#), Brull SJ. Neuromuscular monitoring as the art of probability. *Anesthesia & Analgesia* 124:1400-1402, 2017
704. Epstein RH, [Dexter F](#). Workload, efficiency, and productivity following open access scheduling in a gastrointestinal endoscopy suite. *Journal of Clinical Anesthesia* 40:88-90, 2017
705. Thomas J, [Dexter F](#), Todd MM. Safety and an anesthesiologist-managed nurse sedation program: a response to Cravero et al. *A & A Case Reports* 8:338, 2017
706. [Dexter F](#), Epstein RH. Previous scientific findings in block time by surgeon and in releasing allocated operating room time. *Perioperative Care & Operating Room Management* 8:5, 2017
707. [Dexter F](#). Iowa Satisfaction with Anesthesia Scale for emergency medicine procedures. *Emergency Medicine Australasia* 29:477, 2017
708. Ward DS, Williams MR, Turk DC, Dworkin RH, Sessler DI, [Dexter F](#), for the SCEPTER authors. Recommendations for procedural sedation clinical trials. *Anesthesia & Analgesia* 125:703-704, 2017
709. [Dexter F](#), Ledolter J, Hindman BJ. In reply: clinical supervision: what does it mean to be better? *Canadian Journal of Anesthesia* 64:1273-1274, 2017
710. [Dexter F](#), Epstein RH. Analyses of time to recovery including time to tracheal extubation need to be performed while incorporating their probability distribution. *Obesity Surgery* 28:259-260, 2018
711. [Dexter F](#). Analysis of perioperative antibiotic administration in electronic medical records: correlations among patients addressed by analyzing control chart data using batch means method. *Canadian Journal of Anesthesia* 65:131-132, 2018
712. Epstein RH, [Dexter F](#). Differences in the incidence and timing of reintubation in the postanesthesia care unit among large teaching hospitals. *Journal of Clinical Anesthesia* 46:74, 2018
713. Bayman EO, [Dexter F](#). Relative importance of strategies for improving the sample size selection and reporting of small randomized clinical trials in anesthesiology. *Canadian Journal of Anesthesia* 65:607-610, 2018
714. [Dexter F](#), Epstein RH. Treating surgical turnover times as statistically independent events when testing interventions and mobile applications. *mHealth* 4:23, 2018

715. [Dexter F](#), Epstein RH. Comparing anesthesia durations among hospitals based on statistical methods described in previous publications in Anesthesia & Analgesia. *Anesthesia & Analgesia* 127:e33-e34, 2018
716. [Dexter F](#), Epstein RH. Implications of variation by time of day in post-anaesthesia care unit length of stay for rational nurse staffing decision-making. *British Journal of Anaesthesia* 121:697-700, 2018
717. [Dexter F](#). Use and scoring of the Iowa Satisfaction with Anesthesia Scale. *Ain-Shams Journal of Anesthesiology* 10:7, 2018
718. [Dexter F](#), Epstein RH. Influence of operating room staffing and scheduling on operating room productivity. In Kaye AD et al.: *Operating Room Leadership and Perioperative Practice Management*, Second Edition, 56-77, 2018
719. [Dexter F](#), Epstein RH. Post-anesthesia care unit costs are heterogeneous among hospitals, principally determined by delays in patient admission from operating rooms. *Anesthesia & Analgesia* 128:1065-1067, 2019
720. [Dexter F](#), Epstein RH. Economic savings from changing anesthetic agent purchasing must include costs associated with expected changes in case times known from meta-analyses of randomized clinical trials. *Anesthesia & Analgesia* 128:e120, 2019
721. Epstein RH, [Dexter F](#). Unintended consequences of clinical decision support. *Anesthesia & Analgesia* 128:e124, 2019
722. [Dexter F](#). Commentary: Predictors listed of prolonged extubation after general anesthesia. *Anesthesiology News* October:45, 47, 2019
723. [Dexter F](#), Epstein RH. Prior research in anesthesia-controlled times, operating room entrance to positioning (or incision) plus dressing on patient to room exit. *Urology Practice* 7:82, 2020
724. Tsai M, [Dexter F](#). Time is money: punctuality is priceless. *Journal of the American College of Surgeons* 230:838-839, 2020
725. Loftus RW, [Dexter F](#), Parra MC, Brown JR. Importance of oral and nasal decontamination for patients undergoing anesthetics during the COVID-19 era. *Anesthesia & Analgesia* 131:e27-e28, 2020
726. [Dexter F](#), Epstein RH. Fifteen years of research on surgical case duration prediction by combining preoperatively available service and surgeon data. *Journal of the American College of Surgeons* 229:633-634, 2020
727. [Dexter F](#). Bland-Altman analysis for bias in estimates of scheduled versus actual times of operating room entry. *Canadian Journal of Anesthesia* 67:1104-1105, 2020
728. [Dexter F](#), Epstein RH. Opportunity cost of mean 1.7 minutes of tardiness of late first case of the day starts. *The American Journal of Surgery* 220:249, 2020
729. [Dexter F](#). Endpoints and methods for valid and reliable ranking of anesthesiologists' clinical performance. *Journal of Clinical Anesthesia* 66:109959, 2020
730. [Dexter F](#). In response: Operating room management when the binding constraint on surgery is availability of personal protective equipment. *Anesthesia & Analgesia* 131:e258-e259, 2020
731. Bayman EO, [Dexter F](#). Multicollinearity in logistic regression models. *Anesthesia & Analgesia* 133:362-365, 2021
732. [Dexter F](#). Ultraviolet light disinfection systems for operating room treatments. *Asian Hospital & Healthcare Management* 54:48-50, 2021
733. [Dexter F](#), Epstein RH. Simply adjusting for schedulers' bias in estimated case durations can accomplish the same objectives of improving predictions as use of machine learning. *JAMA Surgery* 156:1074-1075, 2021

734. [Dexter F](#), Epstein RH. Cancellation rates after virtual, telephone-based preoperative anesthesia evaluations. *Journal of Clinical Anesthesia* 76:110563, 2022
735. [Dexter F](#). Use of time stamp data to determine direct associations between predictive error in case durations and operating room utilization. *Anesthesia & Analgesia* 134:e1, 2022
736. [Dexter F](#), Epstein RH. Managing capacity for urgent surgery: staffing, staff scheduling in-house or on-call from home, and work assignments. *British Journal of Anaesthesia* 128:399-402, 2022
737. [Dexter F](#), Epstein RH, Marian AA. Case duration prediction and estimating time remaining in ongoing cases with few or no historical data for the scheduled procedure(s). *British Journal of Anaesthesia* 128:751-755, 2022
738. Hindman BJ, [Dexter F](#). Cervical injury after videolaryngoscopy in patient with ankylosing spondylitis: comment. *Anesthesiology* 136:517-519, 2022
739. [Dexter F](#). The OR: a prime target for pathogens. *Infection Control Today* 26:19-20, 2022
740. [Dexter F](#). Assigning cases to operating rooms with objectives that include leveling workflow in the post-anesthesia care unit. *Journal of PeriAnesthesia Nursing* 37:296, 2022
741. [Dexter F](#). Earlier studies in Anesthesia & Analgesia of case scheduling and cancellation within the week of surgery. *Anesthesia & Analgesia* 135:e8, 2022
742. Hindman BJ, [Dexter F](#). Overestimation of the causal effects of medications on delirium during postoperative hospital days. *Anesthesia & Analgesia* 135:e36-e38, 2022
743. [Dexter F](#). American Society of Anesthesiologists Relative Value Guide. *Anaesthesia* 77:1453, 2022
744. [Dexter F](#), Epstein RH. Scheduling staff for ambulatory surgery. *Current Opinion in Anesthesiology* 35:679-683, 2022
745. [Dexter F](#). Earlier studies of prolonged times to tracheal extubation after end of surgery. *Journal of Cardiothoracic and Vascular Anesthesia* 37:192-193, 2023
746. [Dexter F](#), Epstein RH. Lack of validity and generalizability of predicted probabilities of surgical case cancellation from excluding consideration of preoperative anesthesia. *Journal of Clinical Anesthesia* 84:110996, 2023
747. [Dexter F](#). Operating room allocation and case scheduling have the largest effect on under-utilized time. *AORN Journal* 118:210-211, 2023
748. [Dexter F](#), Epstein RH. Planning anesthesia practitioners staffing to maximize their productivity. *American Hospital & Healthcare Management* 1:6-11, 2023
749. [Dexter F](#), Epstein RH. Absence of a comprehensive literature search protocol in a systematic review of published studies describing operating room optimization. *Journal of Medical Systems* 47:35, 2023
750. [Dexter F](#), Loftus RW. Bacterial transmission in anesthesia work areas explains surgical site infections. *Infection Control Today* 27:5, 2023
751. Epstein RH, [Dexter F](#). Variability in large language models' responses to medical licensing and certification examinations. *JMIR Medical Education* 9:e48305, 2023
752. Loftus RW, [Dexter F](#), Koff MD, Charnin JE. Role of anesthesia providers in infection control. *ASA Monitor* 88 (1):1-9, 2024
753. [Dexter F](#), Epstein RH. International comparisons of hospitals' phase I postanesthesia care unit lengths of stay show most patients need 30 minutes or less recovery time to advance from a 1 nurse: 2 patient staffing ratio. *Journal of PeriAnesthesia Nursing* 39:734-735, 2024

754. [Dexter F](#), Epstein RH. Influence of operating room staffing and scheduling on operating room productivity. In Kaye AD et al.: *Operating Room Leadership and Perioperative Practice Management*, Third Edition. In press, 2024
755. [Dexter F](#), Hindman BJ. Counting episodes of poor-quality faculty anesthesiologists' supervision and anesthesia residents' work habits among reported vignettes of insufficient professionalism. *Journal of Clinical Anesthesia* 95:111454, 2024
756. Huffmyer JL, Estes H, [Dexter F](#). Evaluating competence of anesthesiology residents including procedures performed successfully and entrustment scales. *Anesthesia & Analgesia* 139:278-280, 2024
757. [Dexter F](#). Reducing airborne transmissible diseases in perioperative environments. *British Journal of Anaesthesia* 133:687-688, 2024
758. [Dexter F](#), Epstein RH. Twenty-five years of previous research establish that operating room utilization is an invalid metric of theatre productivity. *JVS-Vascular Insights* 2:100118, 2024
759. [Dexter F](#), Tsai M. Releasing allocated operating room time to reduce under-utilized and over-utilized operating room time. *Association of Anesthesia Clinical Directors Newsletter* June 2024 pages 4-5
760. [Dexter F](#), Epstein RH. Quantifying cooperation among investigators with substantial production in operating room management. *Journal of Multidisciplinary Healthcare* 17;3993-3994, 2024
761. [Dexter F](#), Serdiuk AA. Influence of anesthesia practitioners' infection prevention on post-procedure infections after non-operative procedures. *Association of Anesthesia Clinical Directors Newsletter* September 2024 pages 3-5
762. [Dexter F](#), Gómez-Ríos MA, Epstein RH. Literature search for healthcare management decision-making on how to increase productivity by performing more surgical cases in the same staffed time. *Revista Española de Anestesiología y Reanimación* 72:501656, 2025
763. Saffary R, [Dexter F](#). Cause and effect: to what extent is the primary surgeon the true cause of operating room time or a marker for other factors? *Association of Anesthesia Clinical Directors Newsletter* April 2025 pages 5-6
764. Ngamprasertwong P, [Dexter F](#). The preceding case in an OR has just started or is about to start: Can we give a box of apple juice? *Association of Anesthesia Clinical Directors Newsletter* Summer 2025 pages 2-4
765. [Dexter F](#). Dependence of type of anaesthesia and surgery/ non-surgery on generalisability and validity of new satisfaction with anaesthesia instrument. *British Journal of Anaesthesia* In press, 2025
766. Sherrer M, [Dexter F](#). For neurosurgical cases, is there evidence to support the use of specialty-trained neuro-anesthesiologists on weekdays and non-specialty-trained anesthesiologists on nights and weekends? *Association of Anesthesia Clinical Directors Newsletter* Fall 2025 pages 3-5
767. [Dexter F](#), Epstein RH. Obstetric anesthesia workload modeling study results match earlier research findings. *Journal of Clinical Anesthesia* 108:112076, 2026

III d. Extensive consultations that are external – total of 271 for 68 companies and 157 hospitals

Studies performed to improve the quality of consultations: #[152](#), #[188](#), #[208](#), and #[378](#), above.

Cardiopulmonary bypass, statistician, NIH RO1, principal investigator BJ Hindman, 1991

Fetal brain injury, statistician, NIH RO1, principal investigator DH Penning, 1995

Drug interactions, statistician, Hoffman-LaRoche, principal investigator MM Ghoneim, 1996

Preterm fetal brain injury, statistician, NIH RO3, principal investigator JD Reynolds, 1997

Vital sign data from AIMS in malpractice cases, Preferred Physicians Mutual 1997
 Economic benefits of bispectral index monitoring, Aspect Medical Systems, 1998
 Effect of RSR-13 on cerebral ischemia, statistical analysis, Allos Therapeutics, 1998
 Cerebral ischemia, statistical analysis, NIH RO1, principal investigator DS Warner, 1993
 Minimizing anesthesia staffing costs, Wayne State University, 1999
 Cost identification analysis of succinylcholine, Organon, Inc., 1999
 PACU staffing & delays, Department of Anaesthesia, University of Toronto, 2000
 Operating room efficiency, Conemaugh Valley Memorial Medical Center, 2000
 Algorithms for analyzing perioperative data, Picis, Inc., 2000
 Procedures at new center, Sunnybrook and Women's Health Sciences Centre, 2000
 Cost effectiveness of therapy for wound healing, funded by Augustine Medical, 2000
 Development of CalculatOR™ software, Medical Data Applications, 2000
 Perioperative IT plan, Sunnybrook and Women's Health Sciences Centre, 2001
 Reducing the incidence of PACU hold, Duke University Medical Center, 2001
 Pharmacoeconomics of transdermal delivery of a drug, Lavipharma Labs, 2001
 Budgeting OR strategically, Sunnybrook and Women's Health Sciences Centre, 2001
 Anesthesia group productivity, Fort Atkinson Memorial Health Services, 2001
 Operating room efficiency, Providence St. Vincent Hospital, 2001
 Block scheduling implementation & recurrent analyses, Park Nicollet, 2001
 OR late afternoon work hours, Shawnee Mission Medical Center, 2001
 OR financial & operational assessment, Jackson Memorial Hospital, 2001
 Long surgical times, University of Texas Medical Branch, Galveston, 2001
 Anesthesia, OR, and PACU staffing, Bay Medical Center, 2002
 OR efficiency assessment, Louisiana State University Health Sciences Center, 2002
 Developing OR scheduling plan for a new hospital, Sentara Health System, 2002
 Operating room staffing modeling, Deloitte Consulting, 2002
 Day of surgery decision-making using video technologies, University of Maryland, 2002
 Weekday OR staffing, Vanderbilt University, 2002
 Preanesthesia evaluation to minimize case cancellations, Deloitte Consulting, 2002
 OR allocation CalculatOR™ analyses, MedCentral Health System 2002
 Quarterly OR analysis using CalculatOR™, Sentara Health System, 2002
 Scheduling surgery resident work-hours, Upstate Medical University, 2002
 OR efficiency & anesthesiologists' productivity, Sacred Heart Medical Center, 2003
 OR allocations, decision-making, and finances, Upstate Medical University, 2003
 Decision-making using anesthesia information systems, University of Miami, 2003
 Cost effectiveness of neuromuscular relaxants for ICU, Abbott Laboratories, 2003
 CalculatOR™ analysis & scenarios, Bay Regional Medical Center, 2003
 Anesthesiology financial evaluation, Tufts – New England Medical Center, 2003
 Sevoflurane and desflurane meta-analysis, Abbott Laboratories, 2003
 OR allocations, Verity Partners and Iowa Health System, 2003
 Anesthesiology staffing, University of Massachusetts Memorial Healthcare, 2003
 Incidence of surgery in US of duration longer than 1 hour, Arizant Healthcare, 2004
 Anesthesia outcome for regional anesthesia, Jewish Hospital Hand Care Center, 2004
 Anesthesia staffing optimization, Jackson Memorial Hospital, 2004
 OR and CRNA staffing by CalculatOR™, Rapid City Regional Hospital, 2004
 Custom report on decisions with OR efficiency, Boulder Community Hospital, 2004
 Survey of surgical patient flow diagnostic metrics, VHA Upper Midwest, 2004
 CalculatOR anesthesia stipend analysis, Boulder Valley Anesthesiology, 2004
 OR allocation, Alignment Partners and Memorial Hospital of South Bend, 2004
 Operational, financial, and day-of-surgery performance, UT MD Anderson, 2004
 Anesthesia stipend and productivity, Trinity Mother Frances Health System, 2004

CalculatOR™ staffing, State University of New York Upstate Medical University, 2004
 Outsourced OR staffing, scenario, and financial calculations, DocuSys, 2004
 Anesthesia group productivity, Sarah Bush Lincoln Health System, 2004
 Survey of pediatric anesthesia medical direction, Per-Sé Technologies, 2004
 OR allocations, scenario creation, and PACU staffing, Reading Hospital, 2004
 Modeling the cost of OR time, Oncura, 2004
 Anesthesiologists' use of analgesic modalities, Endo Pharmaceuticals, 2004
 Assessment of anesthesia services, Trinity Regional Health System, 2004
 Operational and financial assessment, Thomas Jefferson University, 2004
 Artificial intelligence for day-of-surgery decisions, Stottler Henke Associates, 2005
 OR allocations, needs assessment, and financial analysis, Mount Carmel East, 2005
 Strategic financial and marketing analysis, McLeod Regional Medical Center, 2005
 Anesthesia staffing, Verity Partners and Johns Hopkins Health System, 2005
 Anesthesia group staffing, Conemaugh Health System, 2005
 OR assessment, decision-making, & financial analyses, Christiana Care, 2005
 Anesthesia staffing, Verity Partners and Mississippi Baptist Health System, 2005
 OR staffing, ProSTAT Anesthesia Advisors and St. Joseph's Medical Center, 2005
 Monitoring operational and financial measures, Transformation of the OR, VHA, 2005
 Economics of reducing prolonged turnovers, SRI/Surgical Express, 2005
 Anesthesia staffing, Mt. Carmel Regional Medical Center, 2006
 Service-specific staffing and operational assessment, U Texas MD Anderson, 2006
 Health economics advisory panel for sugammadex, Organon 2006
 Service-specific staffing and financial analyses, Mount Carmel East, 2006
 OR productivity, US Air Force and Karta Technologies, Inc., 2006
 Anesthesia workload, Holmes Regional Medical Center and Verity Partners, 2006
 Improving surgeon preference cards, SUNY Upstate Medical University, 2006
 OR operational assessment, Olmsted Medical Center, 2006
 Anesthesia health system financial support, Anesthesia Services, P.A., 2006
 OR allocation and add-on case scheduling, Monadnock Community Hospital, 2006
 Surgeon preferences for regional, Upstate Medical Anesthesiology Group, 2007
 Demographic basis for OR workload, Upstate Medical Anesthesiology Group, 2007
 Operating room decision support and Advisory Board, MediViz Systems, 2007
 OR financial analysis and staffing, St. Mary's Hospital, 2007
 OR and PACU assessment, Saint Agnes Medical Center, 2007
 Assessment of anesthesia services, Trinity Regional Health System, 2007
 Economics of dantrolene and malignant hyperthermia, Procter & Gamble, 2007
 Predicting case durations with CPTs, SUNY Upstate Medical University, 2007
 OR staffing and blocks, Holmes Regional Medical Center and Verity Partners, 2007
 Anesthesia support contract, Anesthesia Consultants of Western Colorado, 2007
 Assessment of growth in workload, Saint Agnes Medical Center, 2007
 Reassessment of OR operations, Thomas Jefferson University, 2007
 Service-specific staffing and turnovers, Westchester Anesthesiologists, 2007
 OR nurse manager salaries and promotions, SUNY Upstate Medical University, 2007
 OR staffing and blocks, Arnot Ogden Medical Center and Verity Partners, 2007
 Under-utilized anesthesia staffing, Waxahachie Anesthesia Consulting Services, 2007
 OR efficiency and informatics principles, Karl Storz Endoscopy-America, 2007
 OR and PACU staffing and information systems, Lutheran Hospital of Indiana, 2007
 State database analysis for surgery, St. Mary's Hospital, 2007
 Patient preferences for surgery, Fox Eye Surgery, 2007
 Pharmacoeconomics of OR time from reversal of anesthesia, Organon, 2008
 Case duration meta-analysis, Covidien, 2008
 Counts of inpatient surgeries in US, AcelRx Pharmaceuticals, 2008
 Tardiness of first case starts, SUNY Upstate, 2008
 Anesthesia staffing, Lake Monroe Anesthesia Associates, 2008
 Afternoon workloads, Waxahachie Anesthesia Consulting Services, 2008

Behavioral impact of incentive program, SUNY Upstate, 2008
 Economics of surgical devices, Covidien, 2008
 Economics of pediatric endoscopy & otolaryngology, SUNY Upstate, 2008
 Coordinating anesthesia groups' services, Queen's Medical Center, 2008
 Fospropofol pharmacoeconomics, Eisai, 2008
 Assessment of anesthesia services, Trinity Regional Health System, 2008
 Anesthesia support agreement, Anesthesia Resource Network, 2008
 Anesthesia staffing, Bronson Healthcare Group, 2008
 Quantifying rate and reliability of anesthetic wakeups, Baxter Healthcare, 2008
 Counts of inpatient admissions in US, AcelRx Pharmaceuticals, 2009
 Pharmacoeconomic decisions and anesthesia time, SUNY Upstate, 2009
 Anesthesia and PACU productivity, Sarah Bush Lincoln Health System, 2009
 Multiple campus surgical workload, Mercy Health Partners, 2009
 Statistics education program for residents, SUNY Upstate, 2009
 Strategic assessment of hospital surgery, Westchester Anesthesiologists, 2009
 OR analysis training and result interpretation, Mercy Health Partners, 2009
 Anesthesia staffing training, Sarah Bush Lincoln Health System, 2009
 Experimental and observational studies of fresh gas flows, SUNY Upstate, 2009
 Strategic role of anesthesia support agreements, Trinity Health System, 2009
 Anesthesia staffing analysis and intensive course, Spectrum Health, 2009
 Anesthesia staffing, Trinity Health - Saint Alphonsus Regional Medical Center, 2009
 Anesthesia support & financial modeling, Froedtert Memorial Lutheran Hospital, 2009
 Anesthesia staffing & costs, surgical finances, St. Joseph Mercy Oakland, 2009
 Perceptions of prolonged turnovers, SUNY Upstate, 2009
 Variability of extubation times, Baxter Healthcare, 2010
 Anesthesia and PACU analyses, Avera McKennan Hospital, 2010
 Anesthesia decision making and costs, St. Joseph Regional Medical Center, 2010
 Day of surgery decision making, Anesthetix Management, 2010
 OR management distance learning, Alabama Anesthesia of Huntsville, 2010
 Canadian pharmacoeconomics, Baxter Healthcare, 2010
 Anesthesiologists and unnecessary preoperative studies, SUNY Stony Brook, 2010
 Sugammadex outcomes research, Merck, 2010
 Anesthesia staffing and case duration prediction, St. Joseph Mercy – Ann Arbor, 2010
 Propofol and desflurane pharmacoeconomics, Baxter Healthcare, 2010
 Multihospital financial and operational analysis and benchmarking, Trinity Health, 2010
 OR management statistical analyses, Dept. of Veterans Affairs, 2010
 Trends in individual surgeons' workload, SUNY Upstate, 2010
 Esmolol pharmacoeconomics for supraventricular tachycardia, Baxter Healthcare, 2010
 European focused OR efficiency research, Merck, 2010
 Anesthesia staffing, Cleveland Clinic Anesthesia Institute, 2011
 Surgical operational assessment, Pennock Health Services, 2011
 Operations research for surgical services teaching, University of Miami, 2011
 Course and analysis for operations research in anesthesia, Medical College of Wisconsin, 2011
 Anesthesia staffing and changes in OR management, Borgess Health, 2011
 Operating room time cost accounting, Spacelabs Healthcare, 2011
 Anesthesia staffing education (course), Cleveland Clinic Anesthesia Institute, 2011
 Orthopedic operating room throughput, Massachusetts General Hospital, 2011
 Anesthesia and PACU assessment, Metro Health Hospital, 2011
 CRNA productivity, Asheville Anesthesia Associates, 2012
 Operating room management (course), University of California, Davis, 2012
 Dantrolene cost utility, Association for Accreditation of Ambulatory Surgery Facilities, 2012
 Time for nerve blocks, Lehigh Valley Health Network, 2012
 Esmolol systematic literature review, Baxter Healthcare, 2012
 Anesthesia staffing and workflow, Tufts Medical Center, 2012
 Interpreting OR time data, Arrowsight, 2012

Predictors of prolonged extubations, Merck, 2012
 Staffing analysis and analytics teaching, Bronson Methodist Hospital, 2012
 European operations research course, Stichting Medina Care, 2013
 Operating room labor costs analysis and teaching, Geneva University Hospital, 2013
 Anesthesia pharmacoeconomics and value analysis, Erica Bergstrom Partners, 2013
 Unevenness in anesthesia workload among days, Thomas Jefferson University, 2013
 Existing product economics and relationship with surgeon perception, Merck, 2013
 Anesthesia group agreements, Dublin Anaesthesia Group, 2013
 Influence of clinical attributes of anesthesia drugs on economics, Merck, 2013
 Return on investment decision-making on day of surgery, PatientStream, 2013
 Economics of reducing postanesthesia care unit time, Respiratory Motion, 2013
 Reducing variability in anesthesiologists' workload, Thomas Jefferson University, 2013
 OR productivity and governance, City of Hope National Medical Center, 2013
 Decision making on day of surgery, PatientStream, 2014
 OR allocation calculations, Tufts Medical Center, 2014
 Iowa Satisfaction with Anesthesia Scale, University of the West Indies, 2014
 Economics of medical devices, Cook, 2014
 Economics of MH hotline call center, Malignant Hyperthermia Association of US, 2014
 Anesthesia agreements and OR efficiency, McLaren Northern Michigan, 2014
 Ophthalmology hospital staffing and case scheduling, Vital Quadro Consultancy, 2014
 Chile OR management course, Pontificia Universidad Católica de Chile, 2014
 Day of surgery decision making, UnityPoint Health – Trinity, 2014
 Statistical analyses, Medjaden Bioscience Ltd., 2014
 Anesthesia staffing and staff scheduling, Providence Health & Services-WA, 2014
 OR analysis, Hospital Clínico, Red de Salud UC-CHRISTUS, 2014
 Modeling and teaching on anesthesia staffing, Scott & White Memorial Hospital, 2014
 Operating room management course, UnityPoint Health, 2014
 Surgical services course, Providence Health & Services-WA, 2015
 Operating room statistical analysis, Trinity Medical Center, 2015
 Iowa Satisfaction with Anesthesia Scale study usage, Wendy VanderKooi, 2015
 Sociedade Portuguesa de Anestesiologia, 2-day course, 2015
 OR and PACU analyses, and course, Thomas Jefferson University Hospitals, 2015
 Operating room management course, Bellinzona Regional Hospital, 2015
 Operating room performance and decision-making, Christiana Care, 2016
 Iowa Satisfaction with Anesthesia Scale, Ottawa Hospital Research Institute, 2016
 Surgical services course, Christiana Care, 2016
 Iowa Satisfaction with Anesthesia Scale, Fondation Ophtalmologique A. de Rothschild, 2016
 First case starts and other OR analyses, Denver Health, 2016
 Surgical services course, University of Miami, 2016
 OR management course provided remotely, Thomas Jefferson University Hospitals, 2016
 Pharmacoeconomics of analgesics, Concentric Analgesics, 2017
 Operating room management course, Denver Health, 2017
 Anesthesia statistical analysis, Stichting Medina Care, 2017
 OR statistical analysis, Hospital Clínico UC-CHRISTUS, 2017
 Anesthesia staffing, Bronson Healthcare Group, 2017
 OR management teaching, Greenville Health System, 2017
 OR and PACU analytics, Wake Forest University, 2017
 Operating room and associated national data, Prashanth Iyengar, 2017
 OR management teaching, planning, and analytics, University of Florida, 2017
 Applicability of prior simulation studies, Mateer Harbert, 2017
 Operating room analytics course and planning, University of Texas Health Sciences Center, 2018
 Repeating and interpretation of differences in prior simulation studies, Mateer Harbert, 2018
 First-case on time starts at endoscopy procedural suites, Henry Ford Health System, 2018
 Anesthesia staffing and OR management, Borgess Medical Center, 2018
 Anesthesia staffing analytics subcontracting, DL Consulting, Inc, 2018

Clinical trial design, Kenall Manufacturing, 2018
 Anesthesiologist staffing and staff scheduling, UCSF Benioff Children's Hospital Oakland, 2018
 OR staffing, Henry Ford Health System, 2018
 Novel anesthesia machine, Dräger, 2018
 OR, PACU, and financial perioperative analyses and implementation, UC Davis, 2018
 Surgical services analytics course, William Beaumont Army Medical Center, 2018
 Surgical services analytics courses, Womack Army Medical Center (Fort Bragg), 2018
 Daily OR management decision making, Bend Anesthesiology Group, 2018
 Surgical services analytics course, Fort Sam Houston, 2018
 Iowa Satisfaction with Anesthesia Scale use, Peak Woo MD CPLLC, 2019
 Anesthesiology resident interview analytics, SJ Med Connect (Thalamus), 2019
 Anesthesia staffing, Henry Ford Allegiance Health, 2019
 Statistical design and management of observational study, Kenall Manufacturing, 2019
 OR statistical analysis, Hospital Clínico UC-CHRISTUS, 2019
 Analysis of anesthesiologist supervision of CRNAs and billing, DL Consulting, 2019
 Iowa Satisfaction with Anesthesia Scale use, Boston Medical Center, 2019
 Analysis of national residency survey data, Mayo Clinic Phoenix, 2019
 Operations research for surgical services course, City of Hope National Medical Center, 2019
 Scientific basis for planning anesthesiologist staffing, McGuireWoods LLP, 2019
 Analyses clinical trial of intraoperative bacterial transmission, Kenall Manufacturing, 2019
 Operating room management and surgical site infections, SLD Technology, 2019
 OR statistical analysis, Hospital Clínico UC-CHRISTUS, 2019
 OR analytics for hospital campus, City of Hope National Medical Center, 2020
 Surgical services analytics courses, Army Enterprise Career Program 53, 2020
 Infection control experimental design, Georgia-Pacific, 2020
 Analyses of OR information system data to target infection control, RDB Bioinformatics, 2020
 Procedural locations courses and analytics, City of Hope National Medical Center, 2020
 Multiple specialty resident interview analytics, SJ Med Connect (Thalamus), 2021
 Iowa Satisfaction with Anesthesia Scale, B.C. Women's Hospital, 2021
 Operating room analytics course, University of Rochester Medical Center, 2021
 Iowa Satisfaction with Anesthesia Scale, University of Washington, 2021
 Iowa Satisfaction with Anesthesia Scale, University of Colorado, 2021
 Operating room management principles, Apella Technology, 2021
 Surveillance to prevent bacterial transmission, NIH RO1, principal investigator JR Brown, 2021
 OR analytics and intensive course, City of Hope National Medical Center, 2021
 Anesthesia staff scheduling, University of Rochester, 2021
 Surgical site infections, 3M, 2021
 Ultraviolet disinfection industrial engineering, Surfacide, 2021
 Iowa Satisfaction with Anesthesia Scale translation, Federal University of Santa Catarina, 2022
 Anesthesia staffing and productivity, Bayhealth Medical Center, 2022
 Anesthesia pharmacoeconomics, Heron Therapeutics, 2022
 Analyses of microbiological reliability data, RDB Bioinformatics, 2022
 Iowa Satisfaction with Anesthesia Scale, DUALAMS, Inc., dba Airkor, 2022
 Operating room cost economics, ZYSC, LLC, 2022
 Operating room management and ultraviolet-C dose, Varitex, 2022
 Operating room analytics course, University of Texas Health Sciences Center, 2022
 Anesthesia pharmacoeconomic analyses, Harrington Discover Institute, 2022
 Economics prolonged times to tracheal extubation with desflurane, Baxter Healthcare, 2022
 Changes to anesthesia fresh gas flows, Henry Ford Health System, 2023
 Operating room management course, Lahey Hospital, 2023
 Prolonged times to tracheal extubation, Merck, Sharp & Dohme, 2023
 Service-specific staffing analysis and teaching, University of Tennessee, 2023
 Iowa Satisfaction with Anesthesia Scale questions, University of California San Francisco, 2023
 Ultraviolet-C (UV-C) anesthesia implementation strategy, Mayo Clinic Rochester, 2024
 Economic analyses of for post-surgical pain therapy after discharge, University of Nebraska, 2024

Statistical power analyses and design, Surfside, 2024
 Iowa Satisfaction with Anesthesia Scale, The First Affiliated Hospital of Zhengzhou University, 2024
 Case duration prediction, Cheryl Barratt Associates, 2025
 Iowa Satisfaction with Anesthesia Scale, University of California San Francisco laryngology, 2025
 Randomized trial analysis of opioid consumption and QoR-15, Henry Ford Health System, 2025
 Anesthesia workforce and costs, FFL Partners, 2025

III e. Extensive consultations for University of Iowa – total of 267

Fast-tracking coronary artery bypass graft patients, 1997
 Strategy to decrease variability in OR schedule, 1997
 Incentive programs to increase surgical productivity, 1997
 Analysis of daily variation in OR workload, 1997
 OR allocation from anesthesia billing data, 2001
 Anesthesia policy and procedures manual, 2001
 CalculatOR™ with OR & anesthesia data, 2001
 Surgical workload throughout Iowa, 2002
 Surgical length of stay impact on contribution margin, 2002
 Perioperative strategic and financial analysis, 2002
 Impact of reducing turnovers on anesthesia costs, 2003
 Delays in PACU admission, 2003
 Monitoring turnovers, cancellations, and waiting, 2004
 Leasing vs. purchasing capital surgical equipment, 2004
 MD & CRNA assignment and staffing on productivity, 2004
 Forecasting ECT workload one week in advance, 2004
 Ongoing assessment of strategic position, 2005
 Prediction bounds to improve calling for patients, 2005
 Costs & financial value from OR anesthesia services, 2005
 Pagers to notify staff of OR management decisions, 2005
 Otolaryngology strategic financial & market analysis, 2005
 Variation in OR efficiency and tardiness by surgeon, 2005
 Potential growth in surgical workload, 2005
 Training & monitoring afternoon/ weekend decisions, 2005
 Sequencing surgical cases by surgeon, 2005-2006
 Efficiency of use of endodontic clinic (dental) chairs, 2005
 Schedule preop AM of surgery increases efficiency, 2005
 Choosing patient fasting, NPO, and arrival times, 2005
 Forecasting holiday OR workload, 2006
 Checklists for operating room management, 2006
 Longitudinal assessment of surgical growth rate, 2006
 Self-scheduling of non-OR anesthesia procedures, 2006
 Automation of anesthesia staff assignment, 2006
 Off-line monitoring of enterprise-wide scheduling, 2006
 Forecasting OR workload the next workday, 2006
 Patient-centered RN administered sedation program, 2006
 Notification of patients for anesthesia, 2006
 Variability in durations of ambulatory procedures, 2007
 Operational and tactical monitoring, 2007
 Preference cards and relationship to case durations, 2007
 Expand vertically & open rooms when working late, 2007
 Real-time estimation of time to end of case, 2007
 Resident workload determined from billing data, 2008
 Growth in diagnostic imaging with anesthesia, 2008
 Anesthesia technician workload from AIMS, 2008

Predicting cancellation on day of surgery, 2008
 CRNA nighttime workload, 2008
 Upper prediction bounds for ORs' end of workdays, 2008
 Patient arrival times to reduce space requirements, 2009
 Sequencing calling for patients upon surgical arrival, 2009
 Influence of case duration on patient outcome, 2009
 Phase I PACU staffing with trends in acuity, 2009
 Coordinated CRNA staffing and staff scheduling, 2009
 Elective Saturday OR schedule, 2009
 Ambulatory surgery center assessment, 2009
 Pairing services for staff hiring and training, 2009
 OB anesthesia staffing, 2009
 CRNA starts of workday and revised shifts, 2009
 Monitoring surgical clinic cases in pipeline to OR, 2009
 AIMS screen simulation, 2010
 Regional nerve blocks with RN monitoring, 2010
 Patient satisfaction in ambulatory and tertiary surgical suites, 2010
 Supervision ratios MD:CRNA influence of diversity of procedures, 2010
 Impact of case duration on outcome, 2010
 Systems-based practice course using blood product data, 2010
 Monitoring ambulatory surgery neuropathy, 2011
 Nurse anesthetists and anesthesiologists per room ratios, 2011
 Preanesthesia evaluation clinic patient flow optimization, 2011
 Tracking turnovers with observers, 2011
 Software to recruit patients used for operating room scheduling, 2011
 CRNA evaluations of anesthesiologists, 2011
 Insurers' anesthesia duration and outcomes data, 2011
 Resident and faculty broad management training, 2011
 Anesthesia technicians and turnover times, 2011
 Monitoring clinicians' performance using peer evaluations, 2011
 Ambulatory surgery patients staying in hotels and coordination, 2011
 Pediatric surgery OR allocations and turnover times, 2011
 General surgery block time, 2012
 Resources required for faculty development, 2012
 Moving cases to ambulatory surgery center, 2012
 Quantifying scheduling office and patient waiting, 2012
 Reducing type and screen and hemoglobin checks preoperatively, 2012
 Preanesthesia evaluation clinic screening, 2012
 Ambulatory surgery center staffing and turnover times, 2012
 Strategic analysis of building more ORs versus long workdays, 2012
 Anesthesia staff scheduling, weekends and nights, 2012
 Persuasiveness in hospital committees, 2012
 Preoperative evaluation echocardiogram reports, 2012
 OR control desk simulation training, 2012
 Monitoring faculty supervision and unexpected clinical events, 2012
 Regional anesthesia economics for ambulatory surgery center, 2013
 Assessment of patient satisfaction with individual anesthesiologists, 2013
 Behavioral modeling measurement of VS before induction, 2013
 Quantitative neuromuscular monitoring influence on OR times, 2013
 Predictive factors for anesthesiologist recruitment, 2013
 Ambulatory surgery center long-term OR allocations, 2013
 Non-operating room anesthesia scheduling, 2013
 Preoperative importance of drug reconciliation errors, 2013
 Faculty activity survey validation using secondary data, 2014
 Causes of low anesthesiologist supervision scores by CRNAs, 2014

OR and non-OR early evening coordination and use of cues, 2014
 Ongoing professional performance evaluation of CRNAs, 2014
 Relative OR anesthesia labor costs, 2014
 Resident education of principles in staff assignment, 2014
 Predicting ICU admissions from non-OR anesthetic locations, 2014
 Referral patterns to surgeon or surgical group, 2014
 Longitudinal changes in assessed supervision with changes staffing ratios, 2014
 Sedation nurses administration and outcome, 2014
 Anesthesia technician staffing, 2014
 Forecasting new hospital anesthesia staff scheduling, 2014
 Obstetrical anesthesia labor costs and productivity, 2014
 Choosing adult and pediatric dental patient arrival times, 2014
 Scientific study and publication of interdisciplinary in situ simulations, 2015
 Evaluating incentive program point systems, 2015
 Numbers of breaks and handoffs and relationship to staff scheduling, 2015
 Narcotic dispensing and auditing, 2015
 PACU staffing and length of stay, 2015
 Turnover time milestones, 2015
 Comments written by faculty when evaluating residents, 2015
 Evaluating patient satisfaction in pain clinic, 2015
 Process of faculty intermittent procedural retraining, 2015
 Evaluating faculty on multiple dimensions of performance for OPPE, 2015
 Non-operating room ("satellite") scheduling for productivity, 2015
 Managing admissions when hospital occupancy > 95%, 2015
 Comparing final intraoperative temperature among providers and procedures, 2015
 Saturday elective schedule benchmarking, 2016
 Influence of faculty teams and specialization on quality of resident and CRNA supervision, 2016
 Systematic review of quantitative findings on briefing, time-out, and debriefing checklist(s), 2016
 Influence of e-mail reminders of evaluations on completion, 2016
 Adjustment of faculty supervision scores for leniency of individual residents, 2016
 Automatic identification of red blood cell transfusions for auditing, 2016
 Satisfaction of parents with anesthesia providers, 2016
 National outpatient surgery center adjusted utilization, 2016
 Readmission rate benchmarking and state versus national focus, 2016
 Comparing clinicians' blood management decisions, 2016
 Role of the large academic medical center within a statewide alliance of hospitals, 2016
 Influence of preoperative evaluation completeness and turnover times, 2016
 Hospital economic impact of anemia clinic, 2017
 Anesthesia information management system data quality influence on decisions, 2017
 Surgical suite productivity with long workdays and flexible ORs, 2017
 Hospital length of stay reduction and benchmarking, 2017
 PACU length of stay and hospital census, 2017
 Fresh gas flows and volatile anesthetic usage, 2017
 Growth of non-physiologically complex surgery longitudinally statewide, 2017
 Psychometrics of alternative question set for CRNA evaluation of anesthesiologists, 2017
 State data to facilitate forecasting of hospital surgical workload, 2017
 Response rates of resident evaluations of faculty, 2017
 Evaluation of new faculty anesthesiologists' performance, 2018
 Pediatric surgical caseload statewide, 2018
 Surgical patient travel distances and influence on growth, 2018
 Staff scheduling and cost accounting software, 2018
 Centers of excellence for morbidly adherent placenta, 2018
 Pain clinic productivity, 2018
 Improving to-follow surgeon on-time starts, 2018
 Interventional pain management procedures statewide, 2018

CRNA evaluation of anesthesiologists departmentally, 2018
 Changes over years in operative versus chronic pain anesthesia workload, 2018
 University of Iowa productivity all anesthetizing locations, 2018
 Prolonged time to tracheal extubation and anesthesia staff assignments, 2019
 Reliability of faculty and CRNA rankings using daily evaluations, 2019
 Ambulatory surgery center work hours nationwide, 2019
 One day OR management course in multiple sessions with effective teams, 2019
 Phase I post-anesthesia care unit physical bed requirements, 2019
 Clinical days per year of anesthesiology residents, 2019
 Evaluations of quality of faculty supervision of trainees in chronic pain clinic, 2019
 Effect of neuromodulation thresholds on pain clinic caseloads, 2019
 University of Iowa "room" productivity of nurse anesthetists, 2019
 Managerial epidemiology of discharge time of day, 2019
 Time for insurance preapproval of surgery, 2019
 Control chart analysis of monitored intraoperative bacterial transmission, 2019
 CRNA factors influencing job retention and recruitment, 2020
 Improving case selection for transmission surveillance to reduce surgical site infections, 2020
 Prolonged time to tracheal extubation and Iowa's anesthetic choices, 2020
 Adjusting operating room assignment for personal protective equipment shortage, 2020
 Impact of asymptomatic COVID-19 patients on operating room management, 2020
 Chronic pain telemedicine targeted by region because of COVID-19, 2020
 Forecasting COVID-19 hospital wide bed and ventilator use, 2020
 Airflow and risk of provider infection, 2020
 Short-term forecasting of surgical ward and intensive care unit occupancy, 2020
 Educating operating room management revisions caused by COVID-19, 2020
 Relative anesthesia workloads by weekday after acute phase of COVID-19 pandemic, 2020
 Cancellations 0-1 days before surgery with modified preoperative evaluation, 2020
 Weekend caseload after acute period of COVID-19 pandemic, 2020
 Sugammadex liberal use economics, 2020
 Reduced variability and/or greater predictability to faculty OR work hours, 2020
 Comparing unplanned absences among types of anesthesia providers, 2020
 Case cancellations from COVID-19 preoperative testing, 2020
 Cesarean section, orthopedic, and cardiovascular surgical site infections, 2020
 Availability and ready access to lactation facilities at surgical suites statewide, 2020
 Probability distributions of surgical times, 2020
 Implementation rater leniency adjusted work habits scores, 2020
 Anesthesia department staffing among all locations, 2020
 Monitoring changes in MD: CRNA ratio over 10+ year periods, 2020
 Medical student information for family leave and arranging electives, 2020
 Patient Dignity Inventory and critical care, 2020
 Benchmarking CRNA work hours, 2021
 Faculty evaluations of supervision quality in intensive care units, 2021
 Average time to PACU discharge and total PACU capacity, 2021
 Pediatric surgical suite staffing, staff scheduling, and staff assignment, 2021
 Time and expense of Surfactide UV-C treatment for COVID-19 and surgical site infections, 2021
 Anesthesia staffing for more surgery in December, 2021
 Arrival times of pediatric procedural patients at facility with many open rooms, 2021
 Visibility of anesthesiologist relief coordination late in the workday, 2021
 On-call points valuation, 2021
 Sequencing urgent surgical cases, rewarding block time, 2021
 Cesarean section durations, 2021
 Patient satisfaction intensive care unit stay, 2021
 Pediatric hospital individual surgeon case scheduling, 2021
 Statewide obstetrical anesthesia workforce, 2021
 Intermittent binary entry for evaluations when all answers at maximum, 2021

Nurse anesthetist staff scheduling by weekday with residents choosing assignments, 2021
 Anesthesiologist and nurse anesthetist lunch breaks, 2021
 Anesthesia leadership responsibilities for environmental sustainability, 2022
 Time series analysis changes obstetric anesthesia workload, 2022
 Surgical site infections after cesarean delivery, 2022
 Progressive annual changes in percentage surgical cases ambulatory or overnight stay, 2022
 Modified ongoing professional practice evaluation statistics for faculty/CRNA performance, 2022
 Variability among workdays in numbers of CRNA only surgical lists, 2022
 Targeting anesthetizing locations for infection control, 2022
 Operating room comprehensive analytics reports, 2022
 Ambulatory surgery center changes in times to tracheal extubation, 2022
 Evaluating department by using individual faculty evaluations, 2022
 Post-anesthesia care unit times association with prolonged extubations, 2022
 Strategies for vacation holiday staff scheduling, 2023
 Pairwise evaluations of dermatomal levels, 2023
 Increasing faculty teaching evaluation scores, 2023
 Statistical design of clinical trials of postoperative cognitive dysfunction, 2023
 Departmental research publication production, 2023
 Faculty computational simulation projects, 2023
 Examples of work habits maximum and not maximum scores, 2023
 Faculty educator milestones, 2023
 Epidural catheter and coagulopathy study design, 2023
 Probability distribution time to tracheal extubation for studies of patient awakening, 2023
 Hypoxemia end of surgery among junior residents and supervision quality, 2023
 Staff scheduling based on physiological complexity, 2023
 Reductions in evaluations per week, 2023
 Phase I post-anesthesia care unit staffing and length of stay, 2023
 Probability distribution of ECMO cannulation times, 2023
 Hoarseness and airway pressure postoperatively study design, 2023
 Resident assignments, supervision quality, and work habits impact on patient outcomes, 2023
 Evaluation of chronic pain fellows' procedural skills from fluoroscopy logs, 2023
 Anesthesiologist officer of the day need and risk, 2023
 Day of surgery chlorhexidine wipe effectiveness, 2023
 Development of multiple group clinical trial of at home monitoring, 2023
 Automated department patient outcome measures, 2024
 Pediatric central line distances and fluoroscopy, 2024
 Epidural clonidine and postoperative analgesia, 2024
 Analgesia administration dosing and timing postoperatively on ward, 2024
 Frequency of interventional pain procedure among patients for initial evaluation, 2024
 Room location errors in Epic OpTime at obstetric surgical suite, 2024
 Regional anesthesia effect on postoperative burn graft surgery pain, 2024
 How BIS monitor is used during maintenance of anesthesia, 2024
 Evaluating resident physicians' entrustable professional activities, 2024
 ESKAPE pathogen transmission among cesarean delivery cases, 2024
 Interpretation of individual supervision evaluation items (feedback), 2024
 Fresh gas flow practice advisory and impact, 2024
 Probability distribution time for multiple lumen ventilatory tubes, 2024
 Anemia clinic effectiveness for antepartum patients, 2025
 Tracking postoperative HAI to schedule UV-C treatment of operating rooms, 2025
 Observational quality assessment studies to guide care at North Liberty, 2025
 New hospital operating room workflow, 2025
 Intravenous injections and postoperative surgical site infections, 2025
 Journal article type categorization, 2025
 Day of surgery decision making using nursing and pathology clinical documentation, 2025
 Impact of small hospital closure on procedures at the large teaching hospital, 2025

Makespan phase I PACU of surgical hospital long-term planning, 2025
 Non-operating room performance metrics, 2025
 Anesthetic fresh gas flow feedback, 2026
 Dexamethasone effect on hospital length of stay, 2026

III f. Brief consultations that are external – total of 46 for 26 companies and 13 hospitals

Burroughs Wellcome, PACU pharmacoeconomics, 1995
 Aspect Medical Systems, Cost analyses in anesthesia, 1996
 Beth Israel Deaconess Medical Center, OR objectives and cost reductions, 1999
 Luther Hospital, Strategies in OR scheduling to decrease costs, 1999
 MCP Hahnemann University, Methods of allocating OR time, 2001
 US Army TATRC, OR of the Future Strategy Forum, 2001
 Harlan Appalachian Regional Healthcare, Urgent case scheduling, 2002
 University of Pittsburgh, Turnover time benchmarking nationwide, 2002
 Virginia Mason Medical Center, OR decision making, 2003
 Phase 2 Consulting, Anesthesiology productivity, 2003
 Frost and Sullivan, Perioperative cost accounting, 2004
 Skila, Fluid warming, 2004
 Boulder Community Hospital, Anesthesia group contracting, 2004
 Cline Davis & Mann, Pharmacoeconomics of a drug, 2006
 Health Advances, LLC, Economics of reducing OR time, 2007
 University of Maryland, OR dashboards, 2007
 University of Texas MD Anderson, OR policy manual, 2007
 Mercy Health System, OR consolidation calculations, 2009
 MediViz, Observation of OR efficiency, 2010
 Froedtert Memorial Lutheran Hospital, Simultaneous turnovers, 2012
 Oak Ridge Associated Universities, Potential anesthesia products, 2012
 Portuguese Foundation for Science and Technology, OR management, 2012
 Oakstone Publishing, review course lecture, 2013
 EmCare, Economics of reducing anesthesia times, 2013
 Health Advances, LLC, Inhalational anesthetics, 2014
 Guthrie Robert Packer Hospital, Operations research course, 2016
 SurgeryLink, Surgical scheduling and coordination, 2016
 Prashanth Iyengar, Performing operating room management analyses, 2017
 ExplORer Surgical, Updating case duration predictions, 2017
 Sarada Mylavarapu, Operating room and anesthesia group prioritization, 2017
 Kotler Marketing Group, Surgical cancellation economics, 2017
 TenX Healthcare, Optimization of patient tracking, 2017
 University of Jordan, Anesthesia statistical reviewing, 2018
 University of Utah, Iowa Satisfaction with Anesthesia Scale use, 2018
 Ballard Rosenberg Golper & Savitt, Anesthesia staff scheduling and turnover times, 2018
 UC Davis, Ambulatory surgery center operations, 2018
 Joni Maga, Operating room analytics, 2019
 Radeval, Anesthesiologists' expertise, 2020
 Elsevier, Acquisitions opportunity, 2020
 Springer Nature, publication recommendation, 2020
 Jupiter Life Science Consulting, neuromuscular blockade, 2021
 Rabin Medical Center, Iowa Satisfaction with Anesthesia Scale use, 2022
 Elsevier, Acquisitions opportunity, 2022
 CAST Technologies, Turnover times, 2022
 HMP Education, Patient preparation and surgical site infections, 2023
 Wiltshire Air Ambulance, Iowa Satisfaction with Anesthesia Scale, 2024
 Informa UK Ltd, Statistical analyses review, 2024
 Medical University of South Carolina, Iowa Satisfaction with Anesthesia Scale, 2025

Cleveland Clinic Abu Dhabi, Case duration prediction, 2025

III g. Brief consultations for University of Iowa – total of 428

Risk of OR fires during monitored anesthesia care, 1997
 Implementing clinical pathways in OB anesthesia, 1998
 Urinary retention with epidurals after nephrectomy, 1998
 Monitoring incidence of perioperative vocal cord injury, 1999
 Central sterilization layout to reduce time to get supplies, 1999
 Monitoring incidence of nerve block placement failures, 1999
 Surgical services material management, 1999
 Monitoring patients' pain during phlebotomy, 1999
 Software to integrate patient tracking with clinic scheduling, 2001
 Department of Anesthesia, Secondary data analysis, 2001
 Assist in purchasing anesthesia information system, 2001
 Teaching conscious sedation to health care providers, 2002
 Impact of reducing surgical times on anesthesia group profitability, 2002
 Customize scenarios for teaching OR management, 2002
 Spinal surgery cost accounting and market potential, 2004
 Improving methods of scheduling anesthesiologists on-line, 2004
 Operating room robot scheduling, 2004
 Forecasting costs of adjusting weekend CRNA staffing, 2004
 Hyperbaric oxygen therapy finance and workload, 2004
 Turnover times in Urology clinic, 2005
 Monte-Carlo simulation for anesthesia scheduling, 2005
 Measuring perioperative productivity, 2005
 Forecasting future pediatric surgical workload, 2005
 Holding urgent case for trauma activation, even if may not come to OR, 2005
 Control charts for rapid feedback on biased OR times, 2006
 Scheduling orthopedic and radiology clinic appointments, 2006
 Forecasting earliest admission time to a hospital ward from PACU, 2006
 Anesthesia group productivity by DEA, 2006
 First case start delays by anesthesiologist & surgeon, 2006
 11 PM to 7 AM anesthesia staffing, 2006
 Statewide pediatric workload, 2007
 Urgent case sequencing by categories, 2007
 Monitoring anesthesiologists' anesthesia controlled time, 2007
 Anesthesia supply and drug costing, 2007
 Anesthesia equipment budgeting, 2008
 Automatic staff scheduling to facilitate staff assignment, 2008
 Growth in pediatric anesthetics, 2008
 Monitoring anesthesiologists' outcomes, 2009
 Centralized versus distributed case scheduling, 2009
 Day of surgery decision making, 2009
 Volatile anesthetic usage, costs, and education, 2009
 PACU length of stay, 2010
 Non-operative time benchmarks, 2010
 Role of specialty teams, 2010
 Weekend cases running checklist, 2010
 Anesthesia workload trends over past decade, 2010
 Resident SICU staffing and staff scheduling, 2010
 Influence of annual exam scores on time to board certification, 2010
 Monitoring surgeons' case duration scheduling, 2010
 Statistics of AIMS data for Ongoing Professional Performance Evaluation, 2010
 Productivity program based on RVU's, 2010

Lean principles turnover time reduction, 2011
 Academic, private differences and reimbursement, 2011
 Forecasting long term growth and numbers of first case starts, 2011
 Infection monitoring and cause survey, 2011
 Anesthesia group metrics tied to financial support, 2011
 Entropy monitoring to reduce variability in emergence time, 2011
 Economic value of comprehensive teamwork training program, 2011
 Quantifying value of anesthesia ambulatory clinical pathways, 2011
 Assessing resident learning in critical care, 2011
 Survey design for information system implementation, 2011
 Study of obstetrical nausea and vomiting, 2011
 Determinants of patient satisfaction with ambulatory surgery, 2011
 Staff (product) mix analyses for cost minimization, 2011
 Operating room infection control monitoring, 2011
 Monitoring surgical durations among facilities, 2011
 Engineering studies in anesthesia departments, 2011
 Economics and development of clinical trials course, 2012
 Clinical utility and cost of smart alarms within operating rooms, 2012
 First case start psychology and institutional focus, 2012
 Anesthesia E code usage, 2012
 CRNA compensation models, 2012
 Implant cost contracts, 2012
 Reimbursement 23 hr stay patients, 2012
 Postanesthesia care unit time comparison among clinicians, 2012
 Sizing of U Iowa intensive care units, 2012
 Qualifications of administrators and hiring questions, 2012
 Preanesthesia evaluation clinic add-on patients and cancellations, 2012
 Predicting anesthesia residents' certification examination scores, 2012
 Trend over time in duration of preanesthesia evaluations, 2012
 OR time planning for individual surgeons, 2012
 Meta-analysis of incidence for quality monitoring,
 Anesthesia agreements and psychological biases, 2012
 Benefits and costs of anesthesia teams, 2012
 Measuring satisfaction of patients' waiting families, 2012
 Ambulatory surgery center adding ORs, 2012
 OIG opinions and relationship with anesthesia, 2012
 Monitoring quality of preanesthesia evaluations, 2012
 Monitoring patients' chronic pain from acute surgery, 2012
 Cost utility of ultrasound for regional anesthesia, 2012
 Correlational analyses of clinical performance, 2012
 Patient safety research in outpatient surgery, 2012
 Pre-incision timeouts and lean methodology, 2013
 Forecasting growth in specialty-specific ambulatory surgery, 2013
 Targeting single surgeons with > 8.5 hours of cases and only one OR, 2013
 Psychological biases influencing clinician use of monitoring systems, 2013
 Analysis of skewed ordinal thoracic data, 2013
 Predicting staff scheduling, with medical absences, for nurse monitored cases, 2013
 Electronic applications for notifications of holding room status, 2013
 Orthopedic ambulatory surgery cost accounting, 2013
 Preoperative clinic scheduling patients to individual providers, 2013
 Moving cases from one facility to another and state of the art science, 2013
 CRNA and faculty staff assignment, 2013
 Calculating anesthesia labor cost and profit from adding an OR, 2013
 Preoperative clinic ARNP staffing and staff scheduling, 2013
 Monitoring perioperative workload long-term, 2013

Sedation nurse enterprise wide scheduling, 2013
 TeamStepps, checklists, and preventions of intraoperative interruptions, 2013
 Sedation team case scheduling, 2013
 Transfusion decision-making in ORs, 2013
 Reducing delays from OR to PACU, 2013
 Regional anesthesia reductions in PACU time, 2013
 Endoscopy clinic scheduling, 2013
 Preoperative laboratory test costs, 2013
 Periods of decline in rate of growth of surgical workload, 2013
 Inpatient surgical bed management, 2013
 Efficacy and economics of treatment of nausea in PACU, 2013
 Commercial preoperative evaluation software, 2014
 Leveling inpatient ward usage, 2014
 Criteria for residents to be contacting supervising anesthesiologist, 2014
 Implementing resident evaluation milestones, 2014
 Quantifying and interpreting heterogeneity in meta-analysis, 2014
 Multivariable logistic regression interpretation, 2014
 Coordinating breaks for evaluations of clinical performance, 2014
 Simulation to reduce surgical time for laparoscopic and robotic surgery, 2014
 Risk adjusted CUSUM for resident education evaluation, 2014
 Managing clinics to enhance operating room throughput, 2014
 Interpretation of 80th percentile of numbers of ORs in use at times of the day, 2014
 Economics of ORs working > 8 hours with long break between surgeons, 2014
 Perioperative Surgical Home economics, 2014
 PACU flow control, 2014
 Ambulatory surgery focus on access as compared with case duration control, 2014
 Moving cases among facilities with construction and impact on workload, 2014
 Satisfaction assessment of all of a department's patients over a week, 2014
 Economics of brief reductions in PACU time, 2014
 Statistical review by anesthesiology residents, 2014
 Predicting outpatient orthopedic surgical workload, 2014
 Interpreting statistical evaluation of comparisons of operating room times, 2014
 Comparing exceptional versus average performance of CRNAs, 2014
 Meta-analysis research for institutional decision-making, 2014
 Interpreting value of resident education in management, 2014
 CONSORT reporting of management clinical trial, 2014
 Comparing pain scores among anesthesiologists, 2014
 Running 1 surgeon in 2 rooms with over-utilized time, 2014
 Subspecialty teams on call at night, 2015
 Factors affecting turnover time in operating rooms, 2015
 Differences and ratios of operating room and procedural times, 2015
 Benchmarking add-on case percentages and management response, 2015
 Comparing turnover times among hospitals and services, 2015
 Failure to rescue versus reduction in adverse event rates, 2015
 Themes in faculty evaluation of anesthesiology residents, 2015
 Staff assignments in late afternoons based on start of surgical closure, 2015
 Federal and state definitions of "surgery" and "procedure," 2015
 Effect of medical devices on OR efficiency, 2015
 Anesthesia provider recall system for mass casualty incidents, 2015
 Quantifying departmental non-clinical activities, 2015
 Endovascular add-on case scheduling, 2015
 Quantification of case complexity for faculty evaluation of residents, 2015
 Monitored anesthesia care conversion to general anesthesia, 2015
 Evaluation of complaints of anesthesiologists, 2015
 Anesthesia hospital agreement concepts, 2015

Pharmacy queue management and monitoring, 2015
 Resident practice management education, 2015
 CRNA knowledge of anesthesiologist activity increasing efficiency, 2015
 Quantification of anesthesiologists' patient communication skills, 2015
 CUSUM analysis of resident performance data, 2015
 Comparing paper to electronic anesthesia data and influence on outcome, 2015
 Estimating incidences of pain among Iowa versus national patients, 2015
 Narratives of adverse events and trainee supervision, 2015
 Analysis of hemodynamic data trends over time among devices, 2015
 Monitoring non-operative time, 2015
 Case scheduling when there are many add-on cases, vascular surgery, 2015
 Anesthesia machine contracts and maintenance, 2015
 Evaluating resident procedural competence, 2015
 Forecasting annual increases in anesthesia workload, 2015
 Dental injury incidence, seasonal variation, and training, 2015
 Ambulatory surgery center monitoring workload, cases, etc., 2016
 EPIC anesthesia information system for research data, 2016
 Evaluation of effectiveness of preoperative anemia clinic, 2016
 Endpoints anesthesia provider ambulatory surgery performance, 2016
 Patient arrival and fasting times incorporating movement of cases, 2016
 Distribution of case physiological complexity among residents, 2016
 Definitions of starting cases together, 2016
 Bed discharge planning and committee decision making, 2016
 Influence of changing surgeon block time on case duration prediction, 2016
 Data quality and analytics for ongoing professional practice evaluation, 2016
 Statistical analysis of needle-stick injury data, 2016
 Systems-based practice initiatives to increase patient satisfaction, 2016
 Anesthesiology workload nationally and relationship with hiring, 2016
 Influence of diversity on intraoperative pathway development, 2016
 Enterprise-wide analytics software, 2016
 Describing importance of turnover time reduction, 2016
 Relationship of board certification and trauma center outcome, 2016
 Qualitative analysis and systematic literature review for adverse events, 2016
 Pharmacoeconomics and anesthesia drug use, 2016
 Variability hospital census, 2016
 Scientific studies of patient complaints of anesthesiologists, 2016
 Quantifying uniqueness of University of Iowa through diversity measures, 2016
 Minutes of hypotension measured with gaps and noninvasive BP, 2016
 Numbers of nurses at preoperative clinic and calling patients, 2016
 Comparisons of 95th percentiles of anesthesia durations, 2016
 Categories for urgent case waiting and sequencing, 2017
 Economics of neurological clinical trial designs, 2017
 Obtaining information from PubMed automatically, 2017
 Preoperative information obtained from patient, 2017
 Time remaining in single OR series of on-going cases, 2017
 Time motion studies for economics of brief procedures, 2017
 Designing turnover time reduction studies, 2017
 Phone preoperative interviews, 2017
 Benchmarking ASA RVG units among departments, 2017
 Hospital cost accounting for Perioperative Surgical Home, 2017
 Predictive error in estimating case durations, 2017
 Endpoints for preoperative clinic effectiveness, 2017
 CRNA 2nd shift staffing and staff scheduling, 2017
 Inspired CO₂ monitoring for replacement of carbon dioxide absorbent, 2017
 Confidentiality versus anonymity of evaluations, 2017

Faculty and resident perceptions of provided feedback, 2017
 Economic rationale for reductions in length of stay and bundled payment, 2017
 Joint arthroplasty state alliance of hospitals, 2017
 Nurse anesthetists' specialization, 2017
 Handoffs and communication, 2017
 Professionalism education, 2017
 Using statewide hospital data for evaluating peripartum RBC transfusion, 2017
 Anesthesia staff scheduling mathematics, 2017
 Cost per minute of anesthesia time, 2017
 Economics of 1 surgeon in 2 ORs, 2017
 Benchmarking percentage of cases with arterial line, 2017
 Benchmarking CRNAs per OR and anesthesiologists per OR, 2018
 Feedback by e-mail to clinicians for reduction in drug costs, 2018
 Modeling relationship between surgical duration and wound infection, 2018
 Measuring changes over time in our surgical patients' acute pain after discharge, 2018
 Relative Value Guide to Relative Value Unit conversion, 2018
 Semi-real time status board displays for anesthesia assignments, 2018
 Geolocation of anesthesia providers using mobile applications, 2018
 Pediatric anesthesia cancellation rates, 2018
 Arrival and ready time of pediatric surgical patients, 2018
 Influence of anesthesiologist: CRNA supervisory ratio on non-operative time, 2018
 Obstetrical transfusion statewide for planning referral centers, 2018
 OR and PACU temperature monitoring, 2018
 Surgeon clinics on weekends, 2018
 Phase I PACU length of stay benchmarking, 2018
 Robotic surgery, length of stay, 2018
 Increasing predictability versus reducing variability of clinical OR schedules, 2018
 Workforce planning and surgical staffing, OR allocations versus staff assignment, 2018
 Resident perceptions of feedback, 2019
 Numbers of anesthesia technicians, 2019
 Reducing non-operative time to do more cases, 2019
 Hyperbaric bupivacaine supply disruption and anesthetic effects, 2019
 Survey to determine relative use of different acute pain procedures, 2019
 Benchmarking cancellation rates among ambulatory surgery cases, 2019
 Principles of anesthesia productivity and staffing calculations, 2019
 Lean analyses for non-operative times in surgical suites, 2019
 Post-residency match survey comparing concerns men and women, 2019
 Evaluation of faculty coordinator supervising PACU resident, 2019
 Discrepancies in expected CRNA productivity, 2019
 Calculating maximum possible anesthesia department productivity, 2019
 Achieving high response rate among anesthesia providers, 2019
 Anesthesia technician staffing and staff scheduling calculations, 2019
 Surgical trays and central sterilization planning, 2019
 Combining ambulatory and inpatient ORs at new surgical suite, 2019
 Productivity changes with 1 surgeon scheduled into 2 ORs, 2019
 Monitoring of queues of add-on cases, 2019
 National anesthesia productivity reports, 2019
 Registered nurses for preoperative phone calls, 2019
 Intraoperative temperature monitoring for payments, 2019
 Patients estimating percentage reductions in pain scores, 2019
 Prior research sick leave anesthesia, 2020
 Predicting caseload 1 week ahead, 2020
 Anesthesia department support, 2020
 Economics of solo CRNA care versus group practice, 2020
 Adding gap between two surgeons the day before surgery, 2020

Surgeons' perceptions of anesthesia team activity, 2020
 Intradepartmental management drug shortages with COVID-19, 2020
 Anesthesia after COVID-19, 2020
 Overbooking diagnostic imaging, 2020
 Anesthesia delays and potential to schedule another case or reduce staffing, 2020
 Sugammadex high dose, lower dose, 2020
 Guidelines and standards for responsibility during PACU emergency, 2020
 Nurse administered sedation dosing, 2020
 Cardiothoracic surgery surgical site infections and operating rooms, 2020
 Predicting unexpected intensive care unit admission, 2020
 Supervision scores and respectful behavior in operating room, 2020
 Noise in operating rooms, 2020
 Science of trust in operating room management, 2021
 Retrospective analyses using problem lists, 2021
 Medical student evaluations reliably, 2021
 Small procedures performed before patient enters operating room, 2021
 Bernoulli CUSUM of CRNA work habit evaluations, 2021
 Cardiac surgery anesthesia and surgical times, 2021
 Intravenous catheter research studies, 2021
 Chronic pain clinic quality and workflow defects, 2021
 Reducing obstetrical hemorrhage quality improvement, 2021
 Anesthesia department's hospital metrics, 2021
 Faculty breaks to trainees and critical anesthesia periods, 2021
 Lack of effect of anesthesiologist and anesthesia provider on operating room times, 2021
 Chronic pain clinic facility location determination, 2021
 Measuring group faculty productivity, 2021
 Pediatric MRI case scheduling, 2021
 Interpretation of faculty evaluation CUSUM daily analysis, 2021
 Design of obstetrical clinical trial using postoperative analgesia consumption as endpoint, 2021
 CRNA:anesthesiologist and Resident:anesthesiologist ratios by time of day, 2021
 Wrong side surgery studies, 2021
 First case start benchmark data, 2021
 Hemodynamic data recording in Epic, 2021
 Assigning departmental points for effort, 2021
 Interpretation of statistically significantly low odds ratios of supervision scores, 2021
 Implementation infection control processes, 2021
 Assessing validity of trainee simulation scoring, 2021
 Fellow physician evaluation of faculty, 2021
 Patient centered outcome observations for ECMO patients, 2021
 Patient centered outcome observations after spine surgery, 2021
 Hospital surgical infection control with ultraviolet disinfection industrial engineering, 2021
 Outcomes and economics of anesthesia practitioners for GI procedural sedation, 2021
 Operating room control desk displays and their communication value, 2022
 Resident selection of daily case assignments, 2022
 Faculty anesthesiologists working late frequency post-pandemic, 2022
 Retrospective cohort study autologous red blood cell transfusion in cardiac surgery, 2022
 Physician quality reporting, 2022
 Resident basic echocardiography training survey, 2022
 Obstetric workload at CRNA only Iowa hospitals, 2022
 Quality monitoring using electronic health record data, 2022
 Ongoing professional practice evaluation abbreviated reporting formats, 2022
 Interpreting nurse anesthetist work habit evaluations, 2022
 Surgeon block time quantification, 2022
 Faculty promotion reporting format, 2022
 Obesity and ambulatory surgery, 2022

Reporting resident evaluations of faculty, 2022
American Society of Anesthesiologists' Physical Status assignment and feedback, 2022
Studies of operating room team culture and outcomes, 2022
Risk Stratification Index for University of Iowa patients, 2022
Sample size pain regional anesthesia clinical trial, 2022
Hypotension in phase I PACU, 2022
Summary of anesthesia productivity quantification, 2022
Anesthesiologists giving breaks, 2022
Emotional exhaustion and relief decisions, 2022
Algorithms for random-effect meta-analyses of relative risk, 2023
Sample size for two group proportion comparisons with imprecise prior knowledge, 2023
Ongoing professional practice evaluation automation, 2023
Interpretation of supervision evaluation scores, 2023
Sample size studies evaluating peripheral neuropathy, 2023
Cesarean deliveries among hospitals in Iowa, 2023
Ambulatory surgery center randomized clinical trial design, 2023
Changes over decade in incidence prolonged times to tracheal extubation, 2023
Personnel at surgical time out, 2023
Trainee evaluations of faculty rationale and summary, 2023
Sample size design for clinical trial of interscalene block, 2023
Interpretation faculty evaluation comments, 2023
Ultraviolet-C disinfection scheduling and use in operating rooms, 2023
Statistical analyses of lidocaine concentrations, 2023
Amisulpride study design, 2023
Supervision scale attributes being evaluated, 2023
Propensity score analysis of hypotension, 2023
Measuring postoperative pulmonary adverse events, 2023
Evaluation of the quality of intraoperative teaching, 2023
Total oral morphine equivalents as primary endpoint for randomized trial, 2023
Ongoing professional practice evaluation and annual faculty evaluations, 2023
Reporting in situ simulation results experiences, 2023
Standardized differences for proportions, 2023
CUSUM monitoring of faculty, 2023
Resident evaluation completion, 2023
Principles of work habits evaluation, 2023
Budgeting cost of interim analysis of randomized trial, 2023
Absence of invitation to evaluate supervision after each operating room workday, 2023
Interpretation of resident comments about quality of supervision, 2023
Faculty anesthesiologist and CRNA interactions per year, 2023
CRNA evaluation of faculty anesthesiologists, 2023
Resident teaching evaluations reports to individual faculty, 2023
Physical construction phase I PACU, 2023
Associations between patient race and initial treatment recommendations, 2023
Equity and work hours with relief of anesthesiologists, 2023
ACGME clinician educator milestones and evaluation anesthesiologists' supervision quality, 2023
ICU faculty supervision scores, 2023
Frequency of ongoing professional practice evaluations, 2023
Clinician educator milestone implementation analytics, 2023
Interpretation of small sample size faculty evaluations, 2023
Analysis of ratios of two procedural duration distributions, 2023
Interpretation of odds ratio of supervision scores, 2023
Increasing supervision scores, 2024
Supervision scores with low response rates, 2024
Critical care research program planning, 2024
Cerebral oximetry sample size design, 2024

Rocuronium and sugammadex use monitoring, 2024
 Including social factors and insurance when modeling readmission, 2024
 Initial design of corneal abrasion retrospective chart review, 2024
 ECMO outcome prediction, 2024
 Pediatric hospital infection prevention, 2024
 Frequency of measurements affecting maximum observed, 2024
 Quality improvement study design to decrease low frequency adverse event, 2024
 First case start analyses, 2024
 Abbreviated ongoing professional practice evaluation report, 2024
 Automation to increase anesthesiologists' productivity when moving among facilities, 2024
 Didactic teaching evaluation, 2024
 Counts of glucose checks and interpretation of maximums, 2024
 Ultraviolet UV-C disinfection in the surgical intensive care unit, 2024
 Information content of personnel evaluations, 2024
 Anesthesiologists as managers nationwide, 2024
 Anonymous versus confidential evaluations, 2024
 Postoperative versus preoperative opioid use, 2024
 Correct interpretation of odds ratios, 2024
 Umbrella IRB and determinations not human subject research, 2024
 Suitability of different surgical suites assessed automatically from clinical data, 2024
 Earlier studies of early extubation after pediatric cardiac surgery, 2024
 Interpretation of ongoing professional practice evaluation reports, 2024
 Infection prevention outcome data, 2025
 "AI" for analyses of anesthesiologists, 2025
 Valid interpretation of odds ratios and confidence intervals from mixed effects regression, 2025
 Randomized trials of clinical policies, 2025
 Contribution margin per OR hour and by surgeon, 2025
 Interpreting meta-analysis of regional anesthetic block, 2025
 Times last patients of day discharged from post-anesthesia care units, 2025
 Unexpected inpatient surgery ICU admissions, 2025
 Timeliness of anesthesia assignment, 2025
 PACU events and neuromuscular blockade, 2025
 Postoperative morphine use and pain scores, 2025
 Processed EEG use and data sources, 2025
 Bernoulli power analysis using prior estimate, 2025
 Sample sizes coronary artery bypass graft cases, 2025
 University conflict of interest policy anesthesia example and applications, 2025
 Incorporating variability in case durations in operating room time estimates, 2025
 Annual performance evaluation forms, 2025
 Boarding and hospital overall patient throughput, 2025
 Interpretation of reviewer versus reviews when quantifying professional production, 2025
 Sample size design from medians and confidence intervals, 2025
 Study design for regional anesthesia trial, 2025
 Operating room infection prevention with environmental services, 2026
 Analyses of pre-post educational surveys, 2026
 Quality categorization and quantification for breakthrough pain, 2026

III h. Invited lectures – total of 199

Boston Children's Hospital, Harvard University, 1995, "Cerebral oxygenation during hypothermic cardiopulmonary bypass"
 University of Washington, 1996, "Cost analyses in anesthesia" and "How can we safely decrease costs of anesthesia? A review of scientific studies."
 Columbia University, 1996, "How can we safely decrease costs of anesthesia?" and "Cerebral oxygenation during profoundly hypothermic cardiopulmonary bypass"

American Society of Extracorporeal Technology, 1996, "Cost savings from eliminating adverse outcomes from high-, but neither low- nor moderate- risk, surgical operations"

Duke University, 1996, "How can we safely decrease costs of anesthesia? A review of scientific studies" and "Cerebral oxygenation during profoundly hypothermic cardiopulmonary bypass"

University of Nebraska, 1997, "Cerebral oxygenation during hypothermic CPB" and "Cost analysis for anesthesia"

Stanford University, 1997, "The Iowa Satisfaction with Anesthesia Scale" and "Cost research at the University of Iowa"

Children's Hospital of the University of Pennsylvania, 1997, "Cerebral oxygenation during cardiopulmonary bypass" and "How can we safely decrease costs of anesthesia?"

University of Alabama at Birmingham, 1997, "Perioperative health services research"

Henry Ford Health System, 1997, "Costs saving in anesthesia" and "Operating room operations research"

Iowa PeriAnesthesia Nursing Update, 1998, American Society of PeriAnesthesia Nursing Iowa Chapter, "PACU economics"

Case Western Reserve University, 1998, "Cerebral oxygenation during hypothermic cardiopulmonary bypass"

Cleveland Clinic Foundation, 1998, "Statistical analysis of surgical services information systems to optimize operating room utilization"

Association of Anesthesia Clinical Directors, 1998, "Analysis of scheduling strategies to maximize operating room utilization"

University of Iowa, Applied Mathematical and Computational Sciences, 1998, "Computer simulation to determine how new anesthetic drugs and monitors can impact staffing."

Washington University, 1999, "How should patients be scheduled to maximize operating room utilization?"

Stanford Perioperative Management Conference, 1999, "New strategies for maximizing anesthesia department reimbursement"

Association of Anesthesia Clinical Directors, 1999, "Operating room scheduling strategies to maximize operating room utilization"

Presbyterian Healthcare Services, Albuquerque, NM, 1999, "OR Management"

New Mexico Society of Anesthesiologists, 1999, "Can new anesthetic drugs and monitors for ambulatory surgery decrease costs?"

Organon, Inc., symposium at PostGraduate Assembly in Anesthesia, 1999, "Regaining control of the OR"

Stanford University, 1999, "Future research in OR management"

Association of Anesthesia Clinical Directors, 2000, "Patient scheduling to minimize operating room costs"

OR Business Management Conference, 2000, "Operating room scheduling algorithms"

Society for Ambulatory Anesthesia, 2000, "Cost containment advantages of various operating room scheduling paradigms"

Iowa Association of Nurse Anesthetists, 2000, "Principles in purchasing operating room information systems"

Southern Medical Association, 2000, "Efficient operating room scheduling – why patient scheduling matters financially"

Society for Technology in Anesthesia, 2001, "Why you should buy an operating room information system & analyze the stored data in it"

Fuqua School of Business, Duke University, 2001, "OR in the OR: management science in the surgical suite"

American Association of Clinical Directors, 2001, "Operating room scheduling – what system is right for your surgical suite?"

Johns Hopkins, Department of Anesthesiology and Critical Care Medicine, 2001, "Progress in OR management"

Frontiers in Quantitative Biosciences Seminar, University of Iowa, 2001, "Biomathematics applied to operating room management"

Jefferson Medical College, 2001, "Operating room management decision making: one by one"

Philadelphia Society of Anesthesiologists, 2001, "Progress in the economics of perioperative practice"

University of Iowa, Department of Pathology, 2001, "Advances in Planning Staffing for Medical & Surgical Procedures (e.g., phlebotomy)"

Iowa Society of Anesthesiologists, 2001, "How to staff a surgical suite to maximize OR efficiency and the anesthesia group's profitability"

CompuRecord™ Users Group Meeting Invited Speaker, 2001, "Using anesthesia information system data for assessing anesthesia & OR nursing staffing productivity"

American Society of Anesthesiologist's Refresher Course, 2001, "Cost implications of various operating room scheduling strategies"

Operating Room of the Future Strategy Forum member, 2001, Telemedicine and Advanced Technology Research Center, U.S. Army Medical Research and Materiel Command

PostGraduate Assembly in Anesthesia, 2001, "Getting the most [financially] out of your information system"

University of Miami, Department of Anesthesiology, 2002, "Advances in the science of operating room management"

American Association of Clinical Directors, 2002, "Allocating OR time and scheduling cases at surgical suites that have open hours" and "...with fixed hours"

Vanderbilt University, Department of Anesthesiology, 2002, "Allocating OR time and scheduling cases to maximize OR efficiency"

VHA Upper Midwest, Joint Meeting of Materials Managers and OR Leaders, 2002, "New techniques in OR allocation and staffing"

American Society of Anesthesiologist's Refresher Course, 2002, "Allocating operating room time & scheduling surgical cases at US hospitals"

Society for Technology in Anesthesia, 2002, "The value of using electronic anesthesia information systems for operating room management"

Cornell University, Department of Policy Analysis and Management, 2002, "Operating room utilization"

State University of New York at Stony Brook, Department of Anesthesiology, 2003, "Understanding hospital and anesthesia group decision-making"

Upstate Medical University, Department of Anesthesiology, 2003, "OR management decision-making to maximize OR efficiency"

Mayo Clinic Refresher Symposium on Anesthesia and Perioperative Medicine, 2003, "How (really) to allocate OR time and schedule cases to maximize OR efficiency"

American Association of Clinical Directors, 2003, "Combining OR information system and hospital financial data for strategic decision-making"

University of Iowa, Department of Pediatrics, 2003, "Where infants, young children, and the very old undergo operative procedures in the State of Iowa"

Florida Society of Anesthesiologists' Annual Meeting, 2003, "How to use the data we collect to increase anesthesia group productivity"

VHA, Efficient medication use program: targeting medication costs in the perioperative environment, 2003, "Why focus on the perioperative environment?"

Beth Israel Deaconess Medical Center, Department of Anesthesia, 2003, "Linking economics of anesthesia and surgery with OR efficiency for good decision making"

Queen's University, Ontario, Department of Anaesthesiology, 2003, "Decision-making based on OR efficiency" and "Anesthetic drug costs"

American Society of Anesthesiologist's Refresher Course, 2003, "Allocating operating room time & scheduling surgical cases to maximize OR efficiency"

American Society of Anesthesiologist's Clinical Forum on Practice Management, 2003

Catholic University of Leuven, Belgium, 18th International Winter Anesthesiology Symposium, 2004, "Maximizing OR efficiency to reduce anesthesia costs"

Society for Technology in Anesthesia, 2004, "OR workflow and productivity: myths and goals"

American Association of Clinical Directors, 2004, "OR allocation and case scheduling" and "Strategic decision-making"

World Congress of Anaesthesia, Paris, 2004, "Valuing healthcare – quantifying costs and quality"

OR Business Manager Conference, 2004, "Modeling and personalities - Excel versus politics in strategic decision making" and "OR efficiency for staffing"

California Society of Anesthesiologists, 2004, Organizing "Practice management workshop," and teaching "OR allocation, case scheduling, and anesthesia staffing"

Ambulatory Surgery Centers conference, 2004, "Increasing profitability at ambulatory surgery centers"

Medical College of Georgia, 2004, "Making OR management decisions based on OR efficiency"

PanArab Conference of Anesthesia, Beirut, 2004, "OR staffing to increase OR efficiency" and "Perioperative tactical decision making for capacity expansion"

Saint Louis University, 2004, "Anesthesia drug costs"

VHA, CEO Workgroup – OR Task Force, 2004, "OR operational efficiency"

VHA Michigan OR Roundtable, 2004, "Increasing reimbursement relative to costs by selectively expanding surgical capacity"

American Association of Clinical Directors, 2005, "Allocation using OR efficiency for operational decisions" and "Allocation using contribution margin for tactical decisions"

Louisiana Association of Nurse Anesthetists, 2005, "Decision making on the day of surgery" and "CRNA Afternoon Staffing"

California Society of Anesthesiologists, 2005, "Management decisions using automated anesthesia record keepers"

Euroanaesthesia Congress, Vienna, 2005, "Scheduling surgical lists with anesthesia information management systems"

Children's Hospital Boston, 2005, "Summary of science of operating room management"

Stanford University, 2005, "Why and how OR management decisions can be made systematically based on OR efficiency"

Johns Hopkins University, 2005, "Anesthesia pharmacoeconomics"

VHA, Transformation of the OR, 2005, "Increasing flow of surgical patients to improve financial performance"

Brigham & Women's Hospital, Harvard, 2005, "Economics of reducing turnover times in the USA" and "Service-specific staffing and decision-making based on OR efficiency"

Child Health Corporation of America, Operating Room Directors Forum, 2005, "Determinants of staffing" and "Making good tactical (1 yr) financial decisions"

University of Texas MD Anderson, 2006, "Operating room scheduling and decision making on the day of surgery"

IFAC Symposium on Innovative Engineering Techniques in Healthcare Delivery, Saint-Etienne, France, 2006, "OR efficiency for staffing and scheduling before and on the day of surgery"

University of Miami School of Business, 2006, "How to make patient flow decisions in hospitals based on ordered priorities" and "Economics of reducing turnover times"

University Hospital of Basel, Switzerland, 26th Myron B. Laver International Postgraduate Course, 2006, "Tactical OR planning should not be based on utilization when resources are limited" and "Tactical OR planning: if it is incentive driven, use highly targeted incentives"

Detroit Receiving Hospital, Wayne State University, 2006, "Economics of turnover time reduction" and "Running ORs on afternoons, evenings, and weekends"

University of North Texas, 2006, "Healthcare cost reduction from small reductions in time"

American College of Surgeons, 2006, "The economics of operating room efficiency"

VHA Northeast Perioperative Network, 2007, "Making decisions on the day of surgery to increase OR efficiency" and "Matching staffing to workload to increase OR efficiency"

Asociación de Anestesia Analgesia y Reanimación de Buenos Aires, 2007, "Making management decisions on the day of surgery to increase OR efficiency" and "Matching staffing to workload and scheduling cases to increase OR efficiency"

Society for Ambulatory Anesthesia, 2007, "Is ambulatory surgery really cheaper"

International Anesthesia Research Society Panel on OR management, 2007, "Science of turnover times - the brief summary"

Association of University Anesthesiologists, 2007, "Entrepreneurial strength as a goal of an academic department – Operational consulting"

International Conference on Industrial Engineering and Systems Management, Beijing, 2007, One day workshop on OR management analysis

Massachusetts General Hospital, 2007, "Running the OR desk: an interactive session"

American Society of Anesthesiologists, 2007, "Do patients care about satisfaction with anesthesia or perioperative experience?" and "Does reducing PACU time reduce costs?"

EURO Working Group on OR Applied to Health Services, Saint-Etienne, France, 2007, "Making tactical (budget/financial) decisions for outpatient and inpatient surgery"

University of Cincinnati, Innovations in Healthcare Delivery 2007, "Targeted increases in patient flow – Lessons from operating room management"

Society for Technology in Anesthesia, 2008, "Improving productivity using anesthesia information management systems"

Syracuse University, College of Engineering, 2008, "Engineering (anesthesia & surgical) healthcare delivery"

Stanford University, School of Business, Operations, Information & Technology, 2008, "Empirical analyses to quantify reductions in cost from reducing non-value added time in ORs"

Society for Pediatric Anesthesia, 2008, "Turnover times for pediatric anesthesia"

Kansas State University, Industrial & Manufacturing Systems Engineering, 2008, "IE in healthcare: Lessons from studies of reducing setup/cleanup times in ORs"

University of Medicine and Dentistry of New Jersey, Anesthesiology, 2008, "Systems-based practice" and "Learning principles of OR management from studies of turnover times"

North Carolina State University, Industrial & Systems Engineering, 2008, "Multilevel statistical modeling and empirical rescheduling of jobs of stochastic durations to study strategies that could have reduced mean tardiness from due dates while satisfying unknown constraints"

International Conference on Productivity and Quality Research, University of Oulu, Finland, 2008, "Lessons from operating room management about when and how reducing setup and cleanup times can increase productivity" and "Seminar on OR Productivity"

Queen's University, Department of Mathematics and Statistics, 2008, "Statistical analyses of operating room turnover times"

Georgia Society of Anesthesiologists, 2008, "Principles of anesthesia institutional support" and "Economics of turnover time reduction"

Upstate Medical University, 2008, "Evidence-based management of turnover times"

Wisconsin Society of Anesthesiologists, 2008, "Why understanding turnover times matters" and "Running the OR desk to increase efficiency"

Mayo Clinic Conference on Systems Engineering and Operations Research, 2008, "Empirical assessment of strategies to reduce patient and surgeon waiting from scheduled start times"

Society for Education in Anesthesia, 2008, "Research in education: getting published"

Medical College of Wisconsin, 2008, "Understanding OR management of turnovers" and "Understanding OR management on the day of surgery"

Texas Tech University, 2008, "Learning about OR efficiency from turnover times"

Cleveland Clinic, 2009, "Turnover times" and "Decision making on the day of surgery"

Veterans Administration, National Surgical Flow Meeting, 2009, "Talk on turnover times to understand some end points to monitor"

University of Pittsburgh, 2009, "Measuring, assessing and monitoring OR effectiveness - focus on turnovers"

Fields Institute for Research in Mathematical Sciences, Toronto, 2009, "Big open (IE) problems in operating room management"

New York University, 2009, "Economics of turnover time reduction"

Beth Israel Deaconess, 2009, "Anesthesia drug costs" and "Understanding surgical growth opportunities through turnover times"

Oregon Health & Science University, 2009, "Problem based learning discussion: Planning OR time for orthopedic surgery at a 12 OR hospital" and "We can learn a lot from a turnover – progress in OR economics"

International Anesthesia Research Society, 2010, "What I have learned from performing departmental consultations"

International Conference on Systems Analysis Tools for Health Care Delivery, 2010, "Frequent lack of value of reducing non-value added time between surgical cases"

Roswell Park Cancer Institute, 2010, "Impact of turnover time reduction on operating room efficiency and profit"

University of Virginia, 2010, "Turnover times and first case starts" and "Anesthesia pharmacoeconomics"

Toronto Western Hospital, 2010, "Influence of time on anesthesia pharmacoeconomics"

Veterans Affairs Anesthesia Chiefs Meeting, 2010, "OR Efficiency, turnover times, first case starts, and cancellations" and "OR management statistical analyses for VA hospitals"

Networks in Anaesthesiology, Athens, 2011, "Best practices in OR efficiency"

University of Southern California, Industrial and Systems Engineering, 2011, "Value of small changes in operating room workflow"

University of Miami, 2011, "Old knowledge and new advances in anesthesia pharmacoeconomics: Working 'like it's 1999'"

Georgia Institute of Technology Industrial and Systems Engineering, 2011, "Impact of anesthesia groups on OR efficiency" and "Turnover times and newsvendor problem in OR management"

International Anesthesia Research Society, 2011, "Decisions at control desk to facilitate OR work flow"

Mayo Clinic Health Care Operations Research/Systems Engineering Symposium, 2011, "Active learning: Decision-making on the day of surgery"

Wayne State University Industrial and Systems Engineering, 2011, "IE for operating room management: Sensitivity of benefit of lean methods to preceding staffing decisions and psychological biases" and "Allocating operating room time"

International Society for Anaesthetic Pharmacology, 2011, "Economic challenges to the application of pharmacogenetics in anesthesia"

American Society of Anesthesiologists' Practice Management Conference, 2012, "Operating room staffing"

Society for Health Systems (Institute of Industrial Engineers), 2012, "Lessons from turnover times – The importance of domain specific scientific knowledge"

Georgia Institute of Technology, 2012, "Newsvendor, behavior, and the importance of anesthesia agreements (contracts)"

Albert Einstein College of Medicine, Montefiore Medical Center, 2012, "Operating room scheduling"

University of Miami, 2012, "Turnover times – BIG scientific progress since 2006"

Vanderbilt University, 2012, "Analyzing management data, a run-through of five papers"

SAMSI, Statistical and Applied Mathematical Sciences Institute, 2012, "Anesthesia operations research projects (questions)"

University of Geneva, 2013, "OR capacity planning based on monthly forecasts of workload"

City of Hope National Medical Center, 2013, "Decision-making 0 to 2 working days before surgery to reduce over-utilized time"

University of California, Irvine, 2014, "Anesthesia drug costs – A model for choosing wisely" and "Operations management of the Preoperative Assessment Clinic"

Northwestern University, 2014, "Turnover times as model for understanding how to increase efficiency of use of operating room time"

Anesthesia Patient Safety Foundation, 2014, "Preoperative evaluation findings from the 2014 study"

Weill Cornell Medical College, 2014, "Clinical and observational studies related to management of anesthesia preoperative evaluation clinics"

EmCare's Annual North Division Leadership Conference, 2014, "The economics of reducing turnover time"

Society for Technology in Anesthesia, 2015, "Using technologies to help clinicians comply with best evidence/ best practices"

Stony Brook University, 2015, "Brief reductions in turnover times and late first case starts"

International Anesthesia Research Society, 2015, "Communication tools for the decision maker"

Iowa Society of Anesthesiologists, 2015, "Basic principles in making decisions on the day of surgery" and "Running the preoperative evaluation clinic"

EmCare's Annual Leadership Conference, 2015, "Making managerial decisions on the day of surgery"

Anesthesia Quality Institute Anesthesia Data Conference, 2015, "*Anesthesia & Analgesia* Statistical reviews of large observational data studies"

The Hospital for Sick Children, University of Toronto, 2015, "The (operating room management) science of (non-surgical) time reductions"

Mayo Clinic Delivery Science Summit, 2015, "How can we design educational programs to advance health systems engineering?"

Sociedade Portuguesa de Anestesiologia, Lisbon, 2015, "OR costs: Anesthesiologists as part of the solution"

American Society of Anesthesiologists, 2015, "Psychometrics 101: Why the aspiring educator scientist needs to understand its role"

Johns Hopkins, Department of Civil Engineering, 2016, "Labor cost accounting for small differences in operating room time such as from lean methods"

23rd Annual Course in Anesthesia, Fundación Universitaria Sanitas, Bogotá, 2016, "Decision-making on the day of surgery"

Christiana Care Health System Value Institute, 2016, "Labor cost accounting for small differences in operating room time such as from lean methods"

University of Utah, 2016, "It takes a course for trust and benefit in the top lessons learned from OR Management research" and "Using local hospital OR data to make good turnover time decisions"

Clemson University, 2016, "Using technology to help anesthesiologists with managerial decisions"

American Society of Anesthesiologists, 2016, "Improving first-case of the day on-time starts CAN increase operating room efficiency"

41st Annual Northwestern Vascular Symposium, 2016, "Improving operating room efficiency"

New York Postgraduate Assembly in Anesthesiology, Anesthesia Patient Safety Foundation, 2016, "Wasteful cognitive biases for turnover time and anesthesia time reduction"

University of Missouri - Kansas City, 2017, "Anesthesia drug costs – implications for day to day decision-making"

University of Rochester, 2017, "Influence of faculty anesthesiologists' specialization on quality of resident supervision" and "Operational decision-making on the day of surgery"

University of Pittsburgh, 2017, "Evaluating quality of anesthesiologists' supervision"

Sociedade de Anestesiologia do Estado de São Paulo COPA 2017, "Perioperative evaluation clinics – patient perspective and impact," "Perioperative evaluation clinic – scheduling the clinic," and "Supervising anesthesia residents"

Massachusetts General Hospital, 2017, "Decision-making on the day of surgery"

International Anesthesia Research Society, 2017, "Implementing operating room management improvement"

Harvard Anesthesiology Update, 2017, "5 myths about OR efficiency: case durations, turnover times, OR allocations" and "... faster durations, block times, diversity of practice"

University of California, Irvine, 2017, "Reducing turnover times to increase OR efficiency and finish an extra case"

American Society of Anesthesiologists, 2017, "Improving first-case of the day on-time starts CAN increase operating room efficiency"

Henry Ford Health System, 2017, "Readmissions as endpoint for Perioperative Surgical Home" and "Exercises for decision-making on the day of surgery"

University of Florida, 2018, "Managing the anesthesia preoperative evaluation clinic"

University of Kansas Health System, 2018, "Decision-making on the day of surgery" and "Economics of reducing turnover times"

Society for Pediatric Anesthesia, 2018, "Economics of anesthetics: how to reduce costs in the operating room"

Iowa Hospital Association, 2018, "Forecasting and understanding changes in surgical caseloads"

American Society of Anesthesiologists, 2018, "Improving first-case of the day on-time starts CAN increase operating room efficiency"

American Society of Anesthesiologists, 2020, “Nuts and bolts of OR management: myths and importance of course to learn the science”

Latin American Confederation of Societies of Anesthesiologists, 2020, “Daily OR management for elective surgery during COVID-19 pandemic”

University of California Davis, 2020, “Managing the anesthesia preoperative evaluation clinic”

Pre-Health Shadowing, 2021, “What I do and how I got there”

University of Virginia, 2021, “Operating room case scheduling and staff assignment the day before surgery”

North American Center for Continuing Medical Education, 2021, “The effect of improving basic preventive measures in the perioperative arena on *Staphylococcus aureus* transmission and surgical site infections”

D4Z Healthcare Summit, 2021, “Monitoring the patient environment: *Staphylococcus aureus* transmission and surgical site infections”

University of Iowa Pre-Health Conference, 2022, “Quantitative biosciences panel,” organizer and presenter

3M Healthcare Academy, 2022, “Innovative approach to reduce surgical site infections: anesthesia departments’ role!”

3M Healthcare Academy, 2022, “Innovative approaches to reduce surgical site infections and anesthesia department roles”

Lahey Hospital, Department of Anesthesiology, 2022, “Decision-making on the day before and the day of surgery”

European Health Management Association and Lean Health Portugal, 2023, “Benefits of more accurate case duration predictions”

USC Keck School of Medicine Anesthesiology, 2024, “Increasing OR efficiency by reducing turnover, anesthesia, and surgical times”

Beth Israel Deaconess Medical Center, 2024, “Principles of planning operating room time” and “Thirteen Day of surgery decisions to be made”

University of Alabama Birmingham, 2025, “Evaluating anesthesiologists’ daily supervision but (unfortunately) not their contribution to collaborative practice”

Canadian Society of Anesthesiologists, 2025, “Making fraud more difficult and reproducibility more likely”

Kansas University, 2025, “Estimating case durations before the day of surgery (Choosing the room in which case is scheduled)”

American Society of Anesthesiologists, 2025, “ICU and non-ICU admission after ambulatory surgery: non-quality care?”

SickKids Pediatric Anesthesia Conference, 2025, “Validity and reliability of daily evaluations of US nurse anesthetists with work habit scale – application to Canadian anesthesia assistants”

IVa. Editorial responsibilities

Studies performed to improve the reporting of statistical data and methods in anesthesia journals: #208, #228, #402, #424, #425, #429, #455, #456, and #457, above. Associated Editorials including analyses are #652, #660, and #671.

Associate Editor, *Journal of Clinical Anesthesia*

Associate Editor (Statistics), *Canadian Journal of Anesthesia*

Editorial board member, *Perioperative Care & Operating Room Management*

Manuscripts reviewed or handled as editor (total 8549)

2001	37	2007	176	2013	901	2019	137	2025	300
2002	34	2008	257	2014	1105	2020	198	2026	19 (so far)
2003	40	2009	225	2015	1055	2021	210		
2004	36	2010	410	2016	449	2022	213		
2005	36	2011	794	2017	142	2023	241		
2006	118	2012	858	2018	163	2024	269		

100% reviews completed within 1 week over the past 11 years, 2015 through 2025

128 journals for which I reviewed articles over the past 5 years, 2021 through 2025

A&A Practice
 Advances in Clinical and Experimental Medicine
 AIMS Medical Science
 American Journal of Infection Control
 Anesthesia & Analgesia
 Anesthesiology
 Anesthesiology and Perioperative Science
 Anesthesiology Research and Practice
 Annals of Medicine and Surgery
 Annals of Operations Research Annals of Surgery
 AORN Journal
 Applied Clinical Informatics
 Bioengineering
 BioMed Research International
 Biotechnology & Biotechnological Equipment
 BJA Education
 BJA Open
 BMC Anesthesiology
 BMC Health Services Research
 BMC Medical Informatics and Decision Making
 BMC Medical Research Methodology
 BMC Musculoskeletal Disorders
 BMC Public Health
 BMC Surgery
 BMJ Open
 BMJ Quality & Safety
 Brazilian Journal of Anesthesiology
 British Journal of Anaesthesia
 Canadian Journal of Anesthesia
 Computer Methods and Programs in Biomedicine
 Computers & Industrial Engineering
 Computers & Operations Research
 Cureus
 Current Problems in Surgery
 Digital Health
 Discover Health Systems
 Epidemiology & Infection
 European Journal of Investigation in Health, Psychology and Education
 F1000
 Flexible Services and Manufacturing Journal
 Frontiers in Public Health

Future Science OA
Healthcare
Health Affairs
Health Care Management Review
Health Care Management Science
Health Science Reports
Health Services Insights
Health Systems
Heliyon
IEEE Transactions of Medical Robotics and Bionics
IEEE Transactions on Automation Science and Engineering
IIEE Transactions on Healthcare Systems Engineering
Infection Control and Hospital Epidemiology
Infection Prevention in Practice
Informatics in Medicine Unlocked
INFORMS Journal on Applied Analytics
INFORMS Transactions on Education
International Journal for Quality in Health Care
International Journal of Computer Aided Engineering and Technology
International Journal of General Medicine
International Journal of Healthcare Technology and Management
International Journal of Health Planning and Management
International Journal of Nursing and Health Care Research
International Journal of Nursing Studies
International Journal of Obstetric Anesthesia
International Journal of Occupational Safety and Ergonomics
International Journal of Operations and Production Management
International Journal of Production Research
International Journal of Qualitative Studies in Health & Well-being
International Journal of Surgery
JAMA (the Journal of the American Medical Association)
JAMA Network Open
JMIR Dermatology
JMIR Perioperative Medicine Journal of Clinical Anesthesia
Journal of Clinical Medicine
Journal of Clinical Monitoring and Computing
Journal of Evidence-Based Medicine
Journal of Healthcare Engineering
Journal of Hospital Infection
Journal of Hospital Management and Health Policy
Journal of Investigative Surgery
Journal of Medical Artificial Intelligence
Journal of Medical Education and Curricular Development
Journal of Medical Systems
Journal of Nursing Management
Journal of Operations Management
Journal of Oral and Maxillofacial Anesthesia
Journal of Orthopaedic Surgery and Research
Journal of PeriAnesthesia Nursing
Journal of Personalized Medicine
Journal of Rural Health
Life
Malawi Medical Journal
Management Science
Manufacturing and Service Operations Management

Mathematical Population Sciences
Mathematical Problems in Engineering
Medical Devices: Evidence and Research
Methods of Information in Medicine
Minerva Psychiatry
Nursing Open
Nursing Reports
Open Access Surgery
Pain Practice
Pain Research and Management
Patient Education and Counseling
Peer J
Perioperative Care & Operating Room Management
PLOS Global Public Health
PLOS ONE
Production and Operations Management
Regional Anesthesia & Pain Medicine
Reproductive, Female and Child Health
Research Ideas and Outcomes
Researchers' Journal of Internal Medicine
SAGE Open Medicine
Scandinavian Journal of Gastroenterology
Scientifica
Scientific Reports
Sensors
Surgery in Practice and Science
The Joint Commission Journal on Quality and Patient Safety
The Journal of Pain
The Lancet Microbe
The Surgical Journal
Transfusion Medicine
Women's Health

IVb. Collegiate, university, and national committees and activities

Undergraduate Curriculum Committee, Biology and Medicine, Brown University, 1982 – 1985
Faculty Council, School of Medicine, Case Western Reserve University, 1985 – 1988
Chairman Alpha Omega Alpha Fall Lecture Committee, Case Western Reserve University, 1990
Respiratory Therapy Subcommittee, University of Iowa Hospitals and Clinics, 1992 – 1993
Department of Anesthesia Quality Assurance Committee, University of Iowa, 1994 – 1996
Department of Anesthesia Research Advisory Committee, University of Iowa, 1996 – 1997
Process Improvement Grant program evaluation committee, 1999
University of Iowa Hospitals and Clinics
Research Committee, College of Medicine, University of Iowa, 1997 – 2000
Consultant to Anesthesiology and Respiratory Therapy Devices Panel, 1997 – 2000
Medical Devices Advisory Committee, Food and Drug Administration
Treasurer, Health Applications Section, 2001 – 2002
Institute for Operations Research and the Management Sciences (INFORMS)

Medication Errors committee, Anesthesia Patient Safety Foundation, 2010
Ad Hoc Committee on Anesthesiology Value, American Society of Anesthesiologists, 2010-2011
Patient and Peer Surveys Workgroup, American Board of Anesthesiology, 2011
Systematic Research Group, European Society of Critical Care Medicine, 2018-2020
Professional Development Committee, INFORMS, 2019-2021
Department of Anesthesia Consulting Group (Promotions), University of Iowa, 2018 - present
Department of Anesthesia, Strategic Planning Committee on Developing Research, 2019-2021
Research Review Committee, Department of Anesthesia, University of Iowa, 2021 - present
Faculty Development Workgroup, Department of Anesthesia, University of Iowa, 2024

V. Other Comments:

Wife's name: Elisabeth U. Dexter

Wife's occupation: General thoracic surgeon

Date of Birth: August 4, 1964

Citizenship: United States of America

Mobile phone: +1 (319) 621-6360

Email: Franklin-Dexter@UIowa.edu

Website: <https://FranklinDexter.net>

ORCID: <https://orcid.org/0000-0001-5897-2484>

Google scholar: <https://scholar.google.com/citations?user=AA8uIM0AAAAJ>

Web of Science ResearcherID: V-1495-2019

Scopus Author ID: 7102688236

My NCBI: <https://www.ncbi.nlm.nih.gov/myncbi/franklin.dexter.1/bibliography/public/>

LinkedIn: <https://www.linkedin.com/in/franklindexter>

NIH Biosketch Contributions to Science, each paper listed once or in successive sentences

1. Surgical case scheduling, case duration prediction, post-anesthesia care unit staffing, etc.

- Over 32 years, my research has provided new knowledge regarding determinants of post-anesthesia care unit (PACU) costs, optimal staffing to increase PACU productivity, and strategies to increase PACU throughput. Tracking all PACU costs, drugs and supplies were found to be small expenses compared to labor costs (#1). Using simulation, we showed that PACU labor costs are more closely related to the OR schedule than to PACU length of stay (#1). Methods were developed to measure phase I PACU nurse productivity (#8), and phase I care of patients in the phase II unit (#12). Calculations were developed to quantify the impact of administrative and medical delays on total PACU time to discharge and on PACU nurse labor costs (#51). These methods have since been applied in dozens of economic analyses for devices and drugs. Statistical methods were developed and validated for the expected (mean) time remaining in the PACU, conditional on the time so far, for use in clinical trials and observational studies of interventions applied >30 minutes after patient arrival (#323). The mechanism was discerned for the creation of log-normal distributions for the times until patients are ready for phase I PACU discharge (#376). Anesthetic drugs commonly used to achieve phase I PACU bypass were reviewed (#376). Simulations were developed for valuation of phase I PACU bypass as achieved with anesthesia drugs and monitors (#24). Statistical methods were developed and tested for accuracy to determine PACU nurse staffing and staff scheduling plans that minimize the frequency of delays from ORs into the phase I PACU (#49). Simulations were performed to determine months of data to use with these methods (#65). (To provide context, formulating the problem of choosing PACU staffing with an objective to minimize the proportion of days with delays from the ORs into the PACU was new, and these simulations for power analyses were performed 25 years ago). Subsequently, the PACU staffing models were improved to include differences among patients and facilities in patient acuity (#104); [click here](#). I organized a comprehensive review with international investigators, showing that when optimal PACU staffing is applied, the economic effects of other interventions on PACU productivity could be studied reproducibly (#88). For example, we showed that real-time forecasting of expected PACU occupancy from cases soon to finish and real-time managerial alerts cannot reduce delays from ORs into the PACU (#189). Although some PACU postpone updating staffing because they fill waiting for patients to be discharged to wards, this is irrational based on 13-year time series among all state of Florida hospitals showing no change in the median hospital discharge time being slightly after 3:00 PM (#411). These late in the day discharge times do not represent a failure, rather a success in discharging many patients a day earlier than previously (i.e., hospitals continue to succeed at reducing hospital lengths of stays) (#411). Entirely different methods of staffing calculations are suitable for choosing appropriate numbers of PACU transporters, which then can be applied to their queue management when more than one patient is waiting for transport (#409). The number of days of data needed for statistically powerful comparisons between workload options are too large for manual collection, such that hospitals not yet using the transport tracking capabilities in their electronic medical records for PACU transports will benefit from using them, even if only for the improved staffing decisions the data allows (#415). Revising case sequencing of each surgeon's list of cases can reduce PACU nurse labor costs for surgical suites with ORs having the same mean hours of cases (#98). However, from study of dozens of hospitals, most surgical suites have substantial standard deviation among ORs in workload (#110). The variation in workload among ORs is so large that case sequencing is an ineffective strategy to reduce PACU staffing (#110). That work was completed in 2007. Nine years later, I was asked to consider disaster planning (e.g., large reductions in PACU capacity from a pandemic with many PACU beds being used as ICU overflow). Discrete-event simulation showed that under such conditions sequencing surgical cases substantively reduces the peak PACU nursing requirements for the OR patients (#267). Simulations were performed promptly when the COVID-19 pandemic began (#311). The same benefit of case sequencing is obtained when patients will deliberately have initial recovery in the OR (e.g., first 15 minutes) (#311). A matheuristic (i.e., hybridization of

mathematical programming with metaheuristics) was developed to minimize cancellations for large surgical suites (#346).

- Allocated time is the hours into which cases are scheduled, also called service-specific staffing. Structural equation modeling and Monte-Carlo simulation showed that most of the variability in the hours that OR staff worked was caused by variability in the hours of elective cases scheduled among weekdays (#27). Studying the scheduling of add-on cases with online and offline bin packing, the addition of a fuzzy constraint to the allocated time is no different than increasing allocated hours (#31). Therefore, we performed time series modeling of workload, the total hours of cases, including calculation of upper prediction bounds of the workload (#32). Seasonal variation did not need to be added to these models (#45). We then performed the first study, worldwide, of a health system's incremental OR and anesthesia labor cost from OR time not having been allocated based on maximizing the efficiency of use of OR time (#53). We repeated that US analysis for a German hospital (#86). We performed statistical power analyses to learn how many months of historical data should best be used for allocating OR time (#60). We showed how to calculate OR allocations that maximize the efficiency of use of OR time constrained by the earlier budgetary decision by an OR committee for a specified numbers of first case starts (#62). We wrote comprehensive reviews (#84 engineering, #103 anesthesia, and #388 with calculation examples) about how to allocate OR time, with software posted online that I have maintained for 21 years: [click here](#). I developed an alternative approach for services with single ORs, an approach so simple that it can be implemented with a few columns of formulas in Excel or Google Sheets (#133). These models assume that OR time is allocated based on the forecasted workload (i.e., hours of OR time to care for the patients), not vice-versa. We showed validity of the assumption in a managerial epidemiology study using data from all 121 non-federal hospitals in Iowa, comparing anesthesiology versus surgical meetings as natural experiments (#269). We likewise showed validity studying all 712 facilities in Florida performing major therapeutic procedures over 10 years, comparing commercially versus Medicare insured cases in December as another natural experiment (#348). We adapted the mathematics to permit sequential adjustments to planned allocated time as more information about workload is available, closer to the day of surgery (#163). We showed that anesthesia residents' specialty rotations cannot reliably be assigned when their residents' monthly schedules are not based on these OR allocations (#146). We showed also that when the rotations are not based on the allocated time, the resulting resident staff assignments can considerably reduce nurse anesthetists' productivity (#327). We showed that allocating OR time based on maximizing the expected efficiency of use of OR time and then applying corresponding case scheduling benefits anesthesia departments by decreasing the hours that anesthesiologists and nurse anesthetists work late (#219), thereby reducing labor costs. From the probability distributions of the workload, upper prediction limits can be calculated accurately for the probability that exceeding the allocated times and for anesthetists to work late (#385). Furthermore, anesthesia departments provide greater net patient benefit from a societal perspective by assuring sufficient allocated OR time for surgeons than by reducing postoperative pain (#193). In another managerial epidemiology study, with all 3546 combinations of surgical facility and surgeons in Iowa over 2 years, except for the VA hospitals, growth in the numbers of cases was due principally to the surgeons performing only a few cases per week during the first year (i.e., growth depends on using this mathematics to provide sufficient allocated OR time by surgical service, it is not an issue of surgeon-specific block time) (#251). This result was not limited to the rural state of Iowa, being as the same finding was observed when studying all surgery in Florida (#343). Effective surgical governance committees assure low caseload surgeons have access to OR time.
- The most common error in OR management data are overlapping cases among listed ORs, meaning that 2 cases are recorded as having been in the same OR at the same time. We determined that these so-called "room errors" have negligible effects on OR allocations calculated based on maximizing the efficiency of use of OR time (#67). However, because these errors in listed ORs can affect other decisions (e.g., investment in strategies to reduce turnover times), we studied how to use vital sign signals to monitor OR occupancy (#94). When physiological signals are used, human data entry is not necessary. We showed that the resulting

displays are used for different decisions by OR nurses and anesthesiologists (#117). By applying use of vital signs to monitor OR occupancy throughout a surgical suite, OR room errors were essentially eliminated, decreasing from 4.1% to 0.1% (#121). The screening approach failed decades later, because screening had been applied by hospital, not by suite, and obstetrics rarely has more than one surgical case simultaneously (#408). However, using metadata providing physical locations of monitors transmitting pulse oximetry measurements and technicians' manual logs of replacement monitors, all actual ORs of the cases were determined (#408).

- Multiple OR management decisions made on the day of surgery and/or a few days before the day of surgery depend on predicting case durations. We performed the first study of the value of perfect (retrospective) knowledge of case durations in 2000, twice making decisions to move cases from one OR to another, once using the mean of historical OR times and then using the actual time known only afterwards (#43). There was negligible incremental value from reduction in overutilized time by having perfect knowledge of case duration (#43). The same result was obtained for the decision of the OR into which to schedule one additional (e.g., add-on) case (#83). People who do not know the science falsely misinterpret anesthesiologists working late as being caused by case duration prediction when it is caused by the allocation of OR time having been calculated poorly months beforehand. The value of case duration prediction is mostly for estimation of the longest time cases may take. We first showed how to use nonparametric methods to calculate prediction intervals for the longest time (90% chance) that cases may take (#5). Such techniques perform well for use when predicting the time for ultraviolet disinfection of an operating room before the next case (#340). However, for surgical times, narrower intervals can be obtained while maintaining 90% coverage by using the two-parameter log-normal, frequentist model (#19). Upper prediction bounds for case durations are useful not only to fill holes (gaps) in OR schedules but also to plan brief gaps between successive surgeons in the same OR on the same day (#48). Adding such time gaps between surgeons is very useful to reduce the mean tardiness of starts of the to-follow surgeon; the gap need not be longer when the to-follow surgeon is of a different specialty than the preceding surgeon (#271). The variability in case durations among cases of the same procedure contributes more to tardiness of starts of to-follow surgeons than does variability in travel time from clinics of the to-follow surgeon (#306). Comparing the longest times cases may take between cases in two ORs is useful for coordinating equipment or personnel. Showing that logarithmic transformation of the case durations makes this the Behrens-Fisher problem permitted implementation in software of accurate estimated probabilities (#35). However, these methods were limited by the fact that when modeling the time to complete a series of cases in an OR, often at least one case consists of a rare combination of surgeon and procedure (#23). Regardless of what robust statistical method was used, there was negligible improvement in the accuracy of for case duration prediction when pooling procedures among all surgeons who had performed a procedure(s) when the scheduling surgeon had not scheduled the procedure before (#33). The same finding was obtained when using the methods for predicting the times from the start of surgical closure until operating room exit (i.e., even for closure times, classify by procedure and surgeon combination) (#351). There was negligible reduction in the waiting times of to-follow surgeons simply by increasing sample sizes of historical cases ostensibly to improve the estimate of the mean case duration (#34). There also was substantial effect of the cases with few historical data on the mathematical algorithms to reduce surgeon tardiness (#350). A study of four large teaching hospitals showed that when a surgical procedure(s) was rare at one hospital (e.g., performed once per year), it usually also was rare at the other hospitals (#63). (To provide context, this was the first application of ecological statistical methods [e.g., study of rare species of birds] to OR management, a statistical strategy we have since used many times in the subsequent 25 years.) Not only are most surgical procedures rare at large teaching hospitals, that also applies nationwide at ambulatory surgery centers (#38). That study, published in 2000, was the first managerial epidemiology study in anesthesia. Many more procedures are rare when classified using ICD-10-PCS, because laterality is included; we developed an algorithm to adjust for laterality (#272). Rare procedures account for more than half all inpatient surgery statewide in Texas (#240), and more than 2/3rd of all hospital costs for inpatient surgery (#243). The implications for policymaking are profound (e.g., no

potential for price transparency for common procedures to reduce national perioperative healthcare costs meaningfully) (#243). Rare procedures have no greater proportional variability in OR times than common types of procedures (#141). However, the proportional variability is important because it differs among procedures and, when controlling for procedure, varies among services, and when controlling for service varies among hospitals (#141). One statistical consequence is that comparisons of case durations among groups with analysis of variance needs to use generalized pivotal methods (#161). Comparisons of multiple anesthesiologists or surgeons each to the grand mean of log-normally distributed endpoints should use generalized confidence intervals with Šidák adjustment for the multiple comparisons (#429). Another statistical consequence is that for logistic regression studies of perioperative morbidity, when case duration and/or procedure are included as independent variables, both need to be included (#162). A policy implication of most surgical procedures being rare and that proportional variabilities in OR times vary among hospitals and services is that even though hospitals have markedly different case durations (#105), it is not possible for insurers to provide price transparency for patients' anesthesia costs (#178). Whereas the hospital and surgical facility can estimate the proportional variability in OR and anesthesia times, insurers have incomplete data and so cannot do so accurately (#178). There is another challenge in case duration prediction, and that is bias in estimates of case durations (e.g., persistent underestimation, #96). Adjusting systematically for this bias markedly reduces the tardiness of starts experienced by patients and surgeons (#131 and #132). We then combined understanding of rare procedures, proportional variability in case durations, and bias in estimated durations to create a Bayesian method to estimate prediction bounds of OR times for all future surgical cases, even for cases with few or no historical data by procedure (#97). The addition of patient specific data to these estimated case durations generally would result in little substantive improvement in accuracy (#120). The methodology also is accurate for interventional radiology and diagnostic imaging procedures (#99). Substituting successive years of OR information system data into the Bayesian method provided further evidence of the benefit to reducing the tardiness of start times of to-follow surgeons by planning a brief gap between successive surgeons in the same OR on the same day (#270). The methodology shows too that there is lack of value to checking each surgical case's estimated duration automatically when surgeons schedule the case in order to reduce overutilized OR time (#109); instead, just apply the Bayesian method using whatever estimate of OR time is provided. The calculations also can be used to estimate the time remaining in late running cases (#125). A striking finding both mathematically and then verified empirically, when checked, is that there is a near constant mean time remaining in surgical cases exceeding their estimated duration (#125). This means that if the thoracoscopic lung lobectomy was estimated to have 3 hour OR time, and after 3 hours the surgeons have not started to close and the estimated time remaining is 1 hour, then 30 minutes later if they are still operating the estimated time remaining is approximately 1 hour – yes, that is correct. Electronic OR information system whiteboards in surgical suites lack face validity when these statistical methods are not used for estimating the times remaining in cases (#185). Good add-on case scheduling decisions to reduce overutilized time cannot be made without accurate estimation of the mean times remaining in ongoing cases (#185). Estimates of times remaining in cases are even more accurate when the initial estimated OR time is updated from information at the intraoperative time out (#142). Estimates of the time remaining in cases are supplemented substantially by including information about when milestones are satisfied (e.g., surgeon starting to close), because of properties of the log-normal distribution (#357). Estimation of the time remaining in cases is especially useful when turnover times are very long between cases (e.g., cleaning after patient of unknown COVID-19 status) (#304), because cases or teams can most easily be moved among ORs. The estimates of case duration from the Bayesian method are insensitive to the parameter measuring value of a surgeon or scheduler's estimated duration quantified in terms of equivalent numbers of historical cases (#183). That finding meant that I could write automatic software to estimate the other parameters of the Bayesian method and that personnel at OR control desks can use to obtain upper prediction bounds and estimates for the times remaining in cases; [click here](#). Similar methods also are highly accurate for estimating the briefest lengths of surgical times, useful for assigning cases to anesthesia providers who are lactating and will need to receive break for breastmilk pumping (#319). By calculating

simultaneously for multiple adjacent operating rooms, we estimated the best that anesthesia departments can achieve at assuring supervising anesthesiologists can leave for breastmilk pumping (#329). The results apply equally to anesthesiologists giving lengthy (e.g., lunch) breaks to one room while a trainee is in another room. Similar calculations can be applied for staff scheduling when considering how many extra nurse anesthetists should be scheduled to have personnel for all lunch breaks and morning breaks, when applicable (#347).

- Optimal OR case scheduling based on maximizing the expected efficiency of use of OR time matches regular practice (both 2000 and 2026), but organizations often make the case scheduling decisions with poorly calculated OR allocations (#61). By far the most important process for case scheduling to increase OR efficiency is the process of service-specific staffing (#61), described above. More accurate, unbiased predictions of OR times (e.g., using machine learning) will not increase labor productivity with the same staff scheduling unless the allocated OR times are adjusted simultaneously (#354). Under multiple conditions, more accurate predictions will, in fact, reduce anesthesia labor productivity if allocated times are not being adjusted based on minimizing the inefficiency of use of OR time, because increased accuracy of case duration prediction is achieved by increasing the variability in scheduled durations (#354). That is why there is lack of validity of absolute percentage errors in estimated operating room case durations as a measure of operating room performance (#384). Provided the service-specific staffing maximizes the expected efficiency of use of OR time, then, as long as: 1) a case is not scheduled into overutilized time when less overutilized time can be achieved in another OR and 2) cases are considered in descending sequence of scheduled durations, the differences in overutilized time and productivity among different case scheduling policies are small (#218). We applied these principles to the scheduling of urgent surgical cases (#25) and to cases with regional nerve blocks (#100). Counter-intuitively, the efficiency of use of OR time is not increased by coordination of OR case scheduling with surgical clinic scheduling (#42). Case scheduling can still increase OR productivity substantively (by >10%), by meeting patients' preferences that when one surgeon in a practice can do surgery sooner, the patient is provided the option to switch surgeons (#257). Regarding decision-making on the day of surgery or a few days before surgery, we surveyed OR physician directors to learn how much overutilized time should be reduced to warrant moving a case from one OR to another (#73). We measured the frequency of constraints for add-on case scheduling and showed that operations research studies should control for surgeon availability (#220). Rarely were equipment or specialty-specific anesthesiologists a constraint (#220). We determined conceptually and practically how (#69) and when (#78) to release allocated OR time to maximize the efficiency of use of OR time. Services that routinely fill their allocated OR time while still having more cases to schedule generally should not have more OR time allocated because such are the services with have high cancellation rates within a few days of surgery (#173). Analysts can determine each organization's deviation from optimal decision-making by using OR information system data to populate scenarios for review over 1-2 hours, instead of the much more expensive on-site observation (#152).
- A progressive set of studies over 32 years has improved understanding of the impact of changes in anesthesia times, turnover times, and surgical times on costs and productivity. Reductions in anesthesia-controlled times even to implausibly brief durations are too small to reliably perform another case daily other than for the shortest of surgical procedures because mean anesthesia times are smaller than the standard deviations of surgical times (#4). Impractically large reductions in anesthesia times are needed even to reliably perform a brief add-on case that otherwise would wait until the next day, because mean anesthesia-controlled times are smaller than the mean absolute predictive errors in case durations (#22). We later developed a technique to quantify the incremental savings in labor cost from small reductions in turnover time, while treating OR staff rationally as a stepped cost (#76). We extended the technique to the valuation of small reductions in surgical time (#77). I showed usefulness of these tools for choosing when to employ lean methods in surgical suites (#101). A key conclusion was most hospitals and ambulatory surgery centers nationwide in the USA cannot benefit from reductions in anesthesia times, turnover times, or small reductions in surgical time, because their ORs have fewer than 8-hours of cases daily (#213). We repeated the analyses 10 years later, after the pandemic, and the results showed even

briefers workdays (i.e., the perceptions of a US national “shortage” reflect staffing and scheduling, not too few anesthesia clinicians) (#423). Workdays nationwide are especially brief at facilities performing pediatric ambulatory surgery (#283), such that the labor cost is fixed and there already is the capacity for growth regardless of the anesthesia times, turnover times, or surgical times. This same approach of counting OR-days with fewer versus more than 8-hours is valid also for valuing on-time first case of the day starts (#128). Based on study of the associations between the tardiness of first case starts and overutilized time, the appropriate threshold is indeed an 8-hour OR day (#288). We developed and showed usefulness of a statistical method to estimate the time of the day with the most prolonged turnovers (#91). We then applied the statistical method to learn what surgeons mean when they discuss turnover times (#151). Although it was commonly said that surgeons’ perceptions of turnover times referred to periods from skin closure of the preceding patient to incision of the next patient, in reality surgeons’ perceptions of turnover time were not related to actual times but instead to the quality of perioperative teams (#151). The time of day with the most prolonged turnovers shows when to have more personnel available to assist with turnovers (#134). This is useful when combined with the statistical method for estimating the net benefit of hiring additional anesthesia technicians or housekeepers to reduce turnover times (#134). Anesthesia information management system data can be used to measure the maximum numbers of ORs that anesthesiologists can supervise simultaneously without causing delays or being absent at critical periods of anesthetics (#165). These series of studies show that the cost of the resulting anesthesia delays differs markedly among ORs and facilities; the costs are zero at most organizations, but are substantial at others, depending on the duration of the workday. These studies show too that, because activities to reduce non-operative times are much more common than urgent patient-care events, artificial intelligence and monitoring technologies based on increasing the safety of intraoperative care have little to no potential to influence anesthesia or OR productivity (#392).

- In 1999, my colleagues and I showed how to calculate statistically reliable OR block time for most surgeons, the value of which is that block time predicts when surgeons will have surgical cases. We first surveyed patients and parents of pediatric patients to learn targets for weeks of waiting for surgery (#26). Then, we showed that although one can calculate the most OR block time that a surgeon would always fill and reliably overrun (#26), appropriate block time cannot be estimated accurately based on adjusted or raw utilization (#72). A limitation of that work was that these studies were based on parameter values from one hospital, the University of Iowa. Two decades later, we have what would have seemed unimaginable, data from all 121 non-VA hospitals in Iowa (#249). The assumptions held statewide among the hospitals (#249). Subsequently, we obtained a comparable data use agreement with the State of Florida and found the same result (#330): more than half of surgeons statewide (64%) perform only 1 or 2 cases on days with at least 1 case, whether an urban or rural area. Pediatric hospitals are the same too (#339). Consequently, confirmed across hundreds of hospitals of different types, block time forecasting based on individual surgeon’s adjusted or raw utilization is comparable to making decisions based on a random number generator (#330). These mathematical principles should be applied when comparing block time between female and male surgeons at large facilities to assure there has not been bias applied by gender (#345). Unadjusted differences between female and male surgeons in blocks per week were large but accounted for fully by the large differences statewide between female and male surgeons in quarterly caseloads (#364). Analyses of correlations among surgeons’ workloads are so low that planning (appropriately calculated) block time for each surgeon independently is suitable (#168). Studying a 12-hospital health system, we learned also that there is no benefit to calculating surgeons’ block time simultaneously, versus separately, among the hospitals (#170). However, a surgeon’s OR block time is not used in isolation from the remaining allocated OR time of his or her service (#36). We developed the mathematics for coordination of the OR block time and the allocated OR time calculated based on maximizing the efficiency of use of OR time (#36). We combined these methods with financial analyses in a comprehensive review showing too that budgetary decisions by surgeon should be based on this mathematics, not adjusted or raw utilizations (#115).

- The operational objective for the time of patient arrivals on the day of surgery is to balance the costs of dissatisfied patients and families, waiting for hours, versus the OR and surgical team waiting for the patient (#39). Conceptually, lower prediction bounds can be used for the durations of the preceding case(s) in the OR, and these bounds have accurate coverage (#39). However, a nonparametric alternative based on the combination of service and day of the week incorporates the probabilities of preceding cases getting cancelled and/or cases getting moved among ORs (#111). Implementation is straightforward because no protected health information is used (#138); [click here](#). Choosing optimal patient arrival times is the principal operations research decision for ambulatory pediatric surgery (#138). For a regional anesthesia team working with nursing to determine how early first-case of the day start patients arrive, sample size requirements are so large that using published values based on our Monte-Carlo simulations is appropriate (#328). We subsequently used years of data to show generalizability and, then for organizations with such procedure start and end time, validated the use of Excel dynamic array formulas to perform the Monte-Carlo simulation calculations (#417).
- Experienced clinicians do not make OR management decisions on the day of surgery that increase OR efficiency; without recommendations, their decisions for moving cases and scheduling add-on cases are worse than random chance (#112). We were both the first to recognize that this was so and to study why. Most clinicians make OR management decisions appropriate for a surgical resident, anesthesia resident, or OR nurse working in a single OR (#113). They then sub-optimally apply this heuristic to decisions involving multiple ORs (#113). The hospital where this was identified had many ORs with long workdays and over-utilized OR time. This same cognitive bias was being applied at a different hospital that had essentially no overutilized time (e.g., decisions affecting first case starts and the moving of cases had no effect on the hours worked by OR nursing or anesthesia providers) (#179). We developed appropriate control chart daily monitoring to provide departmental feedback to mitigate this cognitive bias (#145). I have managed the notifications daily for 16 years. A different cognitive bias explained why patients often are given fasting and arrival times that are vastly too early (#114), and why organizations place such great emphasis on timely first case starts (#127). However, the false belief that starting 5-minutes late necessarily means finishing the workday 5-minutes late, or longer, also is caused by lack of knowledge of the science of maximizing the efficiency of use of OR time (#127). Sadly, inaccurately estimated allocated OR times (i.e., the hours into which cases are scheduled is too small for the workload causing overutilized time and anesthesiologists working late) are due to one or more additional cognitive biases, extensively studied by others and that we reviewed systematically (#144). For example, when I provide in classes the mean and standard deviation of the workload of an orthopedics service, most participants choose allocated times that are too close to the mean, neglecting the standard deviation, causing excess overutilized time and unnecessary hours of OR teams working late (#144). A consequence of decision-making being made based on heuristics, and often a lack of scientific knowledge, is that small teams (e.g., OR committee) without all members having training in OR management science make poor quality decisions reliably >5:1 versus teams with knowledgeable members (#188). In addition, for analysts to be most successful at communicating OR management science, they best use e-mail (i.e., written asynchronous communication) with individual group members (#208).
- A knowledgeable OR management team only comes from training and ongoing feedback critiquing decisions. To meet this need, I taught my 50 hour analytics course 72 times; [click here](#) for the cases and lectures. The curriculum was the minimum material necessary for anesthesiology residents to participate meaningfully in systems-based practice projects, such as OR management (#149). Bibliometric study over 28 years from 1996 through 2023 showed progressively more authors per year publishing research in operating room management, but with the unchanging characteristic that nearly all were by authors with few or no earlier publications in the field (#375). A consequence was an increase over time in the need for the educational program in the science of operating room management (#375). Course participants reviewed statistics beforehand (#148). They did that work ahead because individual learning with computer assistance has comparable efficacy to other teaching methods (#148). Likewise, course vocabulary was learned beforehand, because participants needed this knowledge to find relevant

articles for problem solving (#192). Practitioners' trust in the findings and in the use of analytics does not come from the many examples of hospitals use of the OR management in the course, but rather from the equations in appendices (#223). Therefore, before class time, course participants read review articles, selected to include such formulas. After the first 12 hours of the course, discussion content focused on skills to critically evaluate limitations of the methods taught. Therefore, we hypothesized and confirmed that trust in the analytical content was achieved by the 12-hour point of the course (#246). Because the statistics learned ahead for the course met the requirements for anesthesia residents' BASIC examination, we expected and showed too that resident physicians obtain value from an abbreviated 1-day version of the course (#280). Most of the full 35-hour course, as well as the 1-day version, was spent with teams solving OR management analytic problems (i.e., word problems). The skills obtained in the course successfully matched those of participants' jobs afterwards (#294). We learned from the course that having leaders value analytics was insufficient for successful team decision-making (#294). Instead, all team members needed to know the OR management science (#294). Physicians (e.g., anesthesiologists and surgeons) who took the course generally had jobs that could use the content many years later (#301).

- The non-random assignment of surgical cases to ORs and the variability in case durations have important consequences for studying and preventing surgical site infections and pathogen transmission. Using National Healthcare Safety Network data from 338 non-federal hospitals in California, we showed the futility of cluster designs for clinical trials of OR capital equipment mitigation of perioperative infections (#293). Infection control specialists sometimes produce control charts for infections for each OR and by doing so examine which ORs have greater incidences of infection (#297). Such conclusions are unreliable statistically; instead, patient-matched cohort designs should be used (#297). Postoperative infections can be obtained with high positive predictive value (i.e., for use by anesthesia departments) from the electronic health record's diagnosis table's ICD-10-CM codes by using also the table's department field; limit to codes from clinical notes of surgical departments [#400]. The counts of postoperative infections per year are so unequal among ORs that the Gini index is at least as large as that for the inequality of household disposable income in the USA (#325). One implication is that net cost savings from interventions to reduce postoperative infection depends on preferentially targeting interventions to reduce contamination to those few ORs with the most infections (#325); the fact that not done commonly highlights the importance of the results. The same conclusions apply among all anesthetizing locations (e.g., including cardiac catheterization and interventional radiology) (#367). Targeting especially influences appropriate trials to be done by each hospital when choosing how many ultraviolet disinfection units it needs for terminal cleaning of the ORs (#337). Another implication is that hospital management reports that pool infection counts among surgeons or rooms treating them as homogeneous result in biased and inaccurately precise estimates of incidence proportions (#424). Accurate incidence proportions for the overall incidence of postoperative healthcare associated infections can be estimated using intercept-only mixed effects logistic regression, because that method adjusts for the large heterogeneity among clusters (#424). Narrow confidence intervals for the mean postoperative infections per week for each anesthetizing location can be calculated accurately using Poisson regression with robust variance estimation, narrow being important because it reduces hospital costs (#427). Surveillance of pathogen transmission in ORs to provide feedback on applications of methods to reduce infection (e.g., hand hygiene) can be done with fewer samples (i.e., lower cost and faster) by systematically selecting pairs of cases matched by surgical specialty and based on estimated case duration (#299). Rapid assay feedback on the day of surgery to intervene in "real-time" (e.g., apply chlorhexidine wipes) would need to be analyzed within 2 hours of case end to be useful (#426). We performed time series analysis of progressive changes in *Staphylococcus aureus* transmission at a surgical suite (#307). We then applied the statistical model to develop a sequential testing protocol for interventions to improve intraoperative infection control (#307); [click here](#). We modeled the total intraoperative time for sampling (swabs) to measure transmission (#313). Sampling can be done by anesthesia technicians or OR nurses already present during cases (#313). Because approximately two-thirds of all hospital patients who receive an

intravenous antibiotic also undergo an anesthetic, greater use of these infection control measures in the anesthesia operating room workspace has the potential to substantively reduce overall rates of all hospital infections (#360). We used simultaneous statistical equation modeling with several clinical trials' pooled data to learn that this sampling combined with a multifaceted bundle prevents surgical site infection better than single interventions (risk ratio 0.32) (#359). We then used temporal and spatial origination and destination information for different ESKAPE pathogens to show that all five categories of infection control approaches need to be applied to prevent intraoperative transmission (#377). We modeled the costs of infection control supplies using American Society of Anesthesiologists' Relative Value Guide units, containing both time and complexity of the surgical procedure (#353). We showed the effectiveness of 2% chlorhexidine-impregnated cloths with *S. aureus* transmission feedback to achieve low bacterial contamination of the axilla and groin before surgery (#401). We also showed that surface disinfection wipes alone can be sufficient to achieve low bacterial contamination of anesthesia machines (#374). That is important because ≥ 100 colony forming units were detected on 44% of >5000 sampled machines, differed negligibly between start of the workday after terminal cleaning versus end of the workday, and had relative risk 6.9 (99% confidence interval 5.2 to 9.1) of ESKAPE pathogens (#379). We applied these principles to OR management in ambulatory surgery centers during the acute COVID-19 pandemic among patients testing negative for SARS-CoV-2 (#305).

2. Development of science of the management of anesthesia departments

- The costs of anesthetic drugs and techniques include their effect on OR time. Initial meta-analyses for differences in anesthesia times were performed in the time scale (e.g., minutes differences from using desflurane [#2], sevoflurane [#85], or regional anesthesia [#17]). Reanalysis of survey data explained predictors for surgeons discouraging use of regional anesthesia even reducing OR time (#118). The probability distribution of times from end of surgery to tracheal extubation follows log-normal for homogeneous populations, important mechanistically because attributable to the pharmacokinetics of the clearance of inhalational anesthetics (#407). The probability distributions follow Weibull distributions when inhomogeneous populations of patients are pooled (e.g., all cases of one surgeon) (#137). From that important statistical result, we showed how to quantify differences in the variability of extubation time among drugs (#137). Student's t-test and classic analysis of variance should not be used to make comparisons of time when groups include propofol; instead, generalized pivotal methods can be used (#160). Such computational methods can be used to calculate point estimates and confidence intervals for ratios of the standard deviations of extubation times, or exceedance probabilities themselves, meaning the incidences of prolonged (≥ 15 minute) time to tracheal extubation (#365). These statistical methods were applied to meta-analysis of spinal versus general anesthesia (#395) and isoflurane versus desflurane (#143 and #373). There was a 95% reduction in prolonged extubations with the use of desflurane at one hospital (#143), and 78% among many hospitals (#373). Our observer study showed validity and reliability of using prolonged time to extubation as an endpoint of workflow, quantifying the effect of variability on clinical production (#166). Because other activities in the OR have ceased by 15 minutes after surgical end, prolonged times to extubation are bottlenecks to throughput (#166). Prolonged times to extubation cause greater mean times from end of surgery to OR exit in multiple patient cohorts (#191). Prolonged times to extubation are associated with cases in ORs having longer workdays (i.e., the extra OR time can validly be treated as a variable cost in economic studies) (#190). Both results apply not only overall, but also among surgeons caring principally for pediatric patients or oncology patients, working in ambulatory surgery centers, or operating infrequently (#405). Collectively, the incidence of prolonged extubations is a good endpoint for anesthesia pharmacology studies quantifying the rate of patient recovery from general anesthesia (#372). The incidences of prolonged times to tracheal extubation generally are not caused by heterogeneity among anesthesia providers and anesthesiologists within organizations (#217). They are, in part, a collective consequence of several decisions for environmental benefit, specifically using sevoflurane instead of desflurane, air instead of nitrous oxide, and low fresh gas flows, while being faced with large variability in closure time (#389). They are, in part, a consequence of practitioners lacking biologically (clinically) rationales for their

minimum alveolar concentration goals for the end of surgery (#396). Prolonged times to extubation were observed only among anesthesia providers who had worked with a neurosurgeon <5 times ever (#292). Among multiple surgeons and procedures, there was 16% greater odds of prolonged extubation when the anesthesia provider had worked with the surgeon <5 times over the past 36 months, and even greater when the provider was a trainee (#368). Both phenomenon were caused by the practitioners having greater age-adjusted minimum alveolar concentration of inhalational agent at end of surgery (#397). A Japanese hospital achieved a >6-fold lesser incidence of prolonged times to tracheal extubation than the University of Iowa (#333). Japanese hospitals also have comparably faster times of patient discharges to surgical wards (#268).

- Drug costs can be compared reliably among anesthesia providers while adjusting for cases' acuity and duration using American Society of Anesthesiologists' Relative Value Guide units (#14). Total excess fresh gas flows are accounted for by the cumulative effect of many anesthesia providers' running greater than 2 liters per minute rather than just a few providers who use very large flows (#157). While greater than 2 liters per minute, the fresh gas flow throughout the entirety of the case contributes substantively to the total, not disproportionately the flows during the induction period (#410). Departmental programs to achieve lower fresh gas flows are successful when they include frequent and long-term individualized feedback to individuals (#221), not brief periods of feedback on departmental performance (#387). In contrast, very low (<35) anesthesia bispectral index (BIS™) and high (>1) fraction of the age-adjusted minimum alveolar concentration are sufficiently infrequent combinations for each individual anesthesia practitioner such that departmental reports and educational programs are appropriate (#404). Anesthesia practitioner behavior to reduce costs is reliably influenced by e-mail reports sent after cases are completed (#209). The environmental cost (impact) of desflurane and sevoflurane can be mitigated markedly by anesthetic gas capture in operating rooms and procedure rooms with anesthesia machines (#371).
- The principal way to reduce anesthesia drug costs and anesthesia-controlled times is to use monitored anesthesia care, whenever clinically appropriate. Approximately 29% of all anesthetics nationwide are monitored anesthesia care (#156). Cost utility analyses show value of monitored anesthesia care to reduce anesthesia costs (#6). Full replacement of monitored anesthesia care cases with non-anesthesia providers is impractical for its substantive disruptive effect on workload (e.g., for cataract surgery) [#422]. However, drugs used during monitored anesthesia care for the same procedures vary substantially among anesthesia providers, variability not explained by patient comorbidities (#11). We developed the Iowa Satisfaction with Anesthesia Scale for monitored anesthesia care (#13). Using multicenter data, we showed how to pool the satisfaction scale's results among centers (#159). We developed suitable clinical trial designs and necessary sample sizes for multicenter clinical trials (#159). We learned when the scale can be administered, either by telephone (#159) or upon patient discharge from the phase II post-anesthesia care unit (#308). I assisted with the development of the French version of the scale (#525).
- My studies of anesthesia preoperative evaluation have focused on the management of the clinics and the associated preoperative processes. These processes are valuable because when preanesthesia evaluation is not completed before the day of surgery, the consequences include longer turnover times and increased tardy first-case of the day starts on the day of surgery (#245). Simulations of preoperative clinics showed that, compared to an unscheduled "drop in" approach, scheduling patients reduces their overall mean waiting time (#28). This applies even if patients routinely arrive earlier or later than their originally scheduled time, because scheduling evens out the numbers of patients per hour throughout the workday (#28). Nurse practitioners' keystroke logs showed that some practitioners work more quickly in clinic than others (#177). Nevertheless, the overall mean patient waiting time was less when each available practitioner next saw the clinic patient who had waited the longest (#177). Another way to reduce patients' clinic waiting is to estimate appointment durations more accurately. Appointment times can be estimated better from the count of drugs in the patient's electronic health record medication list than from multiple other suitable variables (#164). Clinics' success at ordering only appropriate preoperative tests can be monitored reliably and validly by monitoring the percentage of patients meeting that criterion

(#150). Clinic performance also can be quantified by OR cancellation rates (#93). Computer simulation studies showed that chi-square and Fisher exact tests are highly inaccurate, and instead control-chart methods for proportions should be used (#93). There is lack of value in mitigating the impact of cancellations on the ORs by, daily, sequencing surgeons' lists of cases based on the cases' probabilities of cancellation (#147). There also need not be concern about case cancellations causing greater variability in OR workload or overutilized OR time on the days when the cases eventually are performed (#187). Rather, the importance of case cancellations is the effect on OR time; thus, we expanded the statistical methods for cancellations to be based on estimated case durations (#186). OR case cancellations' impacts based on time differed from those estimated per case when compared among services (#186). Further applying these tools, there were no differences in cancellation rates among the 21 surgical facilities of a national health system between their facilities having nearly all elective surgery patients seen in preoperative clinics versus facilities that instead used nurse call centers (#195). Studying why counter-intuitive, we learned that the majority of the total cancelled OR time at hospitals is due to patients who are inpatient preoperatively (#195). The majority (95%) of the in-hospital perioperative deaths were also among these patients (#416). Seeing the inpatients preoperatively several hours sooner does not reduce those cancellations because the cause of cancellations often are changes in patients' conditions (#203). That is just like for the patients who are outpatient preoperatively (#265). However, among patients who are inpatient preoperatively, preventing cancellations does not appear valuable from societal or hospital perspective in that often they do not undergo the originally planned procedure (#203). That is different than for surgical patients who are outpatient preoperatively (#187). Those patients usually do eventually undergo their scheduled surgical procedure, even when their case is cancelled once (#187).

- My colleagues and I developed algorithms for optimizing anesthesiologist and nurse anesthetist staffing for afternoons, weekends, and holidays, and have maintained and progressively updated for 26 years; [click here](#). The mathematics for permanent handoffs of cases from one anesthesiologist or nurse anesthetist to another has excellent performance based on there being negligible incremental value of perfect knowledge of case durations (#29). Knowing when to offer brief breaks or make handovers of anesthesia practitioners depends on judging when anesthesia documentation will be complete, and we showed that can be estimated for displays from the minutes after surgical incision (#171). We figured out how to estimate appropriate numbers of regularly scheduled anesthetists working long shifts in afternoons while incorporating seasonal variation in afternoon workload (#44). The method works well both with OR information system data and anesthesia billing data (#70). The method is important because hospitals with growth both have more first case starts and more cases running in the late afternoon, proportionately (i.e., groups hiring to cover more rooms at the start of the day have greater need for algorithmic choice of afternoon staffing) (#332). To reduce permanent handovers, except for single cases >8 hours, we showed that the best method is that, the day before, the anesthesia practitioners who are on call the next day are assigned for their call day to the briefest ORs (#276). Then, on the day of surgery, once they have finished their own cases, then they take over other ORs when new cases start (#276). We estimated upper prediction bounds of the work hours of the anesthesiologists on call (#135). Despite substantial growth in caseload, an anesthesia department following this mathematics and aiming for a 20% incidence of anesthesiologists having to work late when not on call achieved this objective, long-term over 6.5-years, within a few percent (e.g., 2%) (#319). From comparing such results to surveyed personal perceptions, we also showed value of providing this information to clinicians (#135). We developed mathematics for accurate anesthetist weekend staffing (#41). Such methods are principally important for staffing of add-on cases, because, nationally, there are negligible percentages of elective cases that are performed on weekends (#229). Appropriate weekend staffing is especially important for on-call coverage of anesthesia for diagnostic imaging, because the procedure name does not functionally reveal urgency, unlike for surgical procedures (#212). We added to the mathematics for weekend staffing to include coverage from home, based on minimizing expected total labor costs (#55). We calculated these optimal weekend staffing plans for 6 hospitals of a US health network and found that their hospitals' risks of inadequate coverage exceeded the criterion that the managers reported was the

maximum acceptable (#68). From study of all 121 non-VA hospitals in Iowa, individual hospitals' caseloads on weekends and holidays increased proportionately to their increases over years in caseloads during regular workdays (#264). Weekend call coverage not only involves counts of anesthesiologists and nurse anesthetists, but also their clinical specialization (#230). Nationwide, there is as much diversity of procedures performed during weekends versus weekdays during regular work hours, such that anesthesia groups that use specialty teams during regular workdays should schedule such teams on weekends (#230). A corollary hypothesis would then be that there would be disproportionately more calls to the malignant hyperthermia hotline on weekends than expected nationally from the distribution of cases among weekdays, and when examined that was so (#206). We tested different methods to estimate appropriate geolocations that are sufficiently close to hospitals for specialty anesthesia coverage from home (#286). Anesthesia groups can reasonably use select options and criteria in Google maps for consideration of individual addresses (#286). For choosing holiday staffing, we developed a statistical method and showed its validity (#102). Once use, then departments can also apply the mathematical and psychological studies of staff scheduling for those holidays (#369). We showed that implementation resulted in unique integer linear solutions, and provided our code (#413). We also developed modeling for obstetrical anesthesia staffing (#47), including coverage of labor analgesia (#210). We showed validity to treating obstetrical anesthesia workload as being separate from other inpatient surgery in an analysis of 6 years of data from all 73 labor and delivery units in the State of Iowa (#349). Long-term capacity planning for obstetrics can reliably be based on time series with batch size of 1-year periods, but not based on week-to-week variability in cesarean delivery caseloads (#352). Although patients residing in counties without labor and delivery care disproportionately go to large tertiary (level III) hospitals bypassing closer hospitals, there are multiple factors dominating beyond geography such that annual increases in total obstetric anesthesia activity at major programs can be based solely on time series analyses of their own data (#356).

- Anesthesia support agreements are a substantial proportion of US groups' revenues. Progressive anesthesia group consolidation within US counties has not resulted in greater private insurance payments to groups (#207). In contrast, hospital support to anesthesia groups has increased progressively (e.g., in California 2002 through 2014 median payments increased >250%) (#285). We figured out how to calculate the marginal labor costs from OR time not having been allocated based on maximizing the expected efficiency of use of OR time (#71); [click here](#). Then, we applied the methods to the study of several large teaching hospitals (#71). Then, we showed how to apply those budgetary results to anesthesia-hospital agreements (#116). The mathematics was unexpectedly complicated because there are two support formulations that are rational economically (#116). The incentives can, equivalently, be aligned using the hospital-perioperative medical director agreement (#211). Productivity of anesthesiologists working in the late afternoons will be less when collectively some are supervising trainees and others nurse anesthetists, a difference that is inflated by decision-making to relieve anesthesiologists based on equity (#340). Anesthesiologists' clinical productivity cannot validly be assessed using the overall anesthetizing sites supervised to anesthesiologist ratio (#326). Rather, it is the managerial decisions made to increase group and OR productivity that should be evaluated annually as part of these important agreements (#326). In contrast, textual analysis of award letters of OR nursing directors, and regression analyses of their national compensation data, both showed that nationwide there are lack of incentives for nursing leadership to increase OR productivity (#123). There similarly was lack of effect of payments to anesthesiologists for late afternoon work on their turnover times and on their perceptions of working later in the day (#130).
- Academic anesthesia departments seek to recruit and to achieve high clinical productivity of their anesthesiologists and nurse anesthetists. Anesthesia residents' coverage of cases has been remarkably stable over decades, with unchanged percentages starting cases during regular workdays (#303). Staff scheduling of anesthesiologists needs to include coverage of holding area and control desk because most pages to supervising anesthesiologists come from these locations (#175). Coverage of the PACU also needs to be included because most hypoxemic episodes occur after the anesthesia provider has left the patient (#198). In academic departments, anesthesiologists' total time needed for hospital and group management is comparable to total

time commitments to education and/or to research (#214). When department chairs annual performance evaluations include items related to environmental sustainability, they more often also include activities to promote sustainability (#383). A development program for junior faculty with accountability had low productivity of publications during the two years but substantive production of educational and patient care systems- based management projects (#182). However, long-term, over a decade, the program's predictive marginal effect was substantive, ≈ 1.7 more publications per year per faculty (#378). When medical students apply for anesthesia residency, the geographic factor markedly increasing probability of each interview resulting in a match is the student being from the same state as the program (#321). Anesthesiology residents similarly considered locations where they or their family had previously lived when choosing location options for their first anesthesiology job (#216). This information can be used to considerably reduce interviews with negligible probability of match or job (#331). Examining the influence of nurse anesthetist training programs on recruitment, community hospitals with rotations benefited in recruitment by the trainee temporarily living in that town (#169). We setup an educational tool for graduating anesthesiology residents and nurse anesthetist students to know of hospitals and ambulatory surgery centers statewide (in Iowa) with designated lactation facilities (#335). A suitable strategy for many women, especially if lacking convenient dedicated lactation space, is the use of a wearable breast pump (#382). The vast majority (88%) of anesthesiologists using a wearable pump did so in clinical settings, including operating rooms (#382). Regarding retention, among CRNAs nationwide, approximately half (53%) annually either change positions or consider leaving their primary position (#334). We measured unscheduled absences among a cohort of anesthesia practitioners and showed that the overall incidence can be estimated accurately for each practitioner with 1 year of data (#274). There was an overall day of the week effect of absences to be incorporated into staff scheduling (#317). Heterogeneity in the rates of unscheduled absences among practitioner types also should be included (#317). There is a linear association between the incidence of unscheduled absences and the community rate of COVID-19, sufficiently large to warrant inclusion when anesthesia departments do their staff scheduling (#355).

- In the USA, to maintain hospital clinical privileges, all anesthesiologists and nurse anesthetists must have a formal assessment of their clinical competency at least annually. This process is "ongoing professional practice evaluation," OPPE. Anesthesiologists' clinical performance cannot reliably be differentiated based on intraoperative physiological or process metrics (#202, #238, and #252). However, having all anesthesia residents evaluate all anesthesiologists using a balanced design, there was reliability and validity in measuring the quality of anesthesiologists' clinical supervision (#180). Evaluations of individual anesthesiologists are important because residents' global evaluations of supervision departmentally underestimate the true, daily performance of anesthesiologists (#199). Supervision scores encompass several of the clinical core competencies including professionalism (#237). The minimum level of acceptable performance was determined by surveying separate populations of anesthesia residents and nurse anesthetists being supervised daily (#181). Bernoulli CUSUM daily monitoring was established for early detection of such inadequate supervision scores (#197). Hospital subspecialty rotations with low supervision scores were associated with resident physicians reporting more episodes of patient harm and worse safety culture (#200). Textual analyses of written comments when supervision scores were low showed how anesthesiologists can improve their quality of supervision (#227). With feedback, the quality of supervision increased (#205). The individual items are so closely correlated to one another that the items themselves are not providing useful feedback, rather the total score provides feedback and earlier data showed improvement is achieved by focusing on teaching how to improve the safe care of the current patient (#421). High quality supervision represents a quantifiable independent contribution to anesthesiologists' value beyond clinical productivity (e.g., relative value guide units) (#205). Anesthesiologists' supervision scores are not affected by the acuity of cases during the day, time together, cases together, etc. (#196). Anesthesiologists who specialize do not have higher supervision scores than anesthesiologists who are generalists (#232). The sole important covariates for supervision scores are the individual raters themselves (#196). Requests for daily

evaluation should be made to raters both scheduled to work with the anesthesiologist and with joint workload verified using electronic health record data (#342). Evaluation less often does not substantively reduce numbers of evaluations to be completed by each rater, because in anesthesia departments there are so many combinations of raters and ratees (#380).

Anesthesiologists' supervision scores are estimated more precisely by using mixed effects logistic regression controlling for leniency of the rater (e.g., anesthesia residents) (#241). This approach for the evaluation of professionals in daily practice is novel statistically (#241). When applied, anesthesiologists can reliably be ranked into below average, above average, or average quality of supervision categories (#290). In replicability study, as hypothesized, failure to adjust for rater leniency/severity with a different instrument similarly resulted in failure to differentiate quality of faculty anesthesiologists' daily supervision (#419). There is reliability and validity for a slightly modified version of the supervision scale when used in the chronic pain medicine division (#312). There also is reliability and validity when nurse anesthetists evaluate anesthesiologists' quality of supervision (#201). Finally, random effects meta-analysis of percentage incidences of maximum scores is a suitable statistical approach to analyze these daily supervision scores of individual anesthesiologists to evaluate the overall quality of clinical supervision provided to the trainees overall by the department over a year (#366).

- Work habits are a valid basis for evaluating anesthesia providers' daily clinical performance (#222). There is validity in anesthesiologists daily evaluating nurse anesthetists' work habits (#248). The instrument is useful for evaluation but not feedback because items are so closely correlated to one another (#420). A separate population of anesthesiologists was used to determine minimum acceptable work habits scores of nurse anesthetists (#233). Just like supervision scores are affected negligibly by covariates other than the rater, work habit evaluations' significant covariates are limited to the raters (#386). Just like anesthesiologists with higher quality of supervision have briefer surgeon- and procedure-adjusted operating room times, so do nurse anesthetists with greater work habits, and vice-versa (#390). Anesthesiologists' evaluations of nurse anesthetists' work habits should be adjusted for leniency of the raters (#235). Studying mechanism, leniency of anesthesiologists' ratings of nurse anesthetists were not associated pairwise with their leniency when evaluating didactic lectures by physicians (i.e., estimated leniency is not assessing the personality of the rater) (#318). Most loss of information originated from raters who provided all ratees with the largest possible score for all items and from raters who never provide ratings with the maximum score (#342). Therefore, feedback should be to raters who consistently rate all ratees the same (#342). Nurse anesthetists created a composite measure of supervision and work habits for evaluation of anesthesiologists when working together in collaborative practice (#277). When daily evaluation scores were unusual for each rater, explanation was requested for evaluation completion (#281). Approximately ¼ of the nurse anesthetists wanted greater anesthesiologist participation in direct patient care and ¼ wanted less (#281).
- Anesthesia department management logically includes chronic pain clinics. Thus, just like my colleagues and I applied managerial epidemiology to study the distribution of surgical cases among facilities and departments, we have done the same for interventional pain medicine. The distribution of different types of interventional pain procedures among hospitals and affiliated practices neither matches hospital size nor procedure counts (#278). Neither surrogate is an accurate basis to judge the diversity of the types of performed interventional pain procedures (#278). Practice and hospital websites also are misleading, with negligible correlation between counts of different procedures listed and numbers of different types of procedures commonly performed (#316). Thus, departments providing comprehensive interventional pain services and aiming for growth need to provide the quantitative data showing their unique care (#316). Practitioners at some hospitals consistently perform more procedures by performing multiple blocks per patient, with more blocks than shown to be efficacious (#284). Departments can use the statistical methods to show that their care matches the available evidence (#284). National survey showed that interventional pain procedures are performed by pain medicine physicians at fewer than half the US critical access hospitals that provide such care (#282). Similarly, among all interventional pain procedures performed in Florida 2010 through 2016, 46% were performed by

physicians without American Board of Medical Specialties pain medicine certification (#295). In addition, most (78%) physicians performing spinal cord stimulation procedures in Florida performed fewer than 2 per month (#338). Combining hospital and state databases, we showed appropriate strategies for OR case scheduling for these low caseload proceduralists to maximize the efficiency of use of OR time while maintaining productivity of the proceduralists (#302).

- My colleagues and I have performed several studies of factors affecting growth of non-operating room anesthesia workload. Needs assessment for anesthesiology showed substantive risk that substitute technologies would negatively influence caseloads (#154) (e.g., safer sedative drugs administered by registered nurses without anesthesiologist or nurse anesthetist involvement). Growth in pediatric sedation administered by registered nurses with anesthesiologists supervising did not reduce use of general anesthesia (#129). Growth in an anesthesiologist and nurse anesthetist supervised sedation nurse program was accomplished with their use of propofol and dexmedetomidine (#226). In the USA, anesthesiologist availability and costs limit vaginal birth after cesarean section (#139).
- Audits of type and screen and red blood cell transfusion also are integral to anesthesia departments. We developed frequentist and Bayesian mathematical methods for automated decision-making of whether to type and screen each patient (#167) and to audit each red blood cell transfusion (#259). Changes over time in the incidence of red blood cell transfusion can be used as a valid surrogate for changes in the numbers of units being transfused by a department and nationally for different categories of procedures (#236).
- Another subspecialty of anesthesiology is palliative care. Multiple interpretable machine learning methods show marked inaccuracy in predicting from clinical data which of the critical care patients alert and without delirium who are suffering severe dignity related distress. Therefore, all such patients in the intensive care unit for at least two days should be tested (e.g., with the Patient Dignity Inventory) (#361). Multiple logistic regression, classification models, and machine learning methods all have accuracy <65% of predicting which of these patients will remain in the intensive care unit, alert and without delirium (#362). Therefore, care models for the assessment and treatment of these patients generally should include a palliative care consultation team. The caseloads are approximately 20% of intensive care unit patients, each of whom would be assessed just once (#370). Because family members cannot accurately or reliably assess the extent to which these critical care patients experience symptom-related distress, treatment should not be delayed by the absence of family members (#381). Managerial epidemiological study shows that follow-up assessment of the patients who are alert and without delirium needs to be done prospectively, retrospective observational study being inaccurate and impractical (#358).

3. Strategic analyses and managerial epidemiology applied to surgical care

- When my colleagues and I started analyzing operating room financial decision-making 31 years ago, there literally was nothing known other than to take bookkeeping sums. Initially we analyzed changes over time in costs by limiting consideration to common types of surgical procedures (#15). Surgeons' contribution margins per OR hour were compared, but still while limiting consideration to common types of procedures (#18); contribution margin is payment plus indirect value minus variable costs. Measuring heterogeneity among surgeons in contribution margin per OR hour (#54), decision-making based instead on adjusted or raw utilization as a surrogate was no better than random chance. Addition of linear programming to model constraints (e.g., full intensive care units) permitted budgetary analyses for the addition of more capacity (#57). We applied the mathematics to the consolidation of surgical departments among hospitals (#58). Organizations contracting to increase covered lives can reduce contribution margin for surgery when OR utilization is high (#52). We compared different ways to measure standard errors for contribution margin per OR hour, and then showed large impact of that variability on forecasts of budgetary decisions by surgeon (e.g., purchase of capital equipment to achieve growth in one subspecialty versus another) (#66). Quadratic programming can be used to adjust for that variability while making tactical (budgetary) decisions (#74). Collectively, these foundational

studies showed how validly to model OR financial returns using mean-variance analysis of the portfolio of surgeons, using simply the tools built into Microsoft Excel. We added modeling for the impact of the subsequent second stage of decisions: OR allocation and case scheduling based on maximization of the efficiency of use of OR time (#89). Then, we applied the methods to strategic financial analyses (#92). Many (15) years later, when we had data for all hospitals in Iowa and thus could compare the 82 critical access hospitals to the other 41 non-VA hospitals, we were able to evaluate the effect of the critical access hospitals being paid by CMS using cost plus percentage (#273). The critical access hospitals were not preferentially performing procedures with high implant costs (#273).

- Time series analyses over decades showed that total OR use should not be planned by specialty, but overall, and need not use local population or economy as covariates (#119). Although construction decisions can be made using the resulting basic time series forecasting, other decisions do need to be made by specialty. There is accuracy in using national or state databases to obtain the counts of elective surgical cases when the information provided in the publicly available databases are combinations of procedures and days relative to admission (#289). Data envelopment analysis can use these case counts to estimate gaps in caseloads by specialty for each hospital, one's own hospital and competitor hospitals (#79); [click here](#). We showed validity and usefulness of these analyses for making tactical decisions (e.g., surgeon recruitment) (#81). Addition of multifactor efficiency helped users interpret the data envelopment analysis results for hospitals' relative workloads of different surgical specialties (#95). Combining the data envelopment analyses with the preceding financial analysis mathematics showed that organizations that decide not to compare surgeons financially should plan the extra budgeted OR time as first-come first-scheduled unblocked open overflow OTHER time (#106). Even though these analyses are based on counts of cases, the results are reliable for operational interpretation, because time series analyses showed that counts of surgical cases and hours of OR time are interchange endpoints at hospitals (#261). There was no previous work on how to interpret the super-efficient data envelopment analysis results statistically (e.g., outliers). We showed validity of estimating statistical precision using the jackknife method (#122).
- Studies of all hospitals within various states showed large heterogeneity among hospitals in their percentage shares of annual growth in outpatient and inpatient surgical caseloads (#262). There also was limited change in the relative proportions of surgical caseloads among hospitals (i.e., small hospitals remain small decade to decade, and large hospitals remain large) (#279). My colleagues and I developed systematic processes for quantifying physiological complexity of surgical cases and showed the method's validity for comparing hospitals and freestanding surgery centers (#50). The approach can be applied validly Province wide for ambulatory surgery (#64). We applied ecological statistical methods to quantify the distribution of pediatric surgical procedures among all hospitals in Iowa (#75). We repeated the analyses among all hospitals in the province of Ontario performing surgery in children, showing validity to differentiating among hospitals based on the diversity of procedures, physiologically complex and non-physiologically-complex (#250). We generalized these methods to all types of inpatient pediatric patients statewide, not just surgical admissions (#87). Applying these methods to the surgical care of the elderly, a large teaching hospital's unique role in its state was that many of its physiologically complex procedures were rare (#80). A decade later, we were the first to apply newer ecological statistical methods showing that what differentiates a few hospitals statewide from all others is that they perform a vastly greater diversity of surgical procedures (#215). Diversity in the types of procedures is of large operational importance (e.g., there are many surgeon preference cards and the call coverage is done by specialty) (#253). However, when we studied the 201 non-federal hospitals in Florida performing physiologically complex procedures, over 8 years there was no relationship between the diversity of performed procedures and growth in surgery (#253). The same result was obtained for the 833 non-federal hospitals in Texas (#287). Neither single specialty hospitals nor large, comprehensive hospitals grew faster than others (#287). As expected, teaching hospitals had greater diversity of physiologically complex procedures than non-teaching hospitals (#263). However, there was 10-fold heterogeneity among large teaching hospitals in their diversity of procedures (#263) (i.e., many hospitals in large metropolitan areas

perform many types of procedures but most of the surgical cases are routine, common procedures). Similarity analyses compare the diversity of procedures performed between pairs of facilities and among populations of facilities. These techniques permit quantitative assessment of the leakage of surgical cases from one hospital's region to another (e.g., to guide surgical specialty recruitment decisions). They can be used to find pairs of similar (matching) hospitals for qualitative analyses (#418). Our studies have shown that hospitals often incorrectly judge competitor hospitals for surgery, both falsely expecting that it is mostly multiple large teaching hospitals 1 or 2 hours away as compared with the small hospital 5 minutes away, and vice-versa. Accurate quantification can be made by calculating the similarity of the distributions of procedures performed among hospitals. Studying all 121 hospitals in Iowa, we determined there was negligible effect of insurance and changes to the US national payment system on the relative distribution of cases among hospitals. Rather, what determines the relative distribution of cases among hospitals is the hospitals' relative success at drawing patients to travel considerable distances.

- For 31 years my colleagues and I have been developing and applying statistical analyses of (currently called) enhanced recovery programs to reduce hospital length of stay. Procedures need to be selected deliberately, because even when they eliminate 100% (all) adverse anesthetic outcomes, large proportional reductions in total hospital length of stay can only be achieved for the highest risk procedures (#3). Because variability among surgeons in their contributions to incremental costs associated with perioperative complications only slightly exceed the variability of those incremental costs among surgical categories, perioperative surgical home and enhanced recovery research results involving single institutions and a small number of surgeons are usually generalizable to other hospitals and healthcare systems (#394). Funding agencies should not be hesitant to fund single-center perioperative surgical home studies and enhanced recovery interventions based on concerns related to lack of generalizability (#394). There is much greater opportunity for cost savings from reducing hospital length of stay of procedures with many patients per week (#20). Thus, relating to the preceding section, large hospitals performing many cases of common physiologically complex procedures have potential to gain from enhanced recovery programs. We showed how to use publicly available data to estimate surgical departments' overall mean risk-adjusted hospital lengths of stay relative to national benchmarks (#82). This can be done not only for one's own hospital but all other hospitals in the region (#82). Studying 202 hospitals in Florida, there was, over 9 years, no change over time in the percentages of patients with discharge time before 12 noon (#291). Hospitals seeking to increase surgical throughput would better seek different strategies (#291). The appearance from US diagnosis related groups of patients being sicker was due to more frequent listing of comorbidities for billing, not that the patients were sicker (#363). Hospitals aiming to measure the impact of their enhanced recovery programs may need to obtain data from the post-acute care facilities to where their patients are admitted upon hospital discharge (#244). However, categories of procedures with reduced average lengths of stay nationally over 8 years did not have greater incidences of use of post-acute care facilities (#256). Furthermore, hospitals with briefer than average lengths of stays for common procedures neither had greater use of short-term care facilities nor greater odds of hospital readmission (#234). Thus, anesthesia departments can focus principally on achieving reductions in length of stay from their own hospital's enhanced recovery programs rather than on the informatics challenges of knowing patient flow after discharge (#234). Relating reductions in hospital length of stay to costs, there is limited potential to reduce national healthcare costs by making small reductions in hospital length of stay for many patients (#194). However, there is substantial potential societal benefit from reducing postoperative length of stay to 0 or 1 days (#247). We performed simulations showing substantial statistical power when that criterion is used as a prespecified secondary endpoint for clinical trials (#247). Even when the objective would be patient centered such as quality of life over the first four postoperative weeks, a more suitable primary economic endpoint for analgesic trials would be length of stay 0 or 1 day versus longer (#428). When the length of stay is 0 or 1 days, surgery can be performed outside of hospitals, at facilities able to care for patients for one night. Among all major therapeutic procedures performed in Florida, 72% of cases have a postoperative length of stay of 0 or 1 days (#309). Among

anesthetics performed in Florida after the COVID-19 pandemic, 90% of cases had lengths of stay 0- or 1-day (#399). We performed a national survey of US hospitals showing that many have affiliated freestanding ambulatory surgery centers located on hospital campuses (#258), facilitating patients' overnight stay. Using time series analysis for each category of procedure, we successfully forecasted from daily OR schedules the number of cases with length of stay 0 or 1 nights, the mean absolute error < 1% over a year (#310). These methods can be used to assist decision-making at hospitals that have a high census of COVID-19 patients (#310). There is just as much information about hospital census from scheduled surgical cases by using the probability of each case staying in the hospital 0 or 1 nights versus using the full observed (empirical) probability distributions of length of stay (#322). There is no incremental information from evaluating the few unexpected intensive care unit admissions among these patients expected to have 0 or 1 night length of stay (#398). There is no association between these adjusted lengths of stays and the quality of anesthesia care (#403). Hospital census from the COVID-19 patients can be predicted a week ahead for surgical case scheduling by using Weibull distributions for their lengths of stay (#300).

- For 22 years, Richard Epstein and I have maintained the comprehensive, annotated [bibliography](#) of anesthesia information management systems (AIMS) so departments know desired features and applications. We created pro forma return on investment analyses for AIMS (#107). Their data provide information about the normal values for intraoperative vital signs (#21). However, there is lack of economic value in linking AIMS and the corresponding OR scheduling systems with inventory management systems to achieve just in time inventory control (#40). There is lack of value to family members in using the information from the AIMS or OR information system to populate a large board with initials or code numbers for each patient undergoing surgery (#56). We showed the importance of maintaining provider access to legacy electronic anesthesia records following replacement of one AIMS with another (#275). We studied the effect of interruptions in monitored blood pressure data on interpretations of data postoperatively (#158). What differentiated one AIMS that was used for most research studies was that the system's event logs recorded times in units of seconds or milliseconds, not 1-minute (#260). For example, with events recorded in 1-minute intervals, the sequences of administration of different drugs and associations with rapidly changing vital signs cannot be determined retrospectively. Latencies in anesthesia providers entering events (e.g., tracheal extubation) into the AIMS prevented quality managerial decisions made at the OR control desk (#126). System latencies also matter when processes are automated (#172). For example, we showed lack of value to desaturation alerts being sent automatically from the AIMS to the supervising anesthesiologist (#172). Communication latencies of wireless devices negatively impact the responsiveness of supervising anesthesiologists (#176). We quantified the timeliness of apple push notifications (#184). Controlled substance reconciliation accuracy was improved when near real-time feedback was provided from linking the AIMS with automated dispensing cabinets (#224). Residual discrepancies were caused principally by handoffs among anesthesia providers (#242). These are the types of feedback shown in several studies to be able to be provided to anesthesia trainees (#412). We developed an implementation of the Elixhauser comorbidity scale for use with AIMS data (#239); investigators frequently download it for risk-adjustment.

4. Statistical and biomathematical analyses for anesthesia science

- In my career, I have performed statistical analyses for 107 studies. To support this work, I have performed several studies of statistical and simulation methods. I developed a way to quantify drug-drug synergy based on total doses of drugs administered to effect (#447). I used Monte-Carlo simulation to compare statistical methods for analgesic doses among groups and found best performance with Wilcoxon-Mann-Whitney and Kruskal-Wallis tests (#442). Similarly, I used Monte-Carlo simulation to compare visual analog scale measurements among groups of women during labor; best performance was obtained from using Student t-tests and analysis of variance (#448). I showed that for assessing postoperative symptoms of tracheal intubation, a summated rating scale of sore throat, hoarseness, and dysphagia has significantly greater statistical power

than analyzing each item individually (#458). Studies of postoperative analgesia need to consider the timeliness of administration of scheduled medications (#393). The cost utility of labor analgesia depends heavily on duration of use (#16). During the COVID-19 pandemic, I studied simulations of designed OR ventilation systems showing that, in ORs, SARS-CoV-2 would be of high concentration far from the patient, along walls and their return air grills (i.e., air exchange registers) (#324), confirmed in our prospective observational studies (#531 and #537) and then by others' air flow studies (#757). While generalized confidence intervals give exact confidence intervals for ratios of means and ratios of standard deviations based on the log-normal distribution, when the data available are the sample means and standard deviations in the time scale, the estimates in the log scale need to be estimated, best done using the method of moments (#406). When the data themselves are Weibull distributed, as common in anesthesia, the estimates based on the log-normal are unbiased but with conservative confidence intervals (i.e., slightly wider than necessary, with $P < 0.05$ reliable) (#391). When the estimates available are quartiles, then the confidence intervals are highly inaccurate, showing that when anesthesia data are skewed, either the sample mean and standard deviation should be reported along with the estimated quartiles, or the raw data provided in supplemental content (#402). I have not only reviewed >8545 papers, for 128 different journals over the past 5 years, I also have performed studies to improve the quality of statistical reviews. Checklists completed by manuscript authors were contemplated to reduce statistical weaknesses in studies (#652). However, narrative review showed that they have little efficacy as compared with statistical review of each paper to be accepted (#456). Systematically evaluating the 555 statistical reviews that I performed for the Anesthesia Patient Safety Foundation section of *Anesthesia & Analgesia*, most weaknesses in the papers were not the analytics but the statistical writing (#457). When performing generalized linear modeling for the very common log-normal dependent variables in anesthesia studies, Bonferroni adjustment is needed to control familywise error rates (#425). Journals routinely consider how best to make data available to readers (e.g., as supplemental content). We showed substantial risks to patient privacy from posting observational data with procedure and diagnosis codes, necessary to be included for risk adjustment of even the simplest statistical models in anesthesia (#228). Fraud can be detected for some randomized trials by checking baseline, demographic characteristics that should equally divided among assigned groups (#455). Understanding the valid interpretation of P-values and their use as a measure of post hoc reliability is important and can be applied to anesthesia research (#660).

- I have used mathematical models to understand cardiac and brain physiology. I developed the first pharmacokinetic-pharmacodynamic model for an *in vivo* process, specifically vagal control of heart rate, and then applied the model to understand the role of monitoring heart rate variability intraoperatively. Following termination of vagal stimulation, the sinus node of the intact animal responds to acetylcholine as if the sinus node were one oscillator (#433). Muscarinic receptors on the postganglionic vagal nerve endings in the heart do not mediate the response to vagal nerve stimulation (#435). I combined the mathematical models of cardiac cell electrophysiology and vagal nerve acetylcholine release to explain why cardiac cycle length increased geometrically with the concentration of released acetylcholine (#436). Then, I simulated the diffusion of acetylcholine in two-dimensional inhomogeneous geometry from micrographs (#437); this was done when computers had floppy disk drives. Modeling acetylcholine kinetics within the neuroeffector junctions of the sinus node showed that the concentration of acetylcholine appears to follow first-order linear kinetics because physiological response is a boundary effect (#441). I combined these models to simulate the respiratory sinus arrhythmia (#438) and vagal-stimulation induced sinus arrhythmias (#439). Applying these results, under conditions of general anesthesia, the amplitude of the respiratory sinus arrhythmia is an inaccurate surrogate for efferent vagal activity (#440). Subsequent collaboration was with Bradley Hindman to support his studies of brain injury. We simulated extracorporeal brain cooling to estimate the time required for different parts of the brain to reach desired hypothermic temperatures (#443). We then conducted a similar analysis examining the impact of hemodilution (#445). We simulated cerebral venous blood hemoglobin oxygen saturation during hypothermic cardiopulmonary bypass and showed that is not a reliable index for cerebral metabolic rate (#446). Based on these insights, we reanalyzed original

experimental data from pediatric cardiac surgery patients during profoundly hypothermic cardiopulmonary bypass (#452). Under deep hypothermia, the brain uses mostly dissolved oxygen (#452). We simulated the effect of hemoglobin concentration on brain oxygenation during focal stroke, showing an unfavorable effect with hemoglobin concentrations less than 10 g/dL (#453). We simulated the absorption of arterial air emboli absorption during cardiopulmonary bypass (#450), microscopic cerebral arterial air emboli (#454), hyperbaric oxygen therapy for cerebral air embolism (#451), and the rate of pneumocephalus absorption under normobaric conditions (#449).